according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



### **OKS 2711**

Version	Revision Date:	Date of last issue: 30.07.2018	Print Date:
1.2	20.06.2022	Date of first issue: 23.06.2016	20.06.2022

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

	Des durch intervetition		
1.1	Product identifier Product name	:	OKS 2711
1.2	Relevant identified uses of th	ne s	ubstance or mixture and uses advised against
	Use of the Sub- stance/Mixture	:	Auxiliary
	Recommended restrictions on use	:	Restricted to professional users.
1.3	Details of the supplier of the	saf	ety data sheet
	Company	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com
	E-mail address of person responsible for the SDS	:	mcm@oks-germany.com Material Compliance Management
	National contact	:	EagleBurgmann Hungaria Kft. Népfürdő utca 22 1138 Budapest Hungary Tel.: +36 1 814 8160 Fax: +36 1 319 8125 info.hu@eagleburgmann.com
1.4	Emergency telephone numbe	ər	
	Emergency telephone num-	:	0049 (0) 8142-3051-517

Emergency telephone num-	:	0049 (0) 8142-3051-517
ber		Egészségügyi Toxikológiai Tájékoztató Szolgálat (ETTSZ)
		H-1096 Budapest, Nagyvárad tér 2.
		Tel: +36 1 476 6464, +36 80 201 199

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



### **OKS 2711**

Version 1.2	Revision Date: 20.06.2022	Date of last issue: 30.07.2018 Date of first issue: 23.06.2016	Print Date: 20.06.2022
Aeros	ols, Category 1	H222: Extremely flamm H229: Pressurised con	nable aerosol. tainer: May burst if heated.
2.2 Label e	elements		
	ling (REGULATION d pictograms	(EC) No 1272/2008)	

Signal word	:	Danger	
Hazard statements	:	H222 H229	Extremely flammable aerosol. Pressurised container: May burst if heated.
Precautionary statements	:	Prevention:	
		P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
		P211	Do not spray on an open flame or other ignition source.
		P251	Do not pierce or burn, even after use.
		Storage:	
		P410 + P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature

: Active substance with propellant

#### Components



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



### **OKS 2711**

Version	Revision Date:	Date of last issue: 30.07.2018	Print Date:
1.2	20.06.2022	Date of first issue: 23.06.2016	20.06.2022

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concen- tration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
propane	74-98-6 200-827-9 601-003-00-5 01-2119486944-21- XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1)	>= 20 - < 30
isobutane	75-28-5 200-857-2 601-004-00-0 01-2119485395-27- XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1), Note C	>= 1 - < 10
Substances with a	workplace exposure limit :		•	
butane	106-97-8 203-448-7 601-004-00-0	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1), Note C	>= 70 - < 90

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

If inhaled	<ul> <li>Remove person to fresh air. If signs/symptoms continue, get medical attention.</li> <li>Keep patient warm and at rest.</li> <li>If unconscious, place in recovery position and seek medical advice.</li> <li>Keep respiratory tract clear.</li> <li>If breathing is irregular or stopped, administer artificial respiration.</li> </ul>
In case of skin contact	<ul> <li>Remove contaminated clothing. If irritation develops, get med- ical attention.</li> <li>Wash off with soap and plenty of water.</li> <li>Wash clothing before reuse.</li> <li>Thoroughly clean shoes before reuse.</li> </ul>
In case of eye contact	<ul> <li>Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.</li> <li>If eye irritation persists, consult a specialist.</li> </ul>



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



## **OKS 2711**

Version 1.2	Revision Date: 20.06.2022	Date of last issue: 30.07.2018 Date of first issue: 23.06.2016	Print Date: 20.06.2022
lf swa	allowed	: Move the victim to fresh air. Keep respiratory tract clear. Do NOT induce vomiting.	
4.2 Most i	important symptom	Rinse mouth with water.	
	otoms	: Inhalation may provoke the follo Unconsciousness Dizziness Drowsiness Headache Nausea Tiredness	wing symptoms:
4.3 Indica	tion of any immedia	ate medical attention and special treat	ment needed
	ment	: Treat symptomatically.	

### 'y

5.1 Extinguishing media		
Suitable extinguishing media	:	ABC powder
Unsuitable extinguishing media	:	High volume water jet
5.2 Special hazards arising from	n the	e substance or mixture
Specific hazards during fire- fighting	:	Fire Hazard Do not let product enter drains. Contains gas under pressure; may explode if heated. Beware of vapours accumulating to form explosive concentra- tions. Vapours can accumulate in low areas.
Hazardous combustion prod- ucts	:	Carbon oxides
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposi- tion products may be a hazard to health.
Further information	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Cool containers/tanks with water spray.



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



### **OKS 2711**

Version	Revision Date:	Date of last issue: 30.07.2018	Print Date:
1.2	20.06.2022	Date of first issue: 23.06.2016	20.06.2022

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation. Remove all sources of ignition. Refer to protective measures listed in sections 7 and 8. Only qualified personnel equipped with suitable protective equipment may intervene.
----------------------	---

#### 6.2 Environmental precautions

Environmental precautions :	Try to prevent the material from entering drains or water courses. Prevent further leakage or spillage if safe to do so. Local authorities should be advised if significant spillages cannot be contained.
-----------------------------	--

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Contain spillage, and then collect with non-combustible ab- sorbent material, (e.g. sand, earth, diatomaceous earth, ver- miculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal. Non-sparking tools should be used.
-------------------------	---	---

#### 6.4 Reference to other sections

For personal protection see section 8.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Advice on safe handling:Do not use in areas without adequate v Do not breathe vapours or spray mist. In case of insufficient ventilation, wear s equipment. Avoid contact with skin and eyes. For personal protection see section 8. Keep away from fire, sparks and heated Smoking, eating and drinking should be plication area. Wash hands and face before breaks an handling the product. Do not use sparking tools. These safety instructions also apply to e may still contain product residues. Pressurized container: protect from sun pose to temperatures exceeding 50 °C.	d surfaces. e prohibited in the ap- nd immediately after empty packaging which nlight and do not ex-
---	--



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



## **OKS 2711**

Version 1.2	Revision Date: 20.06.2022	Date of last issue: 30.07.2018Print Date:Date of first issue: 23.06.201620.06.2022	
		even after use.	
Hygie	ene measures	: Wash face, hands and any exposed skin thoroughly a handling.	fter
7.2 Condi	itions for safe storage	, including any incompatibilities	
	irements for storage s and containers	: BEWARE: Aerosol is pressurized. Keep away from direction exposure and temperatures over 50 °C. Do not open the or throw into fire even after use. Do not spray on flame red-hot objects. Store in accordance with the particulational regulations.	oy force es or
-	fic end use(s) ific use(s)	: Specific instructions for handling, not required.	

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis			
butane	106-97-8	TWA	2.350 mg/m3	HU OEL (2020-02-06)			
		Further information: Irritants, simple suffocation gases, substances with minor health effects. No correction is required.					
	CEIL 9.400 mg/m3 H						
	Further information: Irritants, simple suffocation gases, substances with minor health effects. No correction is required.						

#### 8.2 Exposure controls

#### **Engineering measures**

Use only in an area equipped with explosion proof exhaust ventilation. Handle only in a place equipped with local exhaust (or other appropriate exhaust).

### Personal protective equipment

Eye protection	:	Safety glasses with side-shields
Hand protection Material Break through time Protective index	:	Nitrile rubber > 10 min Class 1
Remarks	:	For prolonged or repeated contact use protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



## **OKS 2711**

Version 1.2	Revision Date: 20.06.2022		e of last issue: 30.07.2018 e of first issue: 23.06.2016	Print Date: 20.06.2022
			has to be measured for each case. The selected protective gloves have to sations of Regulation (EU) 2016/425 and the derived from it.	
Respi	ratory protection	:	Use respiratory protection unless adequa tilation is provided or exposure assessme exposures are within recommended expo	ent demonstrates that
Fil	ter type	:	Recommended Filter type:	
			Organic gas and low boiling vapour type	(AX)
Protec	ctive measures	:	The type of protective equipment must be to the concentration and amount of the d at the specific workplace. Choose body protection in relation to its tration and amount of dangerous substar cific work-place.	angerous substance type, to the concen-

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state	:	aerosol
Colour	:	colourless
Odour	:	characteristic
Odour Threshold	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	-161 °C (1.013 hPa)
Flammability (solid, gas)	:	Extremely flammable aerosol.
Upper explosion limit / Upper flammability limit	:	9,4 %(V)
Lower explosion limit / Lower flammability limit	:	1,4 %(V)
Flash point	:	0 °C Method: Abel-Pensky
Auto-ignition temperature	:	No data available



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



## **OKS 2711**

Version 1.2	Revision Date: 20.06.2022		of last issue: 30.07.2018 of first issue: 23.06.2016	Print Date: 20.06.2022
De	composition temperature	:	No data available	
рН		:	Not applicable substance/mixture is non-soluble	e (in water)
	cosity Viscosity, dynamic	:	No data available	
	Viscosity, kinematic	:	< 20,5 mm2/s (40 °C)	
	lubility(ies) Water solubility	:	insoluble	
	Solubility in other solvents	5 :	No data available	
	rtition coefficient: n- anol/water	:	No data available	
Va	pour pressure	:	8.327 hPa (20 °C)	
Re	lative density	:	0,561 (20 °C) Reference substance: Water The value is calculated	
De	nsity	:	0,56 g/cm3 (20 °C)	
Bu	lk density	:	No data available	
Re	lative vapour density	:	No data available	
).2 Oth	er information			
Ex	plosives	:	Not explosive	
Ox	idizing properties	:	No data available	
Se	lf-ignition	:	No data available	
Me	etal corrosion rate	:	Not corrosive to metals	
Ev	aporation rate	:	No data available	
Su	blimation point	:	No data available	



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



### **OKS 2711**

VersionRevision Date:Date of last issue: 30.07.2018Print Date:1.220.06.2022Date of first issue: 23.06.201620.06.2022	
--	--

: No dangerous reaction known under conditions of normal use.

### **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

No hazards to be specially mentioned.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

10.4 Conditions to avoid

Hazardous reactions

Conditions to avoid : Heat, flames and sparks.

#### 10.5 Incompatible materials

Materials to avoid : Oxidizing agents

#### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity Product: Remarks: This information is not available. Acute oral toxicity : Acute inhalation toxicity Symptoms: Inhalation may provoke the following symptoms:, : Respiratory disorder Acute dermal toxicity Remarks: This information is not available. • **Components:** isobutane: LC50 (Rat): 658 mg/l Acute inhalation toxicity Exposure time: 4 h Test atmosphere: gas butane: Acute inhalation toxicity LC50 (Rat): 658 mg/l Exposure time: 4 h Test atmosphere: gas



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



### **OKS 2711**

rsion	Revision Date: 20.06.2022		e of last issue: 30.07.2018 e of first issue: 23.06.2016	Print Date: 20.06.2022
Skin	corrosion/irritation			
<u>Produ</u>	uct:			
Rema	arks	:	This information is not available.	
Serio	us eye damage/eye i	irritati	on	
Produ	uct:			
Rema	arks	:	Contact with eyes may cause irritation.	
Resp	iratory or skin sensit	tisatio	n	
Produ	uct:			
Rema	arks	:	This information is not available.	
Germ	cell mutagenicity			
<u>Produ</u>	uct:			
Geno	toxicity in vitro	:	Remarks: No data available	
Geno	toxicity in vivo	:	Remarks: No data available	
Carci	nogenicity			
<u>Produ</u>	u <u>ct:</u>			
Rema		:	No data available	
Repro	oductive toxicity			
Produ	uct:			
Effect	ts on fertility	:	Remarks: No data available	
Effect ment	s on foetal develop-	:	Remarks: No data available	
Repe	ated dose toxicity			
Produ	uct:			
Rema	arks	:	This information is not available.	
Aspir	ation toxicity			
Produ	uct:			
	nformation is not avail	able.		



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



### **OKS 2711**

Version	Revision Date:	Date of last issue: 30.07.2018	Print Date:
1.2	20.06.2022	Date of first issue: 23.06.2016	20.06.2022

#### 11.2 Information on other hazards

### Endocrine disrupting properties

### Product:

Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Further information	
Product:	
Remarks	<ul> <li>Information given is based on data on the components and the toxicology of similar products.</li> </ul>

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available

#### 12.2 Persistence and degradability

|--|

Biodegradability	:	Remarks: No data available
Physico-chemical removabil- ity	:	Remarks: No data available

#### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation		Remarks: This mixture contains no substance considered to
		be persistent, bioaccumulating and toxic (PBT).
		This mixture contains no substance considered to be very
		persistent and very bioaccumulating (vPvB).



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



### **OKS 2711**

013	2/11									
Versic 1.2	n Revision Date: 20.06.2022		e of last issue: 30.07.2018 e of first issue: 23.06.2016	Print Date: 20.06.2022						
<u>c</u>	components:									
P	ropane: artition coefficient: n- ctanol/water	:	log Pow: 2,36							
is	sobutane:									
	artition coefficient: n- ctanol/water	:	log Pow: 2,88 Method: OECD Test Guideline 107							
b	utane:									
	artition coefficient: n- ctanol/water	:	log Pow: 2,89 Method: OECD Test Guideline 107							
12.4 N	12.4 Mobility in soil									
Р	Product:									
N	lobility	:	Remarks: No data available							
	Distribution among environ- nental compartments	:	Remarks: No data available							
12.5 Results of PBT and vPvB assessment										
Р	roduct:									
	ssessment	:	This substance/mixture contains no com to be either persistent, bioaccumulative very persistent and very bioaccumulative 0.1% or higher.	and toxic (PBT), or						
12.6 E	12.6 Endocrine disrupting properties									
Р	roduct:									
	ssessment	:	The substance/mixture does not contain ered to have endocrine disrupting prope REACH Article 57(f) or Commission Del (EU) 2017/2100 or Commission Regulat levels of 0.1% or higher.	rties according to egated regulation						
12.7 0	12.7 Other adverse effects									
A	roduct: dditional ecological infor- nation	:	No information on ecology is available.							



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



## **OKS 2711**

Version	Revision Date:	Date of last issue: 30.07.2018	Print Date:
1.2	20.06.2022	Date of first issue: 23.06.2016	20.06.2022

### **SECTION 13: Disposal considerations**

13.1 Waste treatment methods	
Product :	Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
	Waste codes should be assigned by the user based on the application for which the product was used.
Contaminated packaging :	Packaging that is not properly emptied must be disposed of as the unused product. Offer empty spray cans to an established disposal company. Pressurized container: Do not pierce or burn, even after use.
	The following Waste Codes are only suggestions:
Waste Code :	unused product, packagings not completely emptied 16 05 04*, gases in pressure containers (including halons) containing hazardous substances

### **SECTION 14: Transport information**

### 14.1 UN number or ID number

ADN	:	UN 1950
ADR	:	UN 1950
RID	:	UN 1950
IMDG	:	UN 1950
ΙΑΤΑ	:	UN 1950
14.2 UN proper shipping name		
ADN	:	AEROSOLS
ADR	:	AEROSOLS
RID	:	AEROSOLS
IMDG	:	AEROSOLS
ΙΑΤΑ	:	Aerosols, flammable
14.3 Transport hazard class(es)		
ADN	:	2
ADR	:	2
RID	:	2
IMDG	:	2.1



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



### **OKS 2711**

Version 1.2	Revision Date: 20.06.2022		e of last issue: 30.07.2018 e of first issue: 23.06.2016	Print Date: 20.06.2022
IATA 14.4 Packi	ng group	:	2.1	
	ng group fication Code	:	Not assigned by regulation 5F 2.1	
Classi Labels	ng group fication Code s I restriction code	:	Not assigned by regulation 5F 2.1 (D)	
Classi	ng group fication Code d Identification Number		Not assigned by regulation 5F 23 2.1	
<b>IMDG</b> Packir Labels EmS (	ng group S	:	Not assigned by regulation 2.1 F-D, S-U	
Packir aircraf Packir	ng instruction (LQ) ng group		203 Y203 Not assigned by regulation Flammable Gas	
Packir ger air Packir	ng instruction (LQ) ng group		203 Y203 Not assigned by regulation Flammable Gas	
14.5 Enviro	onmental hazards			
<b>ADN</b> Enviro	onmentally hazardous	:	no	
ADR	onmentally hazardous	:	no	
<b>RID</b> Enviro	onmentally hazardous	:	no	
<b>IMDG</b> Marine	e pollutant	:	no	
14.6 Speci	al precautions for use	ər		

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



### **OKS 2711**

Version	Revision Date:	Date of last issue: 30.07.2018	Print Date:
1.2	20.06.2022	Date of first issue: 23.06.2016	20.06.2022

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture REACH - Restrictions on the manufacture, placing on : Not applicable the market and use of certain dangerous substances, mixtures and articles (Annex XVII) REACH - Candidate List of Substances of Very High 2 This product does not contain sub-Concern for Authorisation (Article 59). stances of very high concern (Regu-(EU SVHC) lation (EC) No 1907/2006 (REACH), Article 57). REACH - List of substances subject to authorisation Not applicable 5 (Annex XIV) (EU. REACH-Annex XIV) Regulation (EC) No 1005/2009 on substances that de-Not applicable 5 plete the ozone layer (EC 1005/2009) Regulation (EU) 2019/1021 on persistent organic pollu-Not applicable : tants (recast) (EU POP) Regulation (EC) No 649/2012 of the European Parlia-Not applicable ment and the Council concerning the export and import of dangerous chemicals (EU PIC) : P2 Seveso III: Directive 2012/18/EU of the European P3a FLAMMABLE AEROSOLS Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Liquefied extremely flammable 18 gases (including LPG) and natural gas Directive 2010/75/EU of 24 November 2010 on industrial Volatile organic compounds emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 99,95 %



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



### **OKS 2711**

Version	Revision Date:	Date of last issue: 30.07.2018	Print Date:
1.2	20.06.2022	Date of first issue: 23.06.2016	20.06.2022

#### Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

2000 XXV. Law on chemical safety

44/2000. (XII 27) Ministry of health dangerous substances and preparations dangerous for certain procedures and arrangements for activities

#### 15.2 Chemical safety assessment

This information is not available.

#### **SECTION 16: Other information**

Full text of H-Statements H220 H280 Full text of other abbreviatio	: i	Contains gas under pressure; may explode if heated.
Note C	:	Some organic substances may be marketed either in a specif- ic isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the sub- stance is a specific isomer or a mixture of isomers.
Note U (table 3.1)	:	When put on the market gases have to be classified as "Gas- es under pressure", in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is pack- aged and therefore has to be assigned case by case. The following codes are assigned: Press. Gas (Comp.) Press. Gas (Liq.) Press. Gas (Ref. Liq.) Press. Gas (Diss.) Aerosols shall not be classified as gases under pressure (See Annex I, Part 2, Section 2.3.2.1, Note 2).
HU OEL	:	Hungary. Occupational Exposure Limits - Annex 1: Permissi- ble concentration values
HU OEL / TWA HU OEL / CEIL	:	Mean concentration Peak concentration

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good La-



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



### **OKS 2711**

Version	Revision Date:	Date of last issue: 30.07.2018	Print Date:
1.2	20.06.2022	Date of first issue: 23.06.2016	20.06.2022

boratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### Further information

#### **Classification of the mixture:**

Aerosol 1

H222, H229

Classification procedure: Based on product data or assessment

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

