

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 280

| | | | |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 2018-03-22 | Print Date: |
| 1.3 | 2019-10-18 | Date of first issue: 2014-03-13 | 2019-10-18 |

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : OKS 280

Chemical nature : Mineral oil.
solid lubricant
lithium soap

Manufacturer or supplier's details

Company : OKS Spezialschmierstoffe GmbH
Ganghoferstr. 47
D-82216 Maisach-Gernlinden
Tel.: +49 8142 3051 500
Fax.: +49 8142 3051 599

E-mail address of person responsible for the SDS : mcm@oks-germany.com

National contact :

Emergency telephone number : +86 512 8090 3042 (NCEC, 24 hrs)
+86 532 8388 9090 (NRCC)

Recommended use of the chemical and restrictions on use

Recommended use : Lubricant

2. HAZARDS IDENTIFICATION

Emergency Overview

| | |
|-------------------|--------------------|
| Appearance | : paste |
| Colour | : white |
| Odour | : hydrocarbon-like |

Not a hazardous substance or mixture.

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 280

| | | | |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 2018-03-22 | Print Date: |
| 1.3 | 2019-10-18 | Date of first issue: 2014-03-13 | 2019-10-18 |

Physical and chemical hazards

Not classified based on available information.

Health hazards

Not classified based on available information.

Environmental hazards

Not classified based on available information.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

| Chemical name | CAS-No. | Concentration (% w/w) |
|---|------------|-----------------------|
| Distillates (petroleum), solvent-dewaxed heavy paraffinic | 64742-65-0 | >= 30 -< 50 |
| Distillates (petroleum), hydrotreated heavy paraffinic | 64742-54-7 | >= 1 -< 10 |

4. FIRST AID MEASURES

- If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.
Keep patient warm and at rest.
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.
Wash off with soap and water.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.
If eye irritation persists, consult a specialist.
- If swallowed : Move the victim to fresh air.
Do not induce vomiting without medical advice.
- Most important symptoms and effects, both acute and delayed : No information available.
None known.
- Notes to physician : No information available.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 280

| | | | |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 2018-03-22 | Print Date: |
| 1.3 | 2019-10-18 | Date of first issue: 2014-03-13 | 2019-10-18 |

5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Fire may cause evolution of:
Carbon oxides
Metal oxides
Sulphur oxides
- Specific extinguishing methods : Standard procedure for chemical fires.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.
Exposure to decomposition products may be a hazard to health.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.
Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust).
Do not breathe vapours, aerosols.
Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Try to prevent the material from entering drains or water courses.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Clean up promptly by sweeping or vacuum.
Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Handling

- Advice on safe handling : For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Wash hands and face before breaks and immediately after handling the product.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 280

| | | | |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 2018-03-22 | Print Date: |
| 1.3 | 2019-10-18 | Date of first issue: 2014-03-13 | 2019-10-18 |

Avoidance of contact : No materials to be especially mentioned.

Storage

Conditions for safe storage : Store in original container.
Keep container closed when not in use.
Keep in a dry, cool and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Store in accordance with the particular national regulations.
Keep in properly labelled containers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|---|------------|----------------------------------|--|-------|
| Distillates (petroleum), solvent-dewaxed heavy paraffinic | 64742-65-0 | TWA (Inhalable fraction) | 5 mg/m ³ | ACGIH |
| Distillates (petroleum), hydrotreated heavy paraffinic | 64742-54-7 | TWA (Inhalable fraction) | 5 mg/m ³ | ACGIH |

Engineering measures : none

Personal protective equipment

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type P

Eye/face protection : Tightly fitting safety goggles

Hand protection

Material : Nitrile rubber

Protective index : Class 1

Remarks : For prolonged or repeated contact use protective gloves. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Choose body protection in relation to its type, to the concen-

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 280

| | | | |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 2018-03-22 | Print Date: |
| 1.3 | 2019-10-18 | Date of first issue: 2014-03-13 | 2019-10-18 |

tration and amount of dangerous substances, and to the specific work-place.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : paste

Colour : white

Odour : hydrocarbon-like

Odour Threshold : No data available

pH : Not applicable

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : Combustible Solids

Self-ignition : not auto-flammable

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : < 0.001 hPa (20 °C)

Relative vapour density : No data available

Density : 1.70 g/cm³ (20 °C)

Bulk density : No data available

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 280

| | | | |
|----------------|------------------------------|---|---------------------------|
| Version 1.3 | Revision Date: 2019-10-18 | Date of last issue: 2018-03-22 Date of first issue: 2014-03-13 | Print Date: 2019-10-18 |
|----------------|------------------------------|---|---------------------------|

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

 Viscosity, dynamic : No data available

 Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : No data available

Sublimation point : No data available

Metal corrosion rate : Not corrosive to metals

10. STABILITY AND REACTIVITY

Reactivity : No hazards to be specially mentioned.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : No conditions to be specially mentioned.

Incompatible materials : No materials to be especially mentioned.

Hazardous decomposition products : No decomposition if stored and applied as directed.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Remarks: This information is not available.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 280

| | | | |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 2018-03-22 | Print Date: |
| 1.3 | 2019-10-18 | Date of first issue: 2014-03-13 | 2019-10-18 |

Components:

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg
Method: OECD Test Guideline 402

Distillates (petroleum), hydrotreated heavy paraffinic:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401
GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 5.53 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg
Method: OECD Test Guideline 402

Skin corrosion/irritation

Product:

Remarks : This information is not available.

Components:

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Species : Rabbit
Assessment : No skin irritation
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : yes

Distillates (petroleum), hydrotreated heavy paraffinic:

Species : Rabbit
Assessment : No skin irritation
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : yes

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 280

| | | | |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 2018-03-22 | Print Date: |
| 1.3 | 2019-10-18 | Date of first issue: 2014-03-13 | 2019-10-18 |

Serious eye damage/eye irritation

Product:

Remarks : This information is not available.

Components:

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Species : Rabbit
Result : No eye irritation
Assessment : No eye irritation
Method : OECD Test Guideline 405
GLP : yes

Distillates (petroleum), hydrotreated heavy paraffinic:

Species : Rabbit
Result : No eye irritation
Assessment : No eye irritation
Method : OECD Test Guideline 405
GLP : yes

Respiratory or skin sensitisation

Product:

Remarks : This information is not available.

Components:

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Species : Guinea pig
Assessment : Does not cause skin sensitisation.
Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.
GLP : yes

Distillates (petroleum), hydrotreated heavy paraffinic:

Species : Guinea pig
Assessment : Does not cause skin sensitisation.
Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.
GLP : yes

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: No data available

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 280

| | | | |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 2018-03-22 | Print Date: |
| 1.3 | 2019-10-18 | Date of first issue: 2014-03-13 | 2019-10-18 |

Genotoxicity in vivo : Remarks: No data available

Components:

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Genotoxicity in vitro : Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative

Carcinogenicity

Product:

Remarks : No data available

Components:

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Species : Mouse
Application Route : Dermal
Method : OECD Test Guideline 451
Result : negative

Distillates (petroleum), hydrotreated heavy paraffinic:

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

Reproductive toxicity

Product:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

Components:

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Effects on foetal development : Species: Rat
Application Route: Dermal

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 280

| | | | |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 2018-03-22 | Print Date: |
| 1.3 | 2019-10-18 | Date of first issue: 2014-03-13 | 2019-10-18 |

General Toxicity Maternal: NOAEL: 30 mg/kg body weight
Developmental Toxicity: NOAEL: 30 mg/kg body weight
Method: OECD Test Guideline 414

Distillates (petroleum), hydrotreated heavy paraffinic:

Reproductive toxicity - Assessment : No toxicity to reproduction

Repeated dose toxicity

Product:

Remarks : This information is not available.

Aspiration toxicity

Product:

This information is not available.

Components:

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

No aspiration toxicity classification

Distillates (petroleum), hydrotreated heavy paraffinic:

No aspiration toxicity classification

Further information

Product:

Remarks : Information given is based on data on the components and the toxicology of similar products.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish :
Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates :
Remarks: No data available

Toxicity to algae :
Remarks: No data available

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 280

| | | | |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 2018-03-22 | Print Date: |
| 1.3 | 2019-10-18 | Date of first issue: 2014-03-13 | 2019-10-18 |

Toxicity to microorganisms : Remarks: No data available

Components:

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to algae : NOEC (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 10 mg/l
Exposure time: 21 d

Distillates (petroleum), hydrotreated heavy paraffinic:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l
Exposure time: 48 h
Test Type: Immobilization
Method: OECD Test Guideline 202
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 10 mg/l
Exposure time: 21 d
Test Type: semi-static test
Method: OECD Test Guideline 211
GLP: yes

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 280

| | | | |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 2018-03-22 | Print Date: |
| 1.3 | 2019-10-18 | Date of first issue: 2014-03-13 | 2019-10-18 |

Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

Components:

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Biodegradability : aerobic
Inoculum: activated sludge
Result: Not rapidly biodegradable
Biodegradation: 31 %
Exposure time: 28 d
Method: OECD Test Guideline 301B
GLP: yes

Distillates (petroleum), hydrotreated heavy paraffinic:

Biodegradability : aerobic
Inoculum: activated sludge
Result: Not rapidly biodegradable
Biodegradation: 3 %
Exposure time: 28 d
Method: OECD Test Guideline 301B
GLP: yes

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

Components:

Distillates (petroleum), hydrotreated heavy paraffinic:

Partition coefficient: n-octanol/water : log Pow: > 2

Mobility in soil

Product:

Mobility : Remarks: No data available

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 280

| | | | |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 2018-03-22 | Print Date: |
| 1.3 | 2019-10-18 | Date of first issue: 2014-03-13 | 2019-10-18 |

Distribution among environmental compartments : Remarks: No data available

Other adverse effects

Product:

Additional ecological information : No information on ecology is available.

Components:

Distillates (petroleum), hydrotreated heavy paraffinic:

Results of PBT and vPvB assessment : Non-classified vPvB substance Non-classified PBT substance

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.
Dispose of waste product or used containers according to local regulations.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

Not regulated as a dangerous good

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 280

| | | | |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 2018-03-22 | Print Date: |
| 1.3 | 2019-10-18 | Date of first issue: 2014-03-13 | 2019-10-18 |

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : Not applicable

Hazardous Chemicals for Priority Management under SAWS : Not applicable

Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals : Not applicable

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export : Not applicable

The components of this product are reported in the following inventories:

IECSC : On the inventory, or in compliance with the inventory

16. OTHER INFORMATION

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 280

| | | | |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 2018-03-22 | Print Date: |
| 1.3 | 2019-10-18 | Date of first issue: 2014-03-13 | 2019-10-18 |

Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

This safety data sheet applies only to products originally packed and labelled by OKS Spezialschmierstoffe. The information contained therein may not be reproduced or modified without the express written permission of OKS Spezialschmierstoffe. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of our safety data sheets (e.g. as a document for download from the Internet) is not permitted without the express written consent of OKS Spezialschmierstoffe. OKS Spezialschmierstoffe provides its customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. OKS Spezialschmierstoffe provides no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorised trading partner of OKS Spezialschmierstoffe.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 280

| | | | |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 2018-03-22 | Print Date: |
| 1.3 | 2019-10-18 | Date of first issue: 2014-03-13 | 2019-10-18 |
