according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 2901

Version	Revision Date:	Date of last issue: 04.07.2019	Print Date:
4.1	14.10.2022	Date of first issue: 15.07.2016	14.10.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product in Product r		:	OKS 2901
1.2 Relevant	identified uses of th	ne s	ubstance or mixture and uses advised against
Use of the stance/M		:	Lubricant
Recommon use	ended restrictions	:	Restricted to professional users.
1.3 Details of	the supplier of the	saf	ety data sheet
Company	/	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com
	ddress of person ble for the SDS	:	mcm@oks-germany.com Material Compliance Management
National o	contact	:	EagleBurgmann Hungaria Kft. Népfürdő utca 22 1138 Budapest Hungary Tel.: +36 1 814 8160 Fax: +36 1 319 8125 info.hu@eagleburgmann.com
1.4 Emergend	cy telephone numbe	ər	
-	cy telephone num-	:	0049 (0) 8142-3051-517

Emergency telephone num-	:	0049 (0) 8142-3051-517
ber		Egészségügyi Toxikológiai Tájékoztató Szolgálat (ETTSZ)
		H-1096 Budapest, Nagyvárad tér 2.
		Tel: +36 1 476 6464, +36 80 201 199

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 2901

Version 4.1	Revision Date: 14.10.2022	2 4.0 01 14.01 10	sue: 04.07.2019 sue: 15.07.2016	Print Date: 14.10.2022	
Aero	osols, Category 1		H222: Extremely flamn H229: Pressurised con	nable aerosol. Itainer: May burst if heated.	
Specific target organ toxicity - single ex- posure, Category 3, Central nervous system			H336: May cause drowsiness or dizziness.		
Asp	Aspiration hazard, Category 1		H304: May be fatal if swallowed and enters air- ways.		
Long egoi	g-term (chronic) aquati y 3	c hazard, Cat-	H412: Harmful to aqua fects.	tic life with long lasting ef-	

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) Hazard pictograms :					
Signal word	:	Danger			
Hazard statements	:	H222 H229 H304 H336 H412	Extremely flammable aerosol. Pressurised container: May burst if heated. May be fatal if swallowed and enters air- ways. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting ef- fects.		
Supplemental Hazard Statements	:	EUH066	Repeated exposure may cause skin dryness or cracking.		
Precautionary statements	:	Prevention: P210 P211 P251	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.		
		Response: P301 + P310 P331 Storage: P410 + P412	IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Do NOT induce vomiting. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.		

Hazardous components which must be listed on the label:



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 2901

Version	Revision Date:	Date of last issue: 04.07.2019	Print Date:
4.1	14.10.2022	Date of first issue: 15.07.2016	14.10.2022

Naphtha (petroleum), hydrotreated light; Low boiling point hydrogen treated naphtha

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Active substance with propellant Solvent Synthetic hydrocarbon oil

Components

Componenta				
Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concen- tration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
Naphtha (petroleum), hydrotreated light; Low boiling point hy- drogen treated naph- tha	64742-49-0 927-241-2 649-328-00-1 01-2119471843-32- xxxx	Flam. Liq.3; H226 STOT SE3; H336 Asp. Tox.1; H304 Aquatic Chronic3; H412; EUH066	Note P	>= 30 - < 50
propane	74-98-6 200-827-9 601-003-00-5 01-2119486944-21- XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1)	>= 1 - < 10
Substances with a work	place exposure limit :	•		
butane	106-97-8 203-448-7	Flam. Gas1A; H220		>= 10 - < 20



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 2901

Version 4.1	Revision D 14.10.2022		ssue: 04.07.2019 issue: 15.07.2016	Print Date: 14.10.2022	
		601-004-00-0 01-2119474691-32- XXXX	Press. GasCompr. Gas; H280	Note U (table 3.1), Note C	
residual o um), hydr	ils (petrole- otreated	64742-57-0 265-160-8 649-470-00-4 01-2119489287-22- XXXX	Not classified	Note L	>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled	 Call a physician or poison control centre immediately. Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respira- tion.
In case of skin contact	 Take off all contaminated clothing immediately. Get medical attention immediately if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse. Wash skin thoroughly with soap and water or use recognized skin cleanser.
In case of eye contact	: Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. Seek medical advice.
If swallowed	 Move the victim to fresh air. If accidentally swallowed obtain immediate medical attention. Keep respiratory tract clear. Do NOT induce vomiting. Rinse mouth with water. Aspiration hazard if swallowed - can enter lungs and cause damage.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms :		Inhalation may provoke the following symptoms:
------------	--	--



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 2901

Version 4.1	Revision Date: 14.10.2022	Date of last issue: 04.07.2019 Date of first issue: 15.07.2016	Print Date: 14.10.2022			
		Unconsciousness Dizziness Drowsiness Headache Nausea Tiredness Skin contact may provoke the follo Erythema	owing symptoms:			
		Aspiration may cause pulmonary of	pedema and pneumonitis.			
Risks		: Central nervous system depressio Can be absorbed through skin. Risk of product entering the lungs Health injuries may be delayed.				
4.3 Indication of any immediate medical attention and special treatment needed						

	-		
Treatment		:	Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media					
Suitable extinguishing media	:	ABC powder			
Unsuitable extinguishing media	:	High volume water jet			
5.2 Special hazards arising from	the	e substance or mixture			
Specific hazards during fire- fighting	:	Fire Hazard Do not let product enter drains. Contains gas under pressure; may explode if heated. Beware of vapours accumulating to form explosive concentra- tions. Vapours can accumulate in low areas.			
Hazardous combustion prod- ucts	:	Carbon oxides Nitrogen oxides (NOx)			
5.3 Advice for firefighters					
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposi- tion products may be a hazard to health.			
Further information	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Cool containers/tanks with water spray.			



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 2901

Version	Revision Date:	Date of last issue: 04.07.2019	Print Date:
4.1	14.10.2022	Date of first issue: 15.07.2016	14.10.2022

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	 Evacuate personnel to safe areas. Ensure adequate ventilation. Remove all sources of ignition. Do not breathe vapours or spray mist. Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Refer to protective measures listed in sections 7 and 8. Only qualified personnel equipped with suitable protective equipment may intervene.

6.2 Environmental precautions

Prevent furt	w contact with soil, surface or ground water. ther leakage or spillage if safe to do so. Ict contaminates rivers and lakes or drains inform authorities.
--------------	---

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Contain spillage, and then collect with non-combustible ab- sorbent material, (e.g. sand, earth, diatomaceous earth, ver- miculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal. Non-sparking tools should be used.
-------------------------	---	---

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	 Do not use in areas without adequate ventilation. Do not breathe vapours or spray mist. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin and eyes. For personal protection see section 8. Keep away from fire, sparks and heated surfaces. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not use sparking tools. These safety instructions also apply to empty packaging which
-------------------------	--



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 2901

Version 4.1	Revision Date: 14.10.2022		int Date: I.10.2022
		may still contain product residues. Pressurized container: protect from sunlight a pose to temperatures exceeding 50 °C. Do no even after use.	
Hygie	ne measures	: Wash face, hands and any exposed skin thor handling.	roughly after
7.2 Conditions for safe storage, Requirements for storage areas and containers		 ncluding any incompatibilities BEWARE: Aerosol is pressurized. Keep away exposure and temperatures over 50 °C. Do no or throw into fire even after use. Do not spray red-hot objects. Store in accordance with the tional regulations. 	ot open by force on flames or
-	ic end use(s) fic use(s)	: Specific instructions for handling, not required	d.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
Naphtha (petrole- um), hydrotreated light; Low boiling point hydrogen treated naphtha	64742-49-0	TWA (Mist)	5 mg/m3	HU OEL (2020-02-06)		
	Further inform	ation: SCOEL/SUM	163/2011, Substances which	have a health		
	hazard after P	ROLONGED expos	ure. Corrected value = TWA	x 40 / number		
	of hours per w	/eek				
butane	106-97-8	TWA	2.350 mg/m3	HU OEL (2020-02-06)		
	Further information: Irritants, simple suffocation gases, substances with minor					
	health effects. No correction is required.					
	CEIL 9.400 mg/m3 HU OEL (2020-02-0					
	Further information: Irritants, simple suffocation gases, substances with minor health effects. No correction is required.					
residual oils (petro- leum), hydrotreat- ed	64742-57-0	TWA (Mist)	5 mg/m3	HU OEL (2020-02-06)		
	Further information: SCOEL/SUM/163/2011, Substances which have a health hazard after PROLONGED exposure. Corrected value = TWA x 40 / number of hours per week					

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 2901

VersionRevision Date:Date of last issue: 04.07.2019Print Date:4.114.10.2022Date of first issue: 15.07.201614.10.2022	
--	--

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
residual oils (petrole- Workers um), hydrotreated		Inhalation	Long-term systemic 2,7 mg/m effects	
	Workers	Inhalation	Acute systemic ef- fects	5,6 mg/m3
	Workers	Skin contact	Long-term systemic effects	1 mg/kg

8.2 Exposure controls

Engineering measures

Use only in an area equipped with explosion proof exhaust ventilation. Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment

Eye protection	:	Safety glasses with side-shields
Hand protection Material Break through time Protective index	:	butyl-rubber > 10 min Class 1
Remarks	:	Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. The selected protective gloves have to satisfy the specifica- tions of Regulation (EU) 2016/425 and the standard EN 374 derived from it.
Skin and body protection	:	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.
Respiratory protection	:	Use respiratory protection unless adequate local exhaust ven- tilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Short term only
Filter type	:	Filter type A-P
Protective measures	:	The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state

: aerosol



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 2901

Vers 4.1	ion	Revision Date: 14.10.2022		of last issue: 04.07.2019 of first issue: 15.07.2016	Print Date: 14.10.2022
	Colour		:	brown, yellow	
	Odour		:	solvent-like	
	Odour ⁻	Threshold	:	No data available	
	Melting	point/range	:	No data available	
	Boiling	point/boiling range	:	< -20 °C (1.013 hPa)	
	Flamma	ability (solid, gas)	:	Extremely flammable aerosol.	
		explosion limit / Upper bility limit	:	9,4 %(V)	
		explosion limit / Lower bility limit	:	1,4 %(V)	
	Flash p	oint	:	-20 °C Method: Abel-Pensky	
	Auto-ig	nition temperature	:	No data available	
	Decom	position temperature	:	No data available	
	рН		:	Not applicable substance/mixture is non-solubl	e (in water)
	Viscosi	ty			
		osity, dynamic	:	No data available	
	Visc	osity, kinematic	:	< 20,5 mm2/s (40 °C)	
	Solubili Wat	ty(ies) er solubility	:	insoluble	
	Solu	bility in other solvents	:	No data available	
	Partition octanol	n coefficient: n- /water	:	No data available	
	Vapour	pressure	:	2.900 hPa (20 °C)	
	Relative	e density	:	0,697 (20 °C) Reference substance: Water The value is calculated	
	Density	,	:	0,70 g/cm3	



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 2901

Versior 4.1	n Revision Date: 14.10.2022	Date of last issue: 04.07.2019Print Date:Date of first issue: 15.07.201614.10.2022	
		(20 °C)	
Βι	ılk density	: No data available	
Relative vapour density		: No data available	
9.2 Oth	ner information		
Ex	plosives	: Not explosive	
O	kidizing properties	: No data available	
Se	elf-ignition	: No data available	
Me	etal corrosion rate	: Not corrosive to metals	
Εv	aporation rate	: No data available	
Sublimation point		: No data available	

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous rea	actio	ons
Hazardous reactions	:	No dangerous reaction known under conditions of normal use.
10.4 Conditions to avoid		
Conditions to avoid	:	Heat, flames and sparks. Strong sunlight for prolonged periods. Risk of receptacle bursting.

10.5 Incompatible materials

Oxidizing agents

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 2901

Version	Revision Date:	Date of last issue: 04.07.2019	Print Date:
4.1	14.10.2022	Date of first issue: 15.07.2016	14.10.2022

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

		• • • •			
Acute toxicity					
Product:					
Acute oral toxicity	:	Remarks: Effects due to ingestion may include:			
		Symptoms: Central nervous system depression			
Acute inhalation toxicity	:	Remarks: Respiration of solvent vapour may cause dizziness.			
		Symptoms: Inhalation may provoke the following symptoms:, Respiratory disorder, Dizziness, Drowsiness, Vomiting, Fa- tigue, Vertigo, Central nervous system depression			
Acute dermal toxicity	:	Remarks: Prolonged or repeated skin contact with liquid may cause defatting resulting in drying, redness and possible blistering.			
		Symptoms: Skin disorders			
Components:					
Naphtha (petroleum), hydro	otre	ated light; Low boiling point hydrogen treated naphtha:			
Acute oral toxicity		LD50 Oral (Rat): > 5.000 mg/kg			
butane:					
Acute inhalation toxicity	:	LC50 (Rat): 658 mg/l Exposure time: 4 h Test atmosphere: gas			
residual oils (petroleum), h	ydro	otreated:			
Acute oral toxicity	:	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401			
Acute dermal toxicity	:	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 402			
Skin corrosion/irritation					
Product:					
Remarks	:	This information is not available.			
Components:					
Naphtha (petroleum), hydrotreated light; Low boiling point hydrogen treated naphtha:					
Result	:	Repeated exposure may cause skin dryness or cracking.			



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 2901

Version	Revision Date:	Date of last issue: 04.07.2019	Print Date:
4.1	14.10.2022	Date of first issue: 15.07.2016	14.10.2022

residual oils (petrole	um), hydrotreated:
Species	: Rabbit
Assessment	: No skin irritation
Method	: OECD Test Guideline 4
Result	: No skin irritation

Serious eye damage/eye irritation

Product:

Remarks : Contact with eyes may cause irritation.

Components:

residual oils (petroleum), hydrotreated:

:	Rabbit
:	No eye irritation
:	OECD Test Guideline 405
:	No eye irritation
	:

Respiratory or skin sensitisation

Product:

Remarks

: This information is not available.

Components:

residual oils (petroleum), hydrotreated:

Species Assessment Method Result	:	Guinea pig Does not cause skin sensitisation. OECD Test Guideline 406 Does not cause skin sensitisation.
Assessment Result		Does not cause respiratory sensitisation. Does not cause respiratory sensitisation.

Germ cell mutagenicity

Genotoxicity in vitro	:	Remarks: No data available
Genotoxicity in vivo	:	Remarks: No data available

Carcinogenicity

Product:

Remarks	:	No data available



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 2001

OKS 29	01		
Version 4.1	Revision Date: 14.10.2022	Date of last issue: 04.07.2019 Date of first issue: 15.07.2016	Print Date: 14.10.2022
Com	ponents:		
resid	ual oils (petroleum),	ydrotreated:	
Carci ment	•	: Not classifiable as a human carcir	logen.
Repr	oductive toxicity		
Prod	uct:		
Effec	ts on fertility	: Remarks: No data available	
Effec ment	ts on foetal develop-	: Remarks: No data available	
STO	Γ - single exposure		
Com	ponents:		
Repe <u>Prod</u>		: May cause drowsiness or dizzines	ŝS.
Rema	arks	: This information is not available.	
Aspi	ration toxicity		
<u>Prod</u>	uct:		
May I	be fatal if swallowed a	d enters airways.	
May I	be fatal if swallowed a	d enters airways.	
<u>Com</u>	ponents:		
	tha (petroleum), hyd be fatal if swallowed a	otreated light; Low boiling point hydr d enters airways.	ogen treated naphtha:
	ual oils (petroleum), spiration toxicity classi	•	
1.2 Infor	mation on other haza	rds	
Endo	ocrine disrupting pro	erties	
Prod	uoti		

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to



:

according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 2901

Version 4.1	Revision Date: 14.10.2022	2 410 01 140	t issue: 04.07.2019 t issue: 15.07.2016	Print Date: 14.10.2022
		(EU) 2	CH Article 57(f) or Commiss 2017/2100 or Commission F of 0.1% or higher.	ion Delegated regulation Regulation (EU) 2018/605 at
Furth	ner information			
<u>Prod</u> Rema			nation given is based on dat xicology of similar products	•

SECTION 12: Ecological information

12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available

Components:

Naphtha (petroleum), hydrotreated light; Low boiling point hydrogen treated naphtha:

Ecotoxicology Assessment Chronic aquatic toxicity :	Harmful to aquatic life with long lasting effects.
residual oils (petroleum), hydr	otreated:
Toxicity to fish :	LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Test Type: static test
Toxicity to daphnia and other : aquatic invertebrates	EC50 (Daphnia magna (Water flea)): > 10.000 mg/l Exposure time: 48 h Test Type: Immobilization

12.2 Persistence and degradability

Product:

Biodegradability :	Remarks: No data available
--------------------	----------------------------



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 2901

OKS 29	01			
Version 4.1	Revision Date: 14.10.2022		e of last issue: 04.07.2019 e of first issue: 15.07.2016	Print Date: 14.10.2022
Phys ity	ico-chemical removabil-	• :	Remarks: No data available	
<u>Com</u>	ponents:			
	ntha (petroleum), hydr egradability	otrea :	ated light; Low boiling point hydro Result: rapidly biodegradable	gen treated naphtha:
resid	lual oils (petroleum), h	ydro	otreated:	
Biode	egradability	:	Result: Not rapidly biodegradable	
2.3 Bioa	ccumulative potential			
<u>Prod</u>	uct:			
Bioad	ccumulation	:	Remarks: This mixture contains no be persistent, bioaccumulating and This mixture contains no substance persistent and very bioaccumulating	toxic (PBT). considered to be very
<u>Com</u>	ponents:			
-		otre	ated light; Low boiling point hydro	gen treated naphtha:
Bioad	ccumulation	:	Remarks: No data available	
	ion coefficient: n- nol/water	:	Remarks: No data available	
prop	ane:			
	ion coefficient: n- nol/water	:	log Pow: 2,36	
buta	ne:			
	ion coefficient: n- nol/water	:	log Pow: 2,89 Method: OECD Test Guideline 107	
2.4 Mob	ility in soil			
Prod	uct:			
Mobi	lity	:	Remarks: No data available	
	bution among environ- al compartments	:	Remarks: No data available	
12.5 Resu	lts of PBT and vPvB a	asse	ssment	
<u>Prod</u>	uct:			
Δ <u>ε</u> εο	ssment		This substance/mixture contains no	components considered



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 2901

Version	Revision Date: 14.10.2022	Date of last issue: 04.07.2019	Print Date:
4.1		Date of first issue: 15.07.2016	14.10.2022

very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

erec REA (EU	substance/mixture does not contain components consid- to have endocrine disrupting properties according to CH Article 57(f) or Commission Delegated regulation 2017/2100 or Commission Regulation (EU) 2018/605 at s of 0.1% or higher.
--------------------	---

12.7 Other adverse effects

Pr	oduct:	

Additional ecological infor-	:	Harmful to aquatic life with long lasting effects.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product		Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
		Waste codes should be assigned by the user based on the application for which the product was used.
Contaminated packaging	:	Packaging that is not properly emptied must be disposed of as the unused product. Offer empty spray cans to an established disposal company. Pressurized container: Do not pierce or burn, even after use.
		The following Waste Codes are only suggestions:
Waste Code	:	unused product, packagings not completely emptied 16 05 04*, gases in pressure containers (including halons) containing hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	UN 1950
ADR	:	UN 1950
RID	:	UN 1950



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 2901

Version 4.1	Revision Date: 14.10.2022	Date of last issue: 04.07.2019 Date of first issue: 15.07.2016	Print Date: 14.10.2022
IMDG		: UN 1950	
ΙΑΤΑ		: UN 1950	
14.2 UN pr	oper shipping name		
ADN		: AEROSOLS	
ADR		: AEROSOLS	
RID		: AEROSOLS	
IMDG		: AEROSOLS	
ΙΑΤΑ		: Aerosols, flammable	
14.3 Trans	port hazard class(es)		
ADN		: 2	
ADR		: 2	
RID		: 2	
IMDG		: 2.1	
ΙΑΤΑ		: 2.1	
14.4 Packi	ng group		
	ng group fication Code	 Not assigned by regulation 5F 2.1 	
Classi Labels	ng group fication Code s el restriction code	 Not assigned by regulation 5F 2.1 (D) 	
RID Packir Classi	ng group fication Code d Identification Number	Not assigned by regulation5F	
IMDG Packir Labels EmS (ng group S	 Not assigned by regulation 2.1 F-D, S-U 	
Packir aircraf Packir	ng instruction (LQ) ng group	 203 Y203 Not assigned by regulation Flammable Gas 	
	(Passenger) ng instruction (passen-	: 203	



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 2901

Version	Revision Date:	Date of last issue: 04.07.2019	Print Date:
4.1	14.10.2022	Date of first issue: 15.07.2016	14.10.2022

ger aircraft)	
Packing instruction (LQ)	: Y203
Packing group	: Not assigned by regulation
Labels	: Flammable Gas

14.5 Environmental hazards

ADN Environmentally hazardous	:	no	
ADR Environmentally hazardous	:	no	
RID Environmentally hazardous	:	no	
IMDG Marine pollutant	:	no	

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

: Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)	: This product does not contain sub- stances of very high concern (Regu- lation (EC) No 1907/2006 (REACH), Article 57).
REACH - List of substances subject to authorisation (Annex XIV) (EU. REACH-Annex XIV)	: Not applicable
Regulation (EC) No 1005/2009 on substances that de- plete the ozone layer (EC 1005/2009)	: Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast) (EU POP)	: Not applicable
Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import	: Not applicable



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 2901

Version 4.1	Revision Date: 14.10.2022	Date of last issue: 04.07.2 Date of first issue: 15.07.2	
	angerous chemicals J PIC)		
		: F	P2
Par maj	reso III: Directive 2012/1 liament and of the Coun or-accident hazards inv nces.	cil on the control of	P3a FLAMMABLE AEROSOLS
		1	18 Liquefied extremely flammable gases (including LPG) and natural gas
Vola	atile organic compounds	emissions (integrated	J of 24 November 2010 on industrial d pollution prevention and control) pounds (VOC) content: 75,05 %

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

2000 XXV. Law on chemical safety

44/2000. (XII 27) Ministry of health dangerous substances and preparations dangerous for certain procedures and arrangements for activities

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

EUH066	:	Repeated exposure may cause skin dryness or cracking.
H220	:	Extremely flammable gas.
H226	:	Flammable liquid and vapour.
H280	:	Contains gas under pressure; may explode if heated.
H304	:	May be fatal if swallowed and enters airways.
H336	:	May cause drowsiness or dizziness.
H412	:	Harmful to aquatic life with long lasting effects.
EUH066	:	Repeated exposure may cause skin dryness or cracking.

Full text of other abbreviations

Note C

: Some organic substances may be marketed either in a specif-



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 2901

Version 4.1	Revision Date: 14.10.2022		e of last issue: 04.07.2019 e of first issue: 15.07.2016	Print Date: 14.10.2022
Note L		:	ic isomeric form or as a mixture of several case the supplier must state on the label stance is a specific isomer or a mixture of The harmonised classification as a carcing it can be shown that the substance contai dimethyl sulphoxide extract as measured nation of polycyclic aromatics in unused lu and asphaltene free petroleum fractions - extraction refractive index method"Institute don), in which case a classification in account	whether the sub- isomers. ogen applies unless ns less than 3 % of by IP 346 ("Determi- ubricating base oils Dimethyl sulphoxide e of Petroleum, Lon-
Note D			of this Regulation shall be performed also class.	for that hazard
Note P		:	The harmonised classification as a carcine applies unless it can be shown that the su- less than 0,1 % w/w benzene (Einecs No case a classification in accordance with T tion shall be performed also for those haz the substance is not classified as a carcin least the precautionary statements (P102- P310-P331 shall apply.	bstance contains 200-753-7), in which itle II of this Regula- ard classes. Where ogen or mutagen, at
Note U	(table 3.1)	:	When put on the market gases have to be es under pressure", in one of the groups of liquefied gas, refrigerated liquefied gas or group depends on the physical state in wh aged and therefore has to be assigned ca following codes are assigned: Press. Gas (Liq.) Press. Gas (Ref. Liq.) Press. Gas (E not be classified as gases under pressure 2, Section 2.3.2.1, Note 2).	compressed gas, dissolved gas. The nich the gas is pack- se by case. The (Comp.) Press. Gas Diss.) Aerosols shall
HU OE	E	:	Hungary. Occupational Exposure Limits - ble concentration values	Annex 1: Permissi-
	EL / TWA EL / CEIL	:	Mean concentration Peak concentration	

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified;



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 2901

Version	Revision Date:	Date of last issue: 04.07.2019	Print Date:
4.1	14.10.2022	Date of first issue: 15.07.2016	14.10.2022

NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixtur	Classification procedure:	
Aerosol 1	H222, H229	Based on product data or assessment
STOT SE 3	H336	Calculation method
Asp. Tox. 1	H304	Based on product data or assessment
Aquatic Chronic 3	H412	Calculation method

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

