according to GB/T 16483 and GB/T 17519



OKS 30

Version Revision Date: Date of last issue: 2022-04-14

3.3 2022-08-30 Date of first issue: 2014-06-24 Print Date: 2022-08-30

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : OKS 30

Chemical nature : Additive

Manufacturer or supplier's details

Company name of supplier : OKS Spezialschmierstoffe GmbH

Ganghoferstr. 47

D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com

E-mail address of person : mcm@oks-germany.com

responsible for the SDS Material Compliance Management

National contact :

Emergency telephone number : +86 532 8388 9090 (NRCC, only for hazardous chemicals)

+86 21 69225521

Recommended use of the chemical and restrictions on use

Recommended use : Lubricant

Restrictions on use : Restricted to professional users.

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance: liquidColour: green

Odour : characteristic

Causes skin irritation. May cause an allergic skin reaction. Harmful to aquatic life with long lasting

effects.

GHS Classification

Skin irritation : Category 2

Skin sensitisation : Category 1

Short-term (acute) aquatic

hazard

Category 3



according to GB/T 16483 and GB/T 17519 CN



OKS 30

Version Revision Date: Date of last issue: 2022-04-14

3.3 2022-08-30 Date of first issue: 2014-06-24 Print Date: 2022-08-30

Long-term (chronic) aquatic

hazard

: Category 3

GHS label elements

Hazard pictograms

 $\langle ! \rangle$

Signal word : Warning

Hazard statements : H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements :

Prevention:

P261 Avoid breathing vapours.

P264 Wash skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of

the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water. P333 + P313 If skin irritation or rash occurs: Get medical

advice/ attention.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

Disposal:

P501 Dispose of contents/containers according the local

government requirements.

Physical and chemical hazards

Not classified based on available information.

Health hazards

Causes skin irritation. May cause an allergic skin reaction.

Environmental hazards

Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS



according to GB/T 16483 and GB/T 17519



OKS 30

Version Revision Date: Date of last issue: 2022-04-14

2022-08-30 Date of first issue: 2014-06-24 Print Date: 2022-08-30 3.3

Substance / Mixture Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Molybdenum, bis[O,O-bis(2-ethylhexyl) phosphorodithioatokappa.S,.kappa.S']dioxodi.muthioxodi-, (Mo-Mo)	72030-25-2	>= 30 -< 50
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	>= 1 -< 10
Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates	80939-62-4	>= 2.5 -< 10

4. FIRST AID MEASURES

If inhaled Remove person to fresh air. If signs/symptoms continue, get

medical attention.

Keep patient warm and at rest.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

If breathing is irregular or stopped, administer artificial

respiration.

In case of skin contact Take off all contaminated clothing immediately.

> Wash off immediately with soap and plenty of water. Get medical attention immediately if irritation develops and

persists.

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

Rinse immediately with plenty of water, also under the eyelids, In case of eye contact

for at least 10 minutes.

If eye irritation persists, consult a specialist.

If swallowed Move the victim to fresh air.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear. Do NOT induce vomiting. Rinse mouth with water.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

delayed

Causes skin irritation.

May cause an allergic skin reaction.

Skin contact may provoke the following symptoms:

Erythema

Allergic appearance

Notes to physician The first aid procedure should be established in consultation

according to GB/T 16483 and GB/T 17519



OKS 30

Version Revision Date: Date of last issue: 2022-04-14

3.3 2022-08-30 Date of first issue: 2014-06-24 Print Date: 2022-08-30

with the doctor responsible for industrial medicine.

Treat symptomatically.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Unsuitable extinguishing

media

High volume water jet

Hazardous combustion

products

Carbon oxides

Nitrogen oxides (NOx)

Sulphur oxides Oxides of phosphorus

Metal oxides

Specific extinguishing

methods

: Standard procedure for chemical fires.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Special protective equipment

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Exposure to decomposition products may be a hazard to

health.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas. Use personal protective equipment.

Ensure adequate ventilation.

Do not breathe vapours or spray mist.

Refer to protective measures listed in sections 7 and 8.

Environmental precautions

Do not allow contact with soil, surface or ground water. Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13).

7. HANDLING AND STORAGE

Handling



according to GB/T 16483 and GB/T 17519



OKS 30

Version Revision Date: Date of last issue: 2022-04-14

3.3 2022-08-30 Date of first issue: 2014-06-24 Print Date: 2022-08-30

Advice on safe handling : Do not breathe vapours or spray mist.

Avoid contact with skin and eyes. For personal protection see section 8.

Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is

being used.

Smoking, eating and drinking should be prohibited in the

application area.

Wash hands and face before breaks and immediately after

handling the product.

Do not get in eyes or mouth or on skin.

Do not get on skin or clothing.

Do not ingest. Do not repack.

Do not re-use empty containers.

These safety instructions also apply to empty packaging which

may still contain product residues. Keep container closed when not in use.

Avoidance of contact : No materials to be especially mentioned.

Storage

Conditions for safe storage : Store in original container.

Keep container closed when not in use. Keep in a dry, cool and well-ventilated place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Store in accordance with the particular national regulations.

Keep in properly labelled containers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	TWA (Inhalable particulate matter)	5 mg/m3	ACGIH (2013-03-01)

Engineering measures : Maintain air concentrations below occupational exposure

standards.

Personal protective equipment

Respiratory protection : Not required; except in case of aerosol formation.

according to GB/T 16483 and GB/T 17519 CN



OKS 30

Version Revision Date: Date of last issue: 2022-04-14

3.3 2022-08-30 Date of first issue: 2014-06-24 Print Date: 2022-08-30

Filter type : Filter type A-P

Eye/face protection : Safety glasses with side-shields

Skin and body protection : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Hand protection

Material : Nitrile rubber
Break through time : > 10 min
Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends

amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each

case.

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after

handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : green

Odour : characteristic

Odour Threshold : No data available

pH : Not applicable

substance/mixture is non-polar/aprotic

Melting point/range : No data available

Boiling point/boiling range : 224 °C

(1,013 hPa)

according to GB/T 16483 and GB/T 17519



OKS 30

Version Revision Date: Date of last issue: 2022-04-14

3.3 2022-08-30 Date of first issue: 2014-06-24 Print Date: 2022-08-30

Flash point : 184 °C

Method: ISO 2592

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Self-ignition : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : 26.5 hPa (20 °C)

Relative vapour density : No data available

Relative density : 1.0036 (20 °C)

Reference substance: Water The value is calculated

Density : 1.00 g/cm3 (20 °C)

Bulk density : No data available

Solubility(ies)

Water solubility : immiscible

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : 115.6 mm2/s (40 °C)

Explosive properties : Not explosive

Oxidizing properties : No data available

Sublimation point : No data available

according to GB/T 16483 and GB/T 17519



OKS 30

Version Revision Date: Date of last issue: 2022-04-14

3.3 2022-08-30 Date of first issue: 2014-06-24 Print Date: 2022-08-30

10. STABILITY AND REACTIVITY

Reactivity : No hazards to be specially mentioned.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid : No conditions to be specially mentioned.

Incompatible materials : No materials to be especially mentioned.

Hazardous decomposition

products

No decomposition if stored and applied as directed.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Symptoms: Redness, Local irritation

Components:

Molybdenum, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-.kappa.S,.kappa.S']dioxodi.mu.-thioxodi-, (Mo-Mo):

Acute dermal toxicity : Symptoms: Redness, Local irritation

Distillates (petroleum), hydrotreated heavy naphthenic:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 5.53 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403



according to GB/T 16483 and GB/T 17519



OKS 30

Version Revision Date: Date of last issue: 2022-04-14

3.3 2022-08-30 Date of first issue: 2014-06-24 Print Date: 2022-08-30

GLP: yes

Assessment: The substance or mixture has no acute

inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Product:

Remarks : Irritating to skin.

Components:

Molybdenum, bis[0,0-bis(2-ethylhexyl) phosphorodithioato-.kappa.S,.kappa.S']dioxodi-

.mu.-thioxodi-, (Mo-Mo):

Assessment : Irritating to skin. Result : Irritating to skin.

Remarks : Irritating to skin.

Distillates (petroleum), hydrotreated heavy naphthenic:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:

Species : Rabbit

Assessment : Irritating to skin.



according to GB/T 16483 and GB/T 17519



OKS 30

Version Revision Date: Date of last issue: 2022-04-14

3.3 2022-08-30 Date of first issue: 2014-06-24 Print Date: 2022-08-30

Method : OECD Test Guideline 404

Result : Irritating to skin.

Serious eye damage/eye irritation

Product:

Remarks : This information is not available.

Components:

Molybdenum, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi-, (Mo-Mo):

Result : No eye irritation
Assessment : No eye irritation

Distillates (petroleum), hydrotreated heavy naphthenic:

Species : Rabbit

Result : No eye irritation
Assessment : No eye irritation

Method : OECD Test Guideline 405

GLP : yes

Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:

Species : Rabbit

Result : Irritating to eyes. Assessment : Irritating to eyes.

Method : OECD Test Guideline 405

Respiratory or skin sensitisation

Product:

Remarks : This information is not available.

Components:

Molybdenum, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi-, (Mo-Mo):

Assessment : The product is a skin sensitiser, sub-category 1B. Result : The product is a skin sensitiser, sub-category 1B.

Distillates (petroleum), hydrotreated heavy naphthenic:

according to GB/T 16483 and GB/T 17519



OKS 30

Version Revision Date: Date of last issue: 2022-04-14

3.3 2022-08-30 Date of first issue: 2014-06-24 Print Date: 2022-08-30

Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:

Species : Guinea pig

Assessment : Did not cause sensitisation on laboratory animals. Result : Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Components:

Distillates (petroleum), hydrotreated heavy naphthenic:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow

Application Route: Intraperitoneal injection Method: OECD Test Guideline 474

Result: negative

Germ cell mutagenicity -

Tests on bacterial or mammalian cell cultures did not show

Assessment mutagenic effects.

Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Test system: Rodent cell line

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative



according to GB/T 16483 and GB/T 17519

CN



OKS 30

Version Revision Date: Date of last issue: 2022-04-14

3.3 2022-08-30 Date of first issue: 2014-06-24 Print Date: 2022-08-30

Carcinogenicity

Product:

Remarks : No data available

Components:

Distillates (petroleum), hydrotreated heavy naphthenic:

Carcinogenicity - : Not classifiable as a human carcinogen.

Assessment

Reproductive toxicity

Product:

Effects on fertility : Remarks: No data available

Effects on foetal

development

: Remarks: No data available

Components:

Distillates (petroleum), hydrotreated heavy naphthenic:

Effects on foetal : Species: Rat

development Application Route: Dermal

General Toxicity Maternal: LOAEL: 125 mg/kg body weight

Teratogenicity: NOAEL: >= 2,000 mg/kg body weight Developmental Toxicity: NOAEL: >= 2,000 mg/kg body weight

Embryo-foetal toxicity: NOAEL: >= 2,000 mg/kg body weight Method: OECD Test Guideline 414

Result: No effects on fertility and early embryonic

development were detected.

Reproductive toxicity -

: - Fertility -

Assessment

No toxicity to reproduction

- Teratogenicity -

No toxicity to reproduction

Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:

Effects on foetal : Species: Rat

development Application Route: Oral

Method: OECD Test Guideline 422

Result: No effects on fertility and early embryonic

according to GB/T 16483 and GB/T 17519



OKS 30

Version Revision Date: Date of last issue: 2022-04-14

3.3 2022-08-30 Date of first issue: 2014-06-24 Print Date: 2022-08-30

development were detected.

Reproductive toxicity -

: - Fertility -

Assessment

No toxicity to reproduction

STOT - single exposure

Components:

Distillates (petroleum), hydrotreated heavy naphthenic:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT - repeated exposure

Components:

Distillates (petroleum), hydrotreated heavy naphthenic:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Product:

Remarks : This information is not available.

Components:

Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:

Species : Rat LOAEL : 10 mg/kg Application Route : Oral

Method : OECD Test Guideline 422



according to GB/T 16483 and GB/T 17519 CN



OKS 30

Version Revision Date: Date of last issue: 2022-04-14

3.3 2022-08-30 Date of first issue: 2014-06-24 Print Date: 2022-08-30

Aspiration toxicity

Product:

This information is not available.

Components:

Distillates (petroleum), hydrotreated heavy naphthenic:

No aspiration toxicity classification

Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:

No aspiration toxicity classification

Further information

Product:

Remarks : Ingestion causes irritation of upper respiratory system and

gastrointestinal disturbance.

Components:

Molybdenum, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi-, (Mo-Mo):

Remarks : Ingestion causes irritation of upper respiratory system and

gastrointestinal disturbance.

Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:

Remarks : Ingestion causes irritation of upper respiratory system and

gastrointestinal disturbance.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish

Remarks: Harmful to aquatic organisms, may cause long-term

adverse effects in the aquatic environment.



according to GB/T 16483 and GB/T 17519

CN



OKS 30

Version Revision Date: Date of last issue: 2022-04-14

3.3 2022-08-30 Date of first issue: 2014-06-24 Print Date: 2022-08-30

Toxicity to daphnia and other :

aquatic invertebrates Remarks: No data available

Toxicity to algae/aquatic

plants Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

Components:

Molybdenum, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi-, (Mo-Mo):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h
Test Type: semi-static test

Method: OECD Test Guideline 203

GLP: yes

Remarks: May cause long-term adverse effects in the aquatic

environment.

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

: EC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

Distillates (petroleum), hydrotreated heavy naphthenic:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

according to GB/T 16483 and GB/T 17519



OKS 30

Version Revision Date: Date of last issue: 2022-04-14

3.3 2022-08-30 Date of first issue: 2014-06-24 Print Date: 2022-08-30

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 10,000 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

LC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to fish (Chronic

toxicity)

NOELR (Oncorhynchus mykiss (rainbow trout)): >= 1,000 mg/l

Exposure time: 28 d

Remarks: The value is calculated

Toxicity to daphnia and other :

aquatic invertebrates (Chronic toxicity)

NOELR (Daphnia magna (Water flea)): 10 mg/l

Exposure time: 21 d

Test Type: Reproduction Test Method: OECD Test Guideline 211

Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 5.5 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1.2 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Selenastrum capricornutum (green algae)): > 10 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l

Exposure time: 3 h

Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Physico-chemical

removability

Remarks: No data available



according to GB/T 16483 and GB/T 17519



OKS 30

Version Date of last issue: 2022-04-14 Revision Date:

2022-08-30 Date of first issue: 2014-06-24 Print Date: 2022-08-30 3.3

Components:

Molybdenum, bis[0,0-bis(2-ethylhexyl) phosphorodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi-, (Mo-Mo):

Result: Not rapidly biodegradable Biodegradability

> Biodegradation: 11 % Exposure time: 28 d

Method: OECD Test Guideline 301B

Distillates (petroleum), hydrotreated heavy naphthenic:

Biodegradability aerobic

> Inoculum: activated sludge Result: Not rapidly biodegradable

Biodegradation: 3 % Exposure time: 28 d

Method: OECD Test Guideline 301B

GLP: yes

Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:

Biodegradability Result: Not rapidly biodegradable

Biodegradation: 12 %

Method: OECD Test Guideline 301B

Bioaccumulative potential

Product:

Bioaccumulation Remarks: This mixture contains no substance considered to

be persistent, bioaccumulating and toxic (PBT).

This mixture contains no substance considered to be very

persistent and very bioaccumulating (vPvB).

Components:

Molybdenum, bis[0,0-bis(2-ethylhexyl) phosphorodithioato-.kappa.S,.kappa.S']dioxodi-

.mu.-thioxodi-, (Mo-Mo):

Partition coefficient: n-

log Pow: > 4

octanol/water

Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:

Partition coefficient: nlog Pow: < 2.3 (23 °C)

octanol/water pH: 7

according to GB/T 16483 and GB/T 17519 CN



OKS 30

Version Revision Date: Date of last issue: 2022-04-14

3.3 2022-08-30 Date of first issue: 2014-06-24 Print Date: 2022-08-30

Mobility in soil

Product:

Mobility : Remarks: No data available

Distribution among

environmental compartments

Remarks: No data available

Other adverse effects

Product:

Additional ecological

information

: Harmful to aquatic life with long lasting effects.

Components:

Molybdenum, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-.kappa.S,.kappa.S']dioxodi-

.mu.-thioxodi-, (Mo-Mo):

Additional ecological

information

: May cause long lasting harmful effects to aquatic life.

Distillates (petroleum), hydrotreated heavy naphthenic:

Results of PBT and vPvB

assessment

: Non-classified PBT substance Non-classified vPvB substance

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not dispose of with domestic refuse.

Dispose of as hazardous waste in compliance with local and

national regulations.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as

the unused product.

Dispose of waste product or used containers according to

local regulations.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : Not applicable

according to GB/T 16483 and GB/T 17519



OKS 30

Version Revision Date: Date of last issue: 2022-04-14

3.3 2022-08-30 Date of first issue: 2014-06-24 Print Date: 2022-08-30

Proper shipping name : Not applicable Class : Not applicable Subsidiary risk : Not applicable Packing group : Not applicable Labels : Not applicable

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo : Not applicable

aircraft)

Packing instruction : Not applicable

(passenger aircraft)

IMDG-Code

UN number Not applicable Not applicable Proper shipping name Not applicable Class Not applicable Subsidiary risk Not applicable Packing group Not applicable Labels EmS Code Not applicable Marine pollutant Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

according to GB/T 16483 and GB/T 17519



OKS 30

Version Revision Date: Date of last issue: 2022-04-14

3.3 2022-08-30 Date of first issue: 2014-06-24 Print Date: 2022-08-30

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : Not applicable

Hazardous Chemicals for Priority Management under : Not applicable

SAWS

Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals : Not applicable

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import : Not applicable

and Export

International Regulations

Montreal Protocol : Not applicable

Rotterdam Convention (Prior Informed Consent) : Not applicable

Stockholm Convention (Persistent Organic Pollutants) : Not applicable

The components of this product are reported in the following inventories:

IECSC : On the inventory, or in compliance with the inventory

16. OTHER INFORMATION

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and



according to GB/T 16483 and GB/T 17519 CN



OKS 30

Version Revision Date: Date of last issue: 2022-04-14

3.3 2022-08-30 Date of first issue: 2014-06-24 Print Date: 2022-08-30

Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose): MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

