



**OKS 310**

Version 1.5      Revision Date: 25.01.2023      Date of last issue: 24.10.2022      Print Date: 26.01.2023  
Date of first issue: 29.07.2014

**1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

Product name : OKS 310

**Manufacturer or supplier's details**

Company name of supplier : OKS Spezialechmierstoffe GmbH  
Ganghoferstr. 47  
D-82216 Maisach-Gernlinden  
Tel.: +49 8142 3051 500  
Fax.: +49 8142 3051 599  
info@oks-germany.com

E-mail address of person responsible for the SDS : mcm@oks-germany.com  
Material Compliance Management

Emergency telephone number : +7 495 628 1687  
+49 8142 3051 517

**Recommended use of the chemical and restrictions on use**

Recommended use : Lubricant

Restrictions on use : Restricted to professional users.

**2. HAZARDS IDENTIFICATION**

**GHS Classification (According to GOST 32423, GOST 32424 and GOST 32425)**

Skin irritation : Category 3

**GHS-Labeling (According to GOST 31340)**

Signal word : Warning

Hazard statements : H316 Causes mild skin irritation.

Precautionary statements : **Response:**  
P332 + P313 If skin irritation occurs: Get medical advice/  
attention.

**Other hazards which do not result in classification**

None known.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Pure substance/mixture : Mixture

**OKS 310**

Version 1.5      Revision Date: 25.01.2023      Date of last issue: 24.10.2022      Print Date: 26.01.2023  
Date of first issue: 29.07.2014

Chemical nature : polyalkylene glycol oil  
Molybdenum disulfide

**Components**

Chemical name	Concentration (% w/w)	Occupational Exposure Limits		CAS-No.	EC-No.
		MAC value mg/m <sup>3</sup> / TSEL value	Hazard Class		
molybdenum disulphide	>= 1 - < 10	MPC-TWA: 1 mg/m <sup>3</sup> Data Source: RU OEL	3	1317-33-5	215-263-9
		MPC-STEL: 6 mg/m <sup>3</sup> Data Source: RU OEL	3		
		MPC-TWA: 1 mg/m <sup>3</sup> Data Source: RU OEL	3		
		MPC-STEL: 6 mg/m <sup>3</sup> Data Source: RU OEL	3		
Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates	>= 1 - < 2,5	No data available		80939-62-4	279-632-6

**4. FIRST AID MEASURES**

If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
If breathing is irregular or stopped, administer artificial respiration.

In case of skin contact : Take off all contaminated clothing immediately.  
Wash off immediately with soap and plenty of water.  
Get medical attention immediately if irritation develops and persists.  
Wash clothing before reuse.

**OKS 310**

Version	Revision Date:	Date of last issue: 24.10.2022	Print Date:
1.5	25.01.2023	Date of first issue: 29.07.2014	26.01.2023

- Thoroughly clean shoes before reuse.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
If eye irritation persists, consult a specialist.
- If swallowed : Move the victim to fresh air.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
Do NOT induce vomiting.  
Rinse mouth with water.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Causes skin irritation.
- Notes to physician : Treat symptomatically.

---

**5. FIREFIGHTING MEASURES**

**Flammable properties**

- Flash point : > 250 °C
- Ignition temperature : No data available
- Upper explosion limit / Upper flammability limit : No data available
- Lower explosion limit / Lower flammability limit : No data available
- Flammability (liquids) : not auto-flammable
- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Unsuitable extinguishing media : High volume water jet
- Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NOx)  
Sulphur oxides  
Metal oxides
- Further information : Standard procedure for chemical fires.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

**OKS 310**

Version	Revision Date:	Date of last issue: 24.10.2022	Print Date:
1.5	25.01.2023	Date of first issue: 29.07.2014	26.01.2023

Exposure to decomposition products may be a hazard to health.

---

**6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.  
Use personal protective equipment.  
Ensure adequate ventilation.  
Do not breathe vapours or spray mist.  
Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Try to prevent the material from entering drains or water courses.  
Prevent further leakage or spillage if safe to do so.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

---

**7. HANDLING AND STORAGE**

- Advice on safe handling : Do not breathe vapours or spray mist.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash hands and face before breaks and immediately after handling the product.  
Do not get in eyes or mouth or on skin.  
Do not get on skin or clothing.  
Do not ingest.  
Do not repack.  
Do not re-use empty containers.  
These safety instructions also apply to empty packaging which may still contain product residues.  
Keep container closed when not in use.
- Conditions for safe storage : Store in original container.  
Keep container closed when not in use.  
Keep in a dry, cool and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Store in accordance with the particular national regulations.  
Keep in properly labelled containers.

**OKS 310**

Version 1.5      Revision Date: 25.01.2023      Date of last issue: 24.10.2022      Print Date: 26.01.2023  
Date of first issue: 29.07.2014

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Data Source
molybdenum disulphide	1317-33-5	MPC-TWA (aerosol)	1 mg/m <sup>3</sup>	RU OEL (2011-07-12)
Further information: Class 3 - Dangerous				
		MPC-STEEL (aerosol)	6 mg/m <sup>3</sup>	RU OEL (2011-07-12)
Further information: Class 3 - Dangerous				
		MPC-TWA (aerosol)	1 mg/m <sup>3</sup> (Molybdenum)	RU OEL (2021-02-03)
Further information: Class 3 - Moderately dangerous				
		MPC-STEEL (aerosol)	6 mg/m <sup>3</sup> (Molybdenum)	RU OEL (2021-02-03)
Further information: Class 3 - Moderately dangerous				

**Engineering measures** : Maintain air concentrations below occupational exposure standards.

**Personal protective equipment**

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type A-P

Hand protection

Material : butyl-rubber

Break through time : > 10 min

Protective index : Class 1

Remarks : For prolonged or repeated contact use protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.

Eye protection : Safety glasses with side-shields

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

**OKS 310**

Version 1.5	Revision Date: 25.01.2023	Date of last issue: 24.10.2022 Date of first issue: 29.07.2014	Print Date: 26.01.2023
----------------	------------------------------	---	---------------------------

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Colour : black

Odour : characteristic

Odour Threshold : No data available

pH : Not applicable  
substance/mixture is non-polar/aprotic

Melting point/range : No data available

Boiling point/boiling range : 287 °C

Flash point : > 250 °C

Evaporation rate : No data available

Flammability (liquids) : not auto-flammable

Self-ignition : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : 47,2 hPa (20 °C)

Relative vapour density : No data available

Relative density : 0,996 (20 °C)  
Reference substance: Water  
The value is calculated

Density : 1,00 g/cm<sup>3</sup> (20 °C)

Bulk density : No data available

**OKS 310**

Version	Revision Date:	Date of last issue: 24.10.2022	Print Date:
1.5	25.01.2023	Date of first issue: 29.07.2014	26.01.2023

Solubility(ies)  
Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, dynamic : No data available

Viscosity, kinematic : 150 mm<sup>2</sup>/s ( 40 °C)

Explosive properties : Not explosive

Oxidizing properties : No data available

Sublimation point : No data available

Metal corrosion rate : Not corrosive to metals

**10. STABILITY AND REACTIVITY**

Reactivity : No hazards to be specially mentioned.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : No conditions to be specially mentioned.

Incompatible materials : No materials to be especially mentioned.

Hazardous decomposition products : No decomposition if stored and applied as directed.

**11. TOXICOLOGICAL INFORMATION**

**Acute toxicity**

**Product:**

Acute oral toxicity : Remarks: This information is not available.

**OKS 310**

Version	Revision Date:	Date of last issue: 24.10.2022	Print Date:
1.5	25.01.2023	Date of first issue: 29.07.2014	26.01.2023

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Symptoms: Redness, Local irritation

**Components:**

**molybdenum disulphide:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 16.000 mg/kg

**Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:**

Acute oral toxicity : LD50 (Rat, male and female): > 5.000 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
GLP: no  
Assessment: The substance or mixture has no acute dermal toxicity

**Skin corrosion/irritation**

**Product:**

Remarks : Irritating to skin.

**Components:**

**molybdenum disulphide:**

Assessment : No skin irritation  
Result : No skin irritation

**Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:**

Species : Rabbit  
Assessment : Irritating to skin.  
Method : OECD Test Guideline 404  
Result : Irritating to skin.  
GLP : no



**OKS 310**

Version	Revision Date:	Date of last issue: 24.10.2022	Print Date:
1.5	25.01.2023	Date of first issue: 29.07.2014	26.01.2023

**Serious eye damage/eye irritation**

**Product:**

Remarks : This information is not available.

**Components:**

**molybdenum disulphide:**

Result : No eye irritation  
Assessment : No eye irritation

**Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:**

Species : Rabbit  
Result : Irritating to eyes.  
Assessment : Irritating to eyes.  
Method : OECD Test Guideline 405  
GLP : no

**Respiratory or skin sensitisation**

**Product:**

Remarks : This information is not available.

**Components:**

**molybdenum disulphide:**

Assessment : Does not cause skin sensitisation.  
Result : Does not cause skin sensitisation.

**Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:**

Test Type : Maximisation Test  
Exposure routes : Dermal  
Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.  
GLP : no

**Germ cell mutagenicity**

**Product:**

Genotoxicity in vitro : Remarks: No data available

**OKS 310**

Version 1.5	Revision Date: 25.01.2023	Date of last issue: 24.10.2022 Date of first issue: 29.07.2014	Print Date: 26.01.2023
----------------	------------------------------	---	---------------------------

Genotoxicity in vivo : Remarks: No data available

**Components:**

**molybdenum disulphide:**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

**Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:**

Genotoxicity in vitro : Test Type: gene mutation test  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: no

**Carcinogenicity**

**Product:**

Remarks : No data available

**Components:**

**molybdenum disulphide:**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

**Reproductive toxicity**

**Product:**

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

**Components:**

**Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:**

Effects on fertility : Test Type: reproductive and developmental toxicity study  
Species: Rat  
Application Route: Oral  
General Toxicity - Parent: LOAEL: 10 mg/kg body weight  
General Toxicity F1: NOAEL: 100 mg/kg body weight  
Method: OECD Test Guideline 422

**OKS 310**

Version 1.5	Revision Date: 25.01.2023	Date of last issue: 24.10.2022 Date of first issue: 29.07.2014	Print Date: 26.01.2023
----------------	------------------------------	---	---------------------------

GLP: yes

Effects on foetal development : Species: Rat  
Application Route: Oral  
General Toxicity Maternal: LOAEL: 10 mg/kg body weight  
Developmental Toxicity: NOAEL: 100 mg/kg body weight  
Method: OECD Test Guideline 422  
GLP: yes

**STOT - single exposure**

**Components:**

**molybdenum disulphide:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

**STOT - repeated exposure**

**Components:**

**molybdenum disulphide:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**Repeated dose toxicity**

**Product:**

Remarks : This information is not available.

**Components:**

**Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:**

Species : Rat, male and female  
LOAEL : 10 mg/kg  
Application Route : Oral  
Exposure time : 28  
Method : OECD Test Guideline 422  
GLP : yes  
Remarks : Not classified due to inconclusive data.

**Aspiration toxicity**

**Product:**

This information is not available.

**OKS 310**

Version 1.5	Revision Date: 25.01.2023	Date of last issue: 24.10.2022 Date of first issue: 29.07.2014	Print Date: 26.01.2023
----------------	------------------------------	---	---------------------------

**Further information**

**Product:**

Remarks : Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance.

**Components:**

**molybdenum disulphide:**

Remarks : Information given is based on data on the components and the toxicology of similar products.

---

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

**Product:**

Toxicity to fish :  
Remarks: No data available

Toxicity to daphnia and other :  
aquatic invertebrates       Remarks: No data available

Toxicity to algae/aquatic :  
plants                               Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

**Components:**

**molybdenum disulphide:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
aquatic invertebrates       Exposure time: 48 h

Toxicity to algae/aquatic : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100  
plants                               mg/l

**OKS 310**

Version	Revision Date:	Date of last issue: 24.10.2022	Print Date:
1.5	25.01.2023	Date of first issue: 29.07.2014	26.01.2023

Exposure time: 72 h

**Amines, C11-14-branched alkyl, monoethyl and diethyl phosphates:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 5,5 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
GLP: no

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 1 mg/l  
aquatic invertebrates  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202  
GLP: no

Toxicity to algae/aquatic : EC50 (Pseudokirchneriella subcapitata (green algae)): > 10  
plants mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201  
GLP: yes

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): > 10 mg/l  
aquatic invertebrates  
(Chronic toxicity)  
Exposure time: 22 d  
Test Type: semi-static test  
Method: OECD Test Guideline 211  
GLP: yes

Toxicity to microorganisms : EC50 (Bacteria): > 100 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209  
GLP: no

**Persistence and degradability**

**Product:**

Biodegradability : Remarks: No data available

Physico-chemical : Remarks: No data available  
removability

**OKS 310**

Version 1.5      Revision Date: 25.01.2023      Date of last issue: 24.10.2022      Print Date: 26.01.2023  
Date of first issue: 29.07.2014

**Components:**

**Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:**

Biodegradability : aerobic  
Inoculum: activated sludge  
Result: Not rapidly biodegradable  
Biodegradation: 12 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
GLP: no

**Bioaccumulative potential**

**Product:**

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).  
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

**Components:**

**Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:**

Bioaccumulation : Bioconcentration factor (BCF): 0,85 - 278

**Mobility in soil**

**Product:**

Mobility : Remarks: No data available  
Distribution among environmental compartments : Remarks: No data available

**Other adverse effects**

**Product:**

Additional ecological information : No information on ecology is available.

**Hygienic standards:**

**(Allowable concentration in air, water, including fishery waters, soil)**

Components	Air	Water	Soil	Data Source
molybdenum disulphide	Concentration that provides admissible (acceptable) levels of risk when	No data available	No data available	List 1

**OKS 310**

Version 1.5	Revision Date: 25.01.2023	Date of last issue: 24.10.2022 Date of first issue: 29.07.2014	Print Date: 26.01.2023
----------------	------------------------------	---	---------------------------

	exposed to at least 24 hours - average daily: 0,02 mg/m <sup>3</sup> (Molybdenum) Limiting health hazard indicator: resorptive Hazard class: Class 3 - moderately dangerous			
--	---	--	--	--

For explanation of abbreviations see section 16.

---

**13. DISPOSAL CONSIDERATIONS**

**Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not dispose of with domestic refuse.  
Dispose of as hazardous waste in compliance with local and national regulations.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Dispose of waste product or used containers according to local regulations.

The following Waste Codes are only suggestions:

Waste Code : unused product  
13 02 06\*, synthetic engine, gear and lubricating oils  
  
uncleaned packagings  
15 01 10\*, packaging containing residues of or contaminated by hazardous substances

---

**14. TRANSPORT INFORMATION**

**ADR**  
Not regulated as a dangerous good

**UNRTDG**  
Not regulated as a dangerous good

**IATA-DGR**  
Not regulated as a dangerous good

**OKS 310**

Version	Revision Date:	Date of last issue: 24.10.2022	Print Date:
1.5	25.01.2023	Date of first issue: 29.07.2014	26.01.2023

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Special precautions for user**

Not applicable

---

**15. REGULATORY INFORMATION**

**National regulatory information**

Federal Law of 21.07.1997 No. 116-FZ (amended on 11.06.2021) "On industrial safety of hazardous production facilities".

Federal Law of 24.06.1998 No. 89-FZ (amended on 02.07.2021) "On production and consumption waste".

Federal Law of 30.03.1999 No. 52-FZ (amended on 02.07.2021) "On the Sanitary and Epidemiological Well-Being of the Population" (amended and supplemented, entered into force on 31.10.2021).

Federal Law of 04.05.1999 No. 96-FZ "On the protection of atmospheric air" (as amended on December 8, 2020).

Federal Law of 27.12.2002 No. 184-FZ (amended on 02.07.2021) "On Technical Regulation" (amended and supplemented, entered into force on 01.09.2021).

Federal Law of 10.01.2002 No. 7-FZ (amended on 02.07.2021) "On environmental protection".

Federal Law of 22.07.2008 No. 123-FZ "Technical Regulations on Fire Safety Requirements" TECHNICAL REGULATIONS OF THE CUSTOMS UNION TR CU 030/2012 On requirements for lubricants, oils and special fluids (amended on 03.03.2017).

**International Regulations**

Montreal Protocol : Not applicable

Rotterdam Convention (Prior Informed Consent) : Not applicable

Stockholm Convention (Persistent Organic Pollutants) : Not applicable

---

**16. OTHER INFORMATION**

**List of data sources used in the preparation of the Safety Data Sheet**

GOST 30333-2007. Interstate standard. Safety data sheet for chemical products. Primary requirements.

GOST 12.1.004-91 System of labor safety standards (SSBT). Fire safety. General requirements.

GOST 12.1.007-76 Occupational safety standards system. Noxious substances. Classification and general safety requirements

GOST 12.1.044-89 SSBT. Fire and explosion hazard of substances and materials. Nomenclature of indicators and methods for their determination.



**OKS 310**

Version	Revision Date:	Date of last issue: 24.10.2022	Print Date:
1.5	25.01.2023	Date of first issue: 29.07.2014	26.01.2023

GOST 12.4.021 System of labor safety standards (SSBT). Ventilation systems. General requirements.

GOST 12.4.137-2001 Special footwear with leather uppers for protection against oil, oil products, acids, alkalis, non-toxic and explosive dust. Technical conditions.

GOST 12.4.252-2013 System of labor safety standards (SSBT). Means of individual protection of hands. Gloves. General technical requirements. Test methods.

GOST 14192-96. Interstate standard. Cargo marking. Minsk, 1998.

GOST 19433-88 Dangerous goods. Classification and labeling.

GOST 31340-2013. Interstate standard. Precautionary labeling of chemical products. General requirements.

GOST 32419-2013 Classification of the hazard of chemical products. General requirements.

GOST 32421-2013 Classification of chemical products, the hazard of which is due to physical and chemical properties. Test methods for explosive chemical products.

GOST 32423-2013 Hazard classification of mixed chemical products by their effects on the body.

GOST 32424-2013 Classification of the hazard of chemical products by their impact on the environment. Basic provisions.

GOST 32425-2013 Hazard classification of mixed chemical products in terms of environmental impact.

GOST R 53264-2019 Fire fighting equipment. Special protective clothing for firefighters. General technical requirements. Test methods.

GOST R 53265-2019 Fire fighting equipment. Personal protective equipment for the feet of the firefighter. General technical requirements. Test methods.

GOST R 53268-2009 Fire fighting equipment. Fire rescue belts. General technical requirements. Test methods.

GOST R 53269-2019 Fire fighting equipment. Firefighters helmets. General technical requirements. Test methods.

SanPiN 1.2.2353-08 "Carcinogenic factors and basic requirements for the prevention of carcinogenic hazard".

SanPiN 1.2.3685-21 "Hygienic standards and requirements for ensuring the safety and (or) harmlessness to humans of environmental factors" dated 28.01.2021.

SanPiN 2.1.3684-21 "Sanitary and epidemiological requirements for the maintenance of the territories of urban and rural settlements, for water bodies, drinking water and drinking water supply, atmospheric air, soils, living quarters, the operation of industrial, public premises, the organization and implementation of sanitary and anti-epidemic (preventive) measures".

SanPiN 2.2.0.555-96. 2.2. Labor hygiene. Hygienic requirements for working conditions for women. Sanitary rules and regulations.

Carriage of dangerous goods, International maritime dangerous goods (IMDG) code.

Water quality standards for fishery water bodies, including standards for maximum permissible concentrations of harmful substances in the waters of fishery water bodies (approved by order of the Ministry of Agriculture of Russia dated December 13, 2016 No. 552).

Regulations for the carriage of dangerous goods (Appendix 1 and 2) to the Agreement on International Goods Transport by Rail (SMGS), 2009.

Agreement on International Goods Transport by Rail (SMGS).

UN Recommendations on the Transport of Dangerous Goods. Typical rules. Twenty-second revised edition. United Nations, New York and Geneva, 2021.

Montreal Protocol (Ozone Depleting Substances)

Stockholm Convention (Persistent Organic Pollutants)

**Full text of other abbreviations**

Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Irrit.	:	Eye irritation
Skin Irrit.	:	Skin irritation



**OKS 310**

Version	Revision Date:	Date of last issue: 24.10.2022	Print Date:
1.5	25.01.2023	Date of first issue: 29.07.2014	26.01.2023

- RU OEL : Russia. Hygienic standards GN 2.2.5.1313-03 Permissible concentration (MAC) of harmful substances in the air of the working area
- RU OEL : SanPiN 1.2.3685-21 Table 2.1, Table 2.8, Table 2.16 & Table 2.17 Maximum permissible concentrations (MPC) in the air of the working area
- RU OEL / MPC-STEL : Maximum Permissible Concentration - Short Term Exposure
- RU OEL / MPC-TWA : Maximum Permissible Concentration - Time Weighted Average
- RU OEL / MPC-STEL : Maximum Permissible Concentration - Short Term Exposure
- RU OEL / MPC-TWA : Maximum Permissible Concentration - Time Weighted Average
- List 1 : SanPiN 1.2.3685-21 Table 1.1, Table 1.10, & Table 1.11 Maximum permissible concentration (MPC) in the air of urban and rural settlements

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on



**OKS 310**

Version	Revision Date:	Date of last issue: 24.10.2022	Print Date:
1.5	25.01.2023	Date of first issue: 29.07.2014	26.01.2023

---

safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.