

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 341

Version 2.5 Revision Date: 2022-10-20 Date of last issue: 2019-11-15
Date of first issue: 2014-04-07 Print Date: 2022-10-20

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : OKS 341

Chemical nature : Active substance with propellant
Synthetic hydrocarbon oil

Manufacturer or supplier's details

Company name of supplier : OKS Spezialschmierstoffe GmbH
Ganghoferstr. 47
D-82216 Maisach-Gernlinden
Tel.: +49 8142 3051 500
Fax.: +49 8142 3051 599
info@oks-germany.com

E-mail address of person responsible for the SDS : mcm@oks-germany.com
Material Compliance Management

National contact :

Emergency telephone number : +86 532 8388 9090 (NRCC, only for hazardous chemicals)
+86 21 69225521

Recommended use of the chemical and restrictions on use

Recommended use : Lubricant spray

Restrictions on use : Restricted to professional users.

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	: aerosol
Colour	: brown
Odour	: characteristic

Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation.

GHS Classification

Aerosols : Category 1

Eye irritation : Category 2A

GHS label elements



SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 341

Version 2.5 Revision Date: 2022-10-20 Date of last issue: 2019-11-15
Date of first issue: 2014-04-07 Print Date: 2022-10-20

- Hazard pictograms :  
- Signal word : Danger
- Hazard statements : H222 Extremely flammable aerosol.
H229 Pressurised container: May burst if heated.
H319 Causes serious eye irritation.
- Precautionary statements : **Prevention:**
P210 Keep away from heat/ sparks/ open flames/ hot surfaces.
No smoking.
P211 Do not spray on an open flame or other ignition source.
P251 Do not pierce or burn, even after use.
P264 Wash skin thoroughly after handling.
P280 Wear eye protection/ face protection.
- Response:**
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
- Storage:**
P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Physical and chemical hazards

Extremely flammable aerosol.Pressurised container: May burst if heated.

Health hazards

Causes serious eye irritation.

Environmental hazards

Not classified based on available information.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
---------------	---------	-----------------------

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 341

Version 2.5 Revision Date: 2022-10-20 Date of last issue: 2019-11-15
Date of first issue: 2014-04-07 Print Date: 2022-10-20

Butane	106-97-8	>= 30 -< 50
propane	74-98-6	>= 10 -< 20
Sulfonic acids, petroleum, calcium salts	61789-86-4	>= 0.1 -< 1
Molybdenum, bis[O,O-bis(2-ethylhexyl)phosphorodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi-, (Mo-Mo)	72030-25-2	>= 0.1 -< 0.25

4. FIRST AID MEASURES

- If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.
Keep patient warm and at rest.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Take off all contaminated clothing immediately.
Wash off immediately with soap and plenty of water.
Get medical attention immediately if irritation develops and persists.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.
Seek medical advice.
- If swallowed : Move the victim to fresh air.
Keep respiratory tract clear.
Do NOT induce vomiting.
Rinse mouth with water.
- Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.
Inhalation may provoke the following symptoms:
Unconsciousness
Dizziness
Drowsiness
Headache
Nausea
Tiredness
Allergic appearance
- Notes to physician : The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.
Treat symptomatically.

5. FIREFIGHTING MEASURES

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 341

Version 2.5 Revision Date: 2022-10-20 Date of last issue: 2019-11-15
Date of first issue: 2014-04-07 Print Date: 2022-10-20

- Suitable extinguishing media : ABC powder
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Fire Hazard
Do not let product enter drains.
Contains gas under pressure; may explode if heated.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
- Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
- Specific extinguishing methods : Standard procedure for chemical fires.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Cool containers/tanks with water spray.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.
Exposure to decomposition products may be a hazard to health.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.
Ensure adequate ventilation.
Remove all sources of ignition.
Do not breathe vapours or spray mist.
Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Try to prevent the material from entering drains or water courses.
Prevent further leakage or spillage if safe to do so.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Keep in suitable, closed containers for disposal.
Non-sparking tools should be used.
- Prevention of secondary hazards : Only qualified personnel equipped with suitable protective equipment may intervene.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 341

Version 2.5 Revision Date: 2022-10-20 Date of last issue: 2019-11-15
Date of first issue: 2014-04-07 Print Date: 2022-10-20

7. HANDLING AND STORAGE

Handling

Advice on safe handling : Do not use in areas without adequate ventilation.
Do not breathe vapours or spray mist.
In case of insufficient ventilation, wear suitable respiratory equipment.
Avoid contact with skin and eyes.
For personal protection see section 8.
Keep away from fire, sparks and heated surfaces.
Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
Smoking, eating and drinking should be prohibited in the application area.
Wash hands and face before breaks and immediately after handling the product.
Do not get in eyes or mouth or on skin.
Do not get on skin or clothing.
Do not ingest.
Do not use sparking tools.
These safety instructions also apply to empty packaging which may still contain product residues.
Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.

Avoidance of contact : Oxidizing agents

Storage

Conditions for safe storage : BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.
Store in accordance with the particular national regulations.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Butane	106-97-8	STEL	1,000 ppm	ACGIH (2018-03-20)

Engineering measures : Use only in an area equipped with explosion proof exhaust

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 341

Version 2.5 Revision Date: 2022-10-20 Date of last issue: 2019-11-15
Date of first issue: 2014-04-07 Print Date: 2022-10-20

ventilation.
Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment

- Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Short term only
- Filter type : Filter type A-P
- Eye/face protection : Safety glasses with side-shields
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
- Hand protection
- Material : butyl-rubber
 - Break through time : > 10 min
 - Protective index : Class 1
- Remarks : Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.
- Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
- Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : aerosol
- Colour : brown
- Odour : characteristic
- Odour Threshold : No data available

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 341

Version 2.5 Revision Date: 2022-10-20 Date of last issue: 2019-11-15
Date of first issue: 2014-04-07 Print Date: 2022-10-20

pH	:	Not applicable substance/mixture is non-soluble (in water)
Melting point/range	:	No data available
Boiling point/boiling range	:	< -20 °C (1,013 hPa)
Flash point	:	-20 °C Method: Abel-Pensky
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Extremely flammable aerosol.
Self-ignition	:	No data available
Upper explosion limit / Upper flammability limit	:	15 %(V)
Lower explosion limit / Lower flammability limit	:	3 %(V)
Vapour pressure	:	4,200 hPa (20 °C)
Relative vapour density	:	No data available
Relative density	:	0.6745 (20 °C) Reference substance: Water The value is calculated
Density	:	0.67 g/cm ³ (20 °C)
Bulk density	:	No data available
Solubility(ies)	:	
Water solubility	:	insoluble
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, dynamic	:	No data available

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 341

Version 2.5 Revision Date: 2022-10-20 Date of last issue: 2019-11-15
Date of first issue: 2014-04-07 Print Date: 2022-10-20

Viscosity, kinematic : No data available
Explosive properties : Not explosive
Oxidizing properties : No data available
Sublimation point : No data available
Metal corrosion rate : Not corrosive to metals

10. STABILITY AND REACTIVITY

Reactivity : No hazards to be specially mentioned.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.
Conditions to avoid : Heat, flames and sparks.
Strong sunlight for prolonged periods.
Risk of receptacle bursting.
Incompatible materials : Oxidizing agents
Hazardous decomposition products : No decomposition if stored and applied as directed.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : Remarks: This information is not available.
Acute inhalation toxicity : Symptoms: Inhalation may provoke the following symptoms:;
Respiratory disorder
Acute dermal toxicity : Symptoms: Redness, Local irritation

Components:

Butane:

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 341

Version 2.5 Revision Date: 2022-10-20 Date of last issue: 2019-11-15
Date of first issue: 2014-04-07 Print Date: 2022-10-20

Acute inhalation toxicity : LC50 (Rat): 658 mg/l
Exposure time: 4 h
Test atmosphere: gas

Molybdenum, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi-, (Mo-Mo):

Acute dermal toxicity : Symptoms: Redness, Local irritation

Skin corrosion/irritation

Product:

Remarks : This information is not available.

Components:

Molybdenum, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi-, (Mo-Mo):

Assessment : Irritating to skin.
Result : Irritating to skin.

Remarks : Irritating to skin.

Serious eye damage/eye irritation

Product:

Result : Eye irritation

Remarks : Irritating to eyes.

Components:

Molybdenum, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi-, (Mo-Mo):

Result : No eye irritation
Assessment : No eye irritation

Respiratory or skin sensitisation

Product:

Remarks : This information is not available.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 341

Version 2.5 Revision Date: 2022-10-20 Date of last issue: 2019-11-15
Date of first issue: 2014-04-07 Print Date: 2022-10-20

Components:

Sulfonic acids, petroleum, calcium salts:

Assessment : The product is a skin sensitiser, sub-category 1B.

Molybdenum, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi-, (Mo-Mo):

Assessment : The product is a skin sensitiser, sub-category 1B.
Result : The product is a skin sensitiser, sub-category 1B.

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Carcinogenicity

Product:

Remarks : No data available

Reproductive toxicity

Product:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

Repeated dose toxicity

Product:

Remarks : This information is not available.

Aspiration toxicity

Product:

This information is not available.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 341

Version 2.5 Revision Date: 2022-10-20 Date of last issue: 2019-11-15
Date of first issue: 2014-04-07 Print Date: 2022-10-20

Further information

Product:

Remarks : Information given is based on data on the components and the toxicology of similar products.

Components:

Molybdenum, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi-, (Mo-Mo):

Remarks : Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae/aquatic plants : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

Components:

Molybdenum, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi-, (Mo-Mo):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203
GLP: yes

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 341

Version 2.5 Revision Date: 2022-10-20 Date of last issue: 2019-11-15
Date of first issue: 2014-04-07 Print Date: 2022-10-20

Remarks: May cause long-term adverse effects in the aquatic environment.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes

Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

Components:

Molybdenum, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi-, (Mo-Mo):

Biodegradability : Result: Not rapidly biodegradable
Biodegradation: 11 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

Components:

Butane:

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 341

Version 2.5 Revision Date: 2022-10-20 Date of last issue: 2019-11-15
Date of first issue: 2014-04-07 Print Date: 2022-10-20

Partition coefficient: n-octanol/water : log Pow: 2.89
Method: OECD Test Guideline 107

propane:

Partition coefficient: n-octanol/water : log Pow: 2.36

Molybdenum, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi-, (Mo-Mo):

Partition coefficient: n-octanol/water : log Pow: > 4

Mobility in soil

Product:

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

Other adverse effects

Product:

Additional ecological information : No information on ecology is available.

Components:

Molybdenum, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi-, (Mo-Mo):

Additional ecological information : May cause long lasting harmful effects to aquatic life.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of with domestic refuse.
Dispose of as hazardous waste in compliance with local and national regulations.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.
Offer empty spray cans to an established disposal company.
Pressurized container: Do not pierce or burn, even after use.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 341

Version 2.5 Revision Date: 2022-10-20 Date of last issue: 2019-11-15
Date of first issue: 2014-04-07 Print Date: 2022-10-20

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 1950
Proper shipping name : AEROSOLS
Class : 2.1
Packing group : Not assigned by regulation
Labels : 2.1

IATA-DGR

UN/ID No. : UN 1950
Proper shipping name : Aerosols, flammable
Class : 2.1
Packing group : Not assigned by regulation
Labels : Flammable Gas
Packing instruction (cargo aircraft) : 203
Packing instruction (passenger aircraft) : 203

IMDG-Code

UN number : UN 1950
Proper shipping name : AEROSOLS

Class : 2.1
Packing group : Not assigned by regulation
Labels : 2.1
EmS Code : F-D, S-U
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number : UN 1950
Proper shipping name : AEROSOLS
Class : 2.1
Packing group : Not assigned by regulation
Labels : 2.1

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 341

Version 2.5 Revision Date: 2022-10-20 Date of last issue: 2019-11-15
Date of first issue: 2014-04-07 Print Date: 2022-10-20

IECSC : On the inventory, or in compliance with the inventory

16. OTHER INFORMATION

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / STEL : Short-term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 341

Version 2.5 Revision Date: 2022-10-20 Date of last issue: 2019-11-15
Date of first issue: 2014-04-07 Print Date: 2022-10-20

particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.