

## OKS 341

Version 2.3

Revision Date 15.11.2019

Print Date 15.11.2019

### 1. Identification of the substance/mixture and of the company/undertaking

#### Product information

Product name : OKS 341

Use of the Substance/Mixture : Lubricant spray

Company : OKS Spezialschmierstoffe GmbH  
Ganghoferstr. 47  
D-82216 Maisach-Gernlinden  
Tel.: +49 8142 3051 500  
Fax.: +49 8142 3051 599

E-mail address : mcm@oks-germany.com

National contact :

Emergency telephone number : +7 495 628 1687  
+49 8142 3051 517

### 2. Hazards identification

#### GHS Classification

: Aerosols, Category 1  
Eye irritation, Category 2A

#### GHS-Labeling

Symbol(s) :



Signal word :

Danger

Hazard statements :

H222: Extremely flammable aerosol.  
H229: Pressurised container: May burst if heated.  
H319: Causes serious eye irritation.

Precautionary statements :

**Prevention:**  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P211 Do not spray on an open flame or other ignition source.  
P251 Do not pierce or burn, even after use.  
P280 Wear eye protection/ face protection.

**Response:**  
P337 + P313 If eye irritation persists: Get medical advice/ attention.

**Storage:**  
P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.



## OKS 341

Version 2.3

Revision Date 15.11.2019

Print Date 15.11.2019

### 3. Composition/information on ingredients

Chemical nature : Active substance with propellant  
Synthetic hydrocarbon oil

#### Hazardous components

Chemical name	CAS-No.	Concentration[%]
Butane	106-97-8	30 - 50
propane	74-98-6	10 - 20
Sulfonic acids, petroleum, calcium salts	61789-86-4	0,1 - 1

### 4. First aid measures

If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
If breathing is irregular or stopped, administer artificial respiration.

In case of skin contact : Take off all contaminated clothing immediately.  
Wash off immediately with soap and plenty of water.  
Get medical attention immediately if irritation develops and persists.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
Seek medical advice.

If swallowed : Move the victim to fresh air.  
Keep respiratory tract clear.  
Do NOT induce vomiting.  
Rinse mouth with water.

#### Notes to physician

Symptoms : Inhalation may provoke the following symptoms:  
Unconsciousness  
Dizziness  
Drowsiness  
Headache



**OKS 341**

Version 2.3

Revision Date 15.11.2019

Print Date 15.11.2019

Nausea  
Tiredness

Treatment : Treat symptomatically.

---

**5. Firefighting measures**

- Suitable extinguishing media : ABC powder
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Fire may cause evolution of:  
Carbon oxides
- : Fire Hazard  
Do not let product enter drains.  
Contains gas under pressure; may explode if heated.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.  
Exposure to decomposition products may be a hazard to health.
- Further information : Standard procedure for chemical fires.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Cool containers/tanks with water spray.

---

**6. Accidental release measures**

- Personal precautions : Evacuate personnel to safe areas.  
Ensure adequate ventilation.  
Remove all sources of ignition.  
Do not breathe vapours or spray mist.  
Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Try to prevent the material from entering drains or water courses.  
Prevent further leakage or spillage if safe to do so.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Keep in suitable, closed containers for disposal.



**OKS 341**

Version 2.3

Revision Date 15.11.2019

Print Date 15.11.2019

Non-sparking tools should be used.

Additional advice : Only qualified personnel equipped with suitable protective equipment may intervene.

**7. Handling and storage**

**Handling**

Advice on safe handling : Do not use in areas without adequate ventilation. Do not breathe vapours or spray mist. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin and eyes. For personal protection see section 8. Keep away from fire, sparks and heated surfaces. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not ingest. Do not use sparking tools. These safety instructions also apply to empty packaging which may still contain product residues. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.

**Storage**

Requirements for storage areas and containers : BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Store in accordance with the particular national regulations.

**8. Exposure controls/personal protection**

**Components with workplace control parameters**

Components	CAS-No.	Value	Control parameters	Update	Basis
Butane	106-97-8	MPC-TWA	300 mg/m3	2018-04-23	RU OEL
Butane	106-97-8	MPC-STEL	900 mg/m3	2018-04-23	RU OEL



**OKS 341**

Version 2.3

Revision Date 15.11.2019

Print Date 15.11.2019

propane	74-98-6	MPC-TWA	300 mg/m3	2018-04-23	RU OEL
propane	74-98-6	MPC-STEL	900 mg/m3	2018-04-23	RU OEL

**Engineering measures**

Use only in an area equipped with explosion proof exhaust ventilation.  
 Handle only in a place equipped with local exhaust (or other appropriate exhaust).

**Personal protective equipment**

- Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.  
Short term only  
Filter type A-P
  
- Hand protection : butyl-rubber  
Manufacturer, importer, supplier: Class 1  
Wear protective gloves.  
The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.  
The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.
  
- Eye protection : Safety glasses with side-shields conforming to EN166
  
- Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.
  
- Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.  
Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

**9. Physical and chemical properties**

**Appearance**

- Physical state : aerosol
- Colour : brown



**OKS 341**

Version 2.3

Revision Date 15.11.2019

Print Date 15.11.2019

Odour : characteristic

**Safety data**

Flash point : -20 °C  
Method: Abel-Pensky

Ignition temperature : Remarks: No data available

Lower explosion limit : 3 %(V)

Upper explosion limit : 15 %(V)

Flammability (solid, gas) : Extremely flammable aerosol.

Oxidizing properties : Note: No data available

Auto-ignition temperature : Note: No data available

pH : Note: Not applicable

Melting point/range : Note: No data available

Boiling point/boiling range : < -20 °C  
at 1.013,00 hPa

Sublimation point : Note: No data available

Vapour pressure : 4.200,00 hPa  
at 20 °C

Density : 0,67 g/cm<sup>3</sup>  
at 20 °C

Bulk density : Note: No data available

Water solubility : Note: insoluble

Partition coefficient: n-octanol/water : Note: No data available

Solubility in other solvents : Note: No data available

Viscosity, dynamic : Note: No data available

Viscosity, kinematic : Note: No data available

Relative vapour density : Note: No data available

Evaporation rate : Note: No data available



## OKS 341

Version 2.3

Revision Date 15.11.2019

Print Date 15.11.2019

### 10. Stability and reactivity

- Conditions to avoid : Heat, flames and sparks.
- Materials to avoid : Oxidizing agents
- Hazardous decomposition products : No decomposition if stored and applied as directed.
- Thermal decomposition : Note: No data available

### 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

- Acute oral toxicity :  
Remarks: This information is not available.

#### Acute inhalation toxicity

- Butane : LC50: 658 mg/l  
Exposure time: 4 h  
Species: Rat

#### Acute dermal toxicity

- :  
Remarks: This information is not available.

#### Skin corrosion/irritation

- Skin irritation : Remarks: This information is not available.

#### Serious eye damage/eye irritation

- Eye irritation : Result: Eye irritation  
: Remarks: Irritating to eyes.

#### Respiratory or skin sensitisation

- Sensitisation : Remarks: This information is not available.

#### Germ cell mutagenicity

- Genotoxicity in vitro : Remarks: No data available

- Genotoxicity in vivo : Remarks: No data available

#### Target Organ Systemic Toxicant - Repeated exposure

- : This information is not available.



**OKS 341**

Version 2.3

Revision Date 15.11.2019

Print Date 15.11.2019

**Target Organ Systemic Toxicant - Repeated exposure**

**Aspiration hazard**

Aspiration toxicity : This information is not available.

Further information : Information given is based on data on the components and the toxicology of similar products.

**12. Ecological information**

**Ecotoxicity effects**

Toxicity to fish :  
Remarks:  
No data available

Toxicity to daphnia and other aquatic invertebrates : Remarks:  
No data available

Toxicity to algae : Remarks:  
No data available

Toxicity to bacteria : Remarks:  
No data available

**Elimination information (persistence and degradability)**

Bioaccumulation : Remarks:  
This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).  
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

Mobility : Remarks:  
No data available

Distribution among environmental compartments : Remarks:  
No data available

Biodegradability : Remarks:  
No data available





**OKS 341**

Version 2.3

Revision Date 15.11.2019

Print Date 15.11.2019

Physico-chemical removability : Remarks:  
No data available

**Further information on ecology**

Additional ecological information : No information on ecology is available.

---

**13. Disposal considerations**

Product : Do not dispose of with domestic refuse.  
Dispose of as hazardous waste in compliance with local and national regulations.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Offer empty spray cans to an established disposal company.  
Pressurized container: Do not pierce or burn, even after use.

---

**14. Transport information**

**ADR**

UN number : 1950  
Description of the goods : AEROSOLS  
Class : 2  
Classification Code : 5F  
Labels : 2.1  
Environmentally hazardous : no

**IATA**

UN number : 1950  
Description of the goods : Aerosols, flammable  
Class : 2.1  
Labels : 2.1  
Packing instruction (cargo) : 203



## OKS 341

Version 2.3

Revision Date 15.11.2019

Print Date 15.11.2019

aircraft)

Packing instruction : 203  
(passenger aircraft)

Packing instruction : Y203  
(passenger aircraft)

Environmentally hazardous : no

### IMDG

UN number : 1950

Description of the goods : AEROSOLS

Class : 2.1

Labels : 2.1

EmS Number : F-D, S-U

Marine pollutant : no

Other information : No special precautions required.

---

## 15. Regulatory information

---

## 16. Other information

### Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

This safety data sheet applies only to products originally packed and labelled by OKS Spezialschmierstoffe. The information contained therein may not be reproduced or modified without the express written permission of OKS Spezialschmierstoffe. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of our safety data sheets (e.g. as a document for download from the Internet) is not permitted without the express written consent of OKS Spezialschmierstoffe. OKS Spezialschmierstoffe provides its customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments



## **OKS 341**

Version 2.3

Revision Date 15.11.2019

Print Date 15.11.2019

---

contained therein to its own customers, employees and other users of the product. OKS Spezienschmierstoffe provides no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorised trading partner of OKS Spezienschmierstoffe.

---