according to GB/T 16483 and GB/T 17519



OKS 350

Version Revision Date: Date of last issue: 2018-10-18

1.4 2022-08-26 Date of first issue: 2013-11-25 Print Date: 2022-08-29

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : OKS 350

Chemical nature : Synthetic hydrocarbon oil

ester oil

Manufacturer or supplier's details

Company name of supplier : OKS Spezialschmierstoffe GmbH

Ganghoferstr. 47

D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com

E-mail address of person

person : mcm@oks-germany.com

responsible for the SDS Material Compliance Management

National contact

Emergency telephone number : +86 532 8388 9090 (NRCC, only for hazardous chemicals)

+86 21 69225521

Recommended use of the chemical and restrictions on use

Recommended use : Lubricating oil

Restrictions on use : Restricted to professional users.

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance : liquid Colour : black

Odour : characteristic

Causes mild skin irritation.

GHS Classification

Skin irritation : Category 3

GHS label elements

Hazard pictograms : None

Signal word : Warning

according to GB/T 16483 and GB/T 17519



OKS 350

Version Revision Date: Date of last issue: 2018-10-18

1.4 2022-08-26 Date of first issue: 2013-11-25 Print Date: 2022-08-29

Hazard statements : H316 Causes mild skin irritation.

Precautionary statements : Response:

P332 + P313 If skin irritation occurs: Get medical advice/

attention.

Physical and chemical hazards

Not classified based on available information.

Health hazards

Causes mild skin irritation.

Environmental hazards

Not classified based on available information.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
2,2-dimethyl-1,3-propanediyl dioleate	42222-50-4	>= 30 -< 50
Amines, C11-14-branched alkyl, monohexyl	80939-62-4	>= 1 -< 2.5
and dihexyl phosphates		

4. FIRST AID MEASURES

If inhaled : Remove person to fresh air. If signs/symptoms continue, get

medical attention.

Keep patient warm and at rest.

If unconscious, place in recovery position and seek medical

advice

Keep respiratory tract clear.

If breathing is irregular or stopped, administer artificial

respiration.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with soap and plenty of water.

Get medical attention immediately if irritation develops and

persists.

Wash clothing before reuse.

Thoroughly clean shoes before reuse.



according to GB/T 16483 and GB/T 17519



OKS 350

Version Revision Date: Date of last issue: 2018-10-18

1.4 2022-08-26 Date of first issue: 2013-11-25 Print Date: 2022-08-29

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 10 minutes.

If eye irritation persists, consult a specialist.

If swallowed : Move the victim to fresh air.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear. Do NOT induce vomiting. Rinse mouth with water.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

delayed

Causes skin irritation.

Notes to physician : Treat symptomatically.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Unsuitable extinguishing

media

High volume water jet

Hazardous combustion

products

Carbon oxides

Nitrogen oxides (NOx)

Specific extinguishing

methods

Standard procedure for chemical fires.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Exposure to decomposition products may be a hazard to

health.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Evacuate personnel to safe areas.
Use personal protective equipment.

Ensure adequate ventilation.

Do not breathe vapours or spray mist.

Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Try to prevent the material from entering drains or water

courses.



according to GB/T 16483 and GB/T 17519



OKS 350

Version Revision Date: Date of last issue: 2018-10-18

1.4 2022-08-26 Date of first issue: 2013-11-25 Print Date: 2022-08-29

Prevent further leakage or spillage if safe to do so. Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13).

7. HANDLING AND STORAGE

Handling

Advice on safe handling : Do not breathe vapours or spray mist.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Wash hands and face before breaks and immediately after

handling the product.

Do not get in eyes or mouth or on skin.

Do not get on skin or clothing.

Do not ingest. Do not repack.

Do not re-use empty containers.

These safety instructions also apply to empty packaging which

may still contain product residues. Keep container closed when not in use.

Avoidance of contact : No materials to be especially mentioned.

Storage

Conditions for safe storage : Store in original container.

Keep container closed when not in use. Keep in a dry, cool and well-ventilated place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Store in accordance with the particular national regulations.

Keep in properly labelled containers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : none



according to GB/T 16483 and GB/T 17519



OKS 350

Version Revision Date: Date of last issue: 2018-10-18

1.4 2022-08-26 Date of first issue: 2013-11-25 Print Date: 2022-08-29

Personal protective equipment

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type A-P

Eye/face protection : Safety glasses with side-shields

Skin and body protection : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Hand protection

Material : butyl-rubber
Break through time : > 10 min
Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends

amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each

case.

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after

handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : black

Odour : characteristic

Odour Threshold : No data available

pH : Not applicable

substance/mixture is non-polar/aprotic

Melting point/range : No data available

Boiling point/boiling range : No data available



according to GB/T 16483 and GB/T 17519 CN



OKS 350

Version Revision Date: Date of last issue: 2018-10-18

1.4 2022-08-26 Date of first issue: 2013-11-25 Print Date: 2022-08-29

Flash point : 260 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Self-ignition : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : < 1 hPa (20 °C)

Relative vapour density : No data available

Relative density : 0.9010 (20 °C)

Reference substance: Water The value is calculated

Density : 0.90 g/cm3 (20 °C)

Bulk density : No data available

Solubility(ies)

Water solubility : immiscible

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : 245 mm2/s (40 °C)

Explosive properties : Not explosive

Oxidizing properties : No data available

Sublimation point : No data available

according to GB/T 16483 and GB/T 17519



OKS 350

Version Revision Date: Date of last issue: 2018-10-18

1.4 2022-08-26 Date of first issue: 2013-11-25 Print Date: 2022-08-29

10. STABILITY AND REACTIVITY

Reactivity : No hazards to be specially mentioned.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid : No conditions to be specially mentioned.

Incompatible materials : No materials to be especially mentioned.

Hazardous decomposition

products

No decomposition if stored and applied as directed.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Symptoms: Redness, Local irritation

Components:

2,2-dimethyl-1,3-propanediyl dioleate:

Acute oral toxicity : LD50 Oral (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 401

Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 401

GLP: yes

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Method: OECD Test Guideline 402

according to GB/T 16483 and GB/T 17519



OKS 350

Version Revision Date: Date of last issue: 2018-10-18

1.4 2022-08-26 Date of first issue: 2013-11-25 Print Date: 2022-08-29

GLP: no

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Product:

Remarks : Irritating to skin.

Components:

Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:

Species : Rabbit

Assessment : Irritating to skin.

Method : OECD Test Guideline 404

Result : Irritating to skin.

GLP : no

Serious eye damage/eye irritation

Product:

Remarks : This information is not available.

Components:

Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:

Species : Rabbit

Result : Irritating to eyes. Assessment : Irritating to eyes.

Method : OECD Test Guideline 405

GLP : no

Respiratory or skin sensitisation

Product:

Remarks : This information is not available.

Components:

Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:

Test Type : Maximisation Test

Exposure routes : Dermal Species : Guinea pig



according to GB/T 16483 and GB/T 17519



OKS 350

Version Revision Date: Date of last issue: 2018-10-18

1.4 2022-08-26 Date of first issue: 2013-11-25 Print Date: 2022-08-29

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

GLP : no

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Components:

Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:

Genotoxicity in vitro : Test Type: gene mutation test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

GLP: no

Carcinogenicity

Product:

Remarks : No data available

Reproductive toxicity

Product:

Effects on fertility : Remarks: No data available

Effects on foetal development

: Remarks: No data available

Components:

Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:

Effects on fertility : Test Type: reproductive and developmental toxicity study

Species: Rat

Application Route: Oral

General Toxicity - Parent: LOAEL: 10 mg/kg body weight General Toxicity F1: NOAEL: 100 mg/kg body weight



according to GB/T 16483 and GB/T 17519



OKS 350

Version Revision Date: Date of last issue: 2018-10-18

1.4 2022-08-26 Date of first issue: 2013-11-25 Print Date: 2022-08-29

Method: OECD Test Guideline 422

GLP: yes

Effects on foetal : Species: Rat

development Application Route: Oral

General Toxicity Maternal: LOAEL: 10 mg/kg body weight Developmental Toxicity: NOAEL: 100 mg/kg body weight

Method: OECD Test Guideline 422

GLP: yes

Repeated dose toxicity

Product:

Remarks : This information is not available.

Components:

Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:

Species : Rat, male and female

LOAEL : 10 mg/kg Application Route : Oral Exposure time : 28

Method : OECD Test Guideline 422

GLP : yes

Remarks : Not classified due to inconclusive data.

Aspiration toxicity

Product:

This information is not available.

Further information

Product:

Remarks : Ingestion causes irritation of upper respiratory system and

gastrointestinal disturbance.

Components:

2,2-dimethyl-1,3-propanediyl dioleate:

Remarks : Information given is based on data on the components and

the toxicology of similar products.

according to GB/T 16483 and GB/T 17519



OKS 350

Version Revision Date: Date of last issue: 2018-10-18

1.4 2022-08-26 Date of first issue: 2013-11-25 Print Date: 2022-08-29

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish

Remarks: No data available

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: No data available

Toxicity to algae/aquatic

plants

Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

Components:

2,2-dimethyl-1,3-propanediyl dioleate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 10,000 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h Method: ISO 6341

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 5.5 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: no



according to GB/T 16483 and GB/T 17519



OKS 350

Version Revision Date: Date of last issue: 2018-10-18

1.4 2022-08-26 Date of first issue: 2013-11-25 Print Date: 2022-08-29

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

GLP: no

Toxicity to algae/aquatic

plants

: EC50 (Pseudokirchneriella subcapitata (green algae)): > 10

mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates (Chronic toxicity)

NOEC (Daphnia magna (Water flea)): > 10 mg/l

Exposure time: 22 d Test Type: semi-static test

Method: OECD Test Guideline 211

GLP: yes

Toxicity to microorganisms : EC50 (Bacteria): > 100 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

GLP: no

Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Physico-chemical

removability

: Remarks: No data available

Components:

2,2-dimethyl-1,3-propanediyl dioleate:

Biodegradability : Biodegradation: 85 %

Method: OECD Test Guideline 301B

Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:

Biodegradability : aerobic

Inoculum: activated sludge Result: Not rapidly biodegradable

Biodegradation: 12 %

according to GB/T 16483 and GB/T 17519



OKS 350

Version Revision Date: Date of last issue: 2018-10-18

1.4 2022-08-26 Date of first issue: 2013-11-25 Print Date: 2022-08-29

Exposure time: 28 d

Method: OECD Test Guideline 301B

GLP: no

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to

be persistent, bioaccumulating and toxic (PBT).

This mixture contains no substance considered to be very

persistent and very bioaccumulating (vPvB).

Components:

2,2-dimethyl-1,3-propanediyl dioleate:

Partition coefficient: n-

octanol/water

: log Pow: > 3

Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:

Bioaccumulation : Bioconcentration factor (BCF): 0.85 - 278

Mobility in soil

Product:

Mobility : Remarks: No data available

Distribution among

environmental compartments

Remarks: No data available

Other adverse effects

Product:

Additional ecological

information

No information on ecology is available.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not dispose of with domestic refuse.

Dispose of as hazardous waste in compliance with local and

national regulations.

according to GB/T 16483 and GB/T 17519



OKS 350

Version Revision Date: Date of last issue: 2018-10-18

1.4 2022-08-26 Date of first issue: 2013-11-25 Print Date: 2022-08-29

Contaminated packaging : Packaging that is not properly emptied must be disposed of as

the unused product.

Dispose of waste product or used containers according to

local regulations.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo : Not applicable

aircraft)

Packing instruction : Not applicable

(passenger aircraft)

IMDG-Code

UN number Not applicable Proper shipping name Not applicable Not applicable Class Subsidiary risk Not applicable Packing group Not applicable Labels Not applicable **EmS Code** Not applicable Marine pollutant Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable



according to GB/T 16483 and GB/T 17519 ${
m CN}$



OKS 350

Version Revision Date: Date of last issue: 2018-10-18

1.4 2022-08-26 Date of first issue: 2013-11-25 Print Date: 2022-08-29

Labels : Not applicable

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

National regulatory information

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : Not applicable

Hazardous Chemicals for Priority Management under :

SAWS

Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals : Not applicable

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

Not applicable

: Not applicable

China Severely Restricted Toxic Chemicals for Import

and Export

International Regulations

Montreal Protocol : Not applicable

Rotterdam Convention (Prior Informed Consent) : Not applicable

Stockholm Convention (Persistent Organic Pollutants) : Not applicable

The components of this product are reported in the following inventories:

IECSC : On the inventory, or in compliance with the inventory

16. OTHER INFORMATION

Date format : yyyy/mm/dd

Full text of other abbreviations



according to GB/T 16483 and GB/T 17519 CN



OKS 350

Version Revision Date: Date of last issue: 2018-10-18

1.4 2022-08-26 Date of first issue: 2013-11-25 Print Date: 2022-08-29

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.



according to GB/T 16483 and GB/T 17519 CN



OKS 350

Version Revision Date: Date of last issue: 2018-10-18

1.4 2022-08-26 Date of first issue: 2013-11-25 Print Date: 2022-08-29