According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 35	21			
Version 2.1	Revision Date: 06.07.2022		f last issue: 25.03.2019 f first issue: 30.03.2013	Print Date: 07.07.2022
SECTION	N 1: Identification	of the su	bstance/mixture and of the	e company/undertaking
1.1 Produ	ict identifier			
Produ	uct name	: 0	KS 3521	
1.2 Relev	ant identified uses o	of the sub	stance or mixture and uses a	dvised against
	of the tance/Mixture	: Lu	ıbricant	
Reco on us	ommended restrictions se	s : Re	estricted to professional users.	
1.3 Detail	s of the supplier of	he safety	data sheet	
Com	pany		KS Spezialschmierstoffe GmbH anghoferstr. 47	4
		D-	-82216 Maisach-Gernlinden	
			el.: +49 8142 3051 500 ax.: +49 8142 3051 599	
		int	fo@oks-germany.com	
	ail address of person		cm@oks-germany.com	
respo	onsible for the SDS	M	aterial Compliance Manageme	nt
Natio	onal contact	:		
1.4 Emerg	gency telephone nui	nber		
Emer numb	rgency telephone per	: +4	49 8142 3051 517 (24/7 service	9)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Aerosols, Category 1	H222: Extremely flammable aerosol. H229: Pressurised container: May burst if heated.
Specific target organ toxicity - single exposure, Category 2	H371: May cause damage to organs.
Long-term (chronic) aquatic hazard, Category 3	H412: Harmful to aquatic life with long lasting effects.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 3521

Version	Revision Date:	Date of last issue: 25.03.2019	Print Date:
2.1	06.07.2022	Date of first issue: 30.03.2013	07.07.2022

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms :		
Signal word :	Danger	
Hazard statements :	H222 H229 H371 H412	Extremely flammable aerosol. Pressurised container: May burst if heated. May cause damage to organs. Harmful to aquatic life with long lasting effects.
Precautionary statements :	Prevention: P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
	P211	smoking. Do not spray on an open flame or other ignition source.
	P251 P260	Do not pierce or burn, even after use. Do not breathe mist.
	Storage: P405 P410 + P412	Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Hazardous components which must be listed on the label:

tris(methylphenyl) phosphate

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature	:	Active substance with propellant
		ester oil
		Synthetic hydrocarbon oil



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 3521

Version	Revision Date:	Date of last issue: 25.03.2019	Print Date:
2.1	06.07.2022	Date of first issue: 30.03.2013	07.07.2022

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)		
propane	74-98-6 200-827-9 601-003-00-5	Flam. Gas1; H220 Press. GasCompr. Gas; H280		>= 1 - < 10		
tris(methylphenyl) phosphate	1330-78-5 809-930-9	Repr.2; H361 Aquatic Acute1; H400 Aquatic Chronic1; H410	>= 1 % STOT SE1, H370 0.2 - < 1 % STOT SE2, H371 M-Factor: 1/1	>= 0.25 - < 1		
	Substances with a workplace exposure limit :					
butane	106-97-8 203-448-7 601-004-00-0	Flam. Gas1; H220 Press. GasCompr. Gas; H280		>= 20 - < 30		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled	 Obtain medical attention. Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respiration.
In case of skin contact	: Take off all contaminated clothing immediately.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS	3521			
Versio 2.1	n Revision Date: 06.07.2022		e of last issue: 25.03.2019 e of first issue: 30.03.2013	Print Date: 07.07.2022
			Get medical attention immediately persists. Wash clothing before reuse. Thoroughly clean shoes before re Wash off immediately with plenty	euse.
In	a case of eye contact	:	Rinse immediately with plenty of v for at least 10 minutes. If eye irritation persists, consult a	-
lf	swallowed	:	Move the victim to fresh air. Keep respiratory tract clear. Do NOT induce vomiting. Obtain medical attention. Rinse mouth with water.	
4.2 Mc	ost important symptoms a	nd e	ffects, both acute and delayed	
S	ymptoms	:	Inhalation may provoke the follow Unconsciousness Dizziness Drowsiness Headache Nausea Tiredness	ving symptoms:
	dication of any immediate reatment	meo :	lical attention and special treatm Treat symptomatically.	nent needed
SECT	ION 5: Firefighting mea	sur	es	
5.1 Ex	tinguishing media			
	uitable extinguishing media	:	ABC powder	
	nsuitable extinguishing nedia	:	High volume water jet	
S	pecial hazards arising from pecific hazards during refighting	the :	substance or mixture Fire Hazard Do not let product enter drains. Contains gas under pressure; ma Beware of vapours accumulating concentrations. Vapours can accu	to form explosive
			O I I I	



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 3521

Version	Revision Date:	Date of last issue: 25.03.2019	Print Date:
2.1	06.07.2022	Date of first issue: 30.03.2013	07.07.2022

5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.
Further information	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Cool containers/tanks with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	 Evacuate personnel to safe areas. Ensure adequate ventilation. Remove all sources of ignition. Do not breathe vapours or spray mist. Refer to protective measures listed in sections 7 and 8. Only qualified personnel equipped with suitable protective equipment may intervene.
----------------------	--

6.2 Environmental precautions

Environmental precautions :	Do not allow contact with soil, surface or ground water. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
-----------------------------	---

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal. Non-sparking tools should be used.
-------------------------	---	---

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Do not use in areas without adequate ventilation.
		Do not breathe vapours or spray mist.
		In case of insufficient ventilation, wear suitable respiratory
		equipment.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 3521

Version 2.1	Revision Date: 06.07.2022		e of last issue: 25.03.2019 e of first issue: 30.03.2013	Print Date: 07.07.2022
			Avoid contact with skin and eyes. For personal protection see section Keep away from fire, sparks and he Smoking, eating and drinking shou application area. Wash hands and face before break handling the product. Do not get in eyes or mouth or on s Do not get on skin or clothing. Do not ingest. Do not use sparking tools. These safety instructions also appl may still contain product residues. Pressurized container: protect from expose to temperatures exceeding burn, even after use.	eated surfaces. Id be prohibited in the as and immediately after skin. y to empty packaging which a sunlight and do not
Hygie	ene measures	:	Wash face, hands and any expose handling.	d skin thoroughly after
7.2 Condi	tions for safe storag	e, incl	uding any incompatibilities	
	irements for storage and containers	:	BEWARE: Aerosol is pressurized. exposure and temperatures over 5 or throw into fire even after use. Do red-hot objects. Store in accordance national regulations.	0 °C. Do not open by force o not spray on flames or
-	fic end use(s) ific use(s)	:	Specific instructions for handling, n	ot required.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
butane	106-97-8	STEL	750 ppm 1,810 mg/m3	GB EH40GB EH40 (2007-08-01)		
	Further inform damage.	Further information: Capable of causing cancer and/or heritable genetic damage.				
		TWA	600 ppm 1,450 mg/m3	GB EH40GB EH40 (2007-08-01)		
	Further inform damage.	Further information: Capable of causing cancer and/or heritable genetic damage.				



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 3521

Version	Revision Date:	Date of last issue: 25.03.2019	Print Date:
2.1	06.07.2022	Date of first issue: 30.03.2013	07.07.2022

Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health effects	Value
tris(methylphenyl) phosphate	Workers	Inhalation	Long-term systemic effects	0.18 mg/m3
	Workers	Skin contact	Long-term systemic effects	0.41 mg/kg bw/day

Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
tris(methylphenyl) phosphate	Fresh water	0.001 mg/l
	Marine water	0.0001 mg/l
	Intermittent use/release	100 mg/l
	Fresh water sediment	2.05 mg/kg
	Marine sediment	0.205 mg/kg
	Soil	1.01 mg/kg

8.2 Exposure controls

Engineering measures

Use only in an area equipped with explosion proof exhaust ventilation. Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment

Eye protection	:	Safety glasses with side-shields
Hand protection		
Remarks	:	Protective gloves The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.
Skin and body protection	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Respiratory protection	:	In case of insufficient ventilation, wear suitable respiratory equipment. Short term only Combination filter:
Filter type	:	Filter type A-P
Protective measures	:	The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 3521

Version	Revision Date:	Date of last issue: 25.03.2019	Print Date:
2.1	06.07.2022	Date of first issue: 30.03.2013	07.07.2022

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

-	Information on basic physical Appearance	:	aerosol
	Colour	:	yellow
	Odour	:	characteristic
	Odour Threshold	:	No data available
	рН	:	Not applicable substance/mixture is non-soluble (in water)
	Melting point/range	:	No data available
	Boiling point/boiling range	:	-11 °C (1,013 hPa)
	Flash point	:	-60 °C Method: Abel-Pensky
	Evaporation rate	:	No data available
	Flammability (solid, gas)	:	Extremely flammable aerosol.
	Upper explosion limit / Upper flammability limit	:	8.5 %(V)
	Lower explosion limit / Lower flammability limit	:	1.5 %(V)
	Vapour pressure	:	3,300 hPa (20 °C)
	Relative vapour density	:	No data available
	Relative density	:	0.76 (20 °C) Reference substance: Water The value is calculated
	Density	:	0.65 g/cm3 (20 °C)
	Bulk density	:	No data available
	Solubility(ies) Water solubility	:	insoluble
	Solubility in other solvents	:	No data available



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 3521

Version 2.1	Revision Date: 06.07.2022	Date of last issue: 25.03.2019 Date of first issue: 30.03.2013	Print Date: 07.07.2022
	tion coefficient: n- nol/water	: No data available	
Auto	-ignition temperature	: No data available	
Deco	emposition temperature	: No data available	
Visco Vi	osity iscosity, dynamic	: No data available	
Vi	iscosity, kinematic	: < 20.5 mm2/s (40 °C)	
Explo	osive properties	: Not explosive	
Oxidi	izing properties	: No data available	
9.2 Other	information		
Subli	mation point	: No data available	
Meta	l corrosion rate	: Not corrosive to metals	
Self-i	ignition	: not auto-flammable	

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks. Strong sunlight for prolonged periods. Risk of receptacle bursting.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 3521

Version	Revision Date:	Date of last issue: 25.03.2019	Print Date:
2.1	06.07.2022	Date of first issue: 30.03.2013	07.07.2022

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity		
Product:		
Acute oral toxicity	:	Remarks: This information is not available.
Acute inhalation toxicity	:	Remarks: Harmful by inhalation.
		Symptoms: Inhalation may provoke the following symptoms:, Respiratory disorder
Acute dermal toxicity	:	Remarks: This information is not available.
Components:		
tris(methylphenyl) phospha	te:	
Acute oral toxicity	:	LD50 (Rat): > 20,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 11.1 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rabbit): > 10,000 mg/kg
butane:		
Acute inhalation toxicity	:	LC50 (Rat): 658 mg/l Exposure time: 4 h Test atmosphere: gas
Skin corrosion/irritation		
Product:		
Remarks	:	This information is not available.
Components:		
tris(methylphenyl) phospha	te:	
Species	:	Rabbit
Assessment	:	No skin irritation
Result	:	No skin irritation



OKS 3521

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



Vers 2.1	sion	Revision Date: 06.07.2022		e of last issue: 25.03.2019 e of first issue: 30.03.2013	Print Date: 07.07.2022
	Seriou	ıs eye damage/eye ir	ritati	on	
	<u>Produ</u>	<u>ct:</u>			
	Remai	rks	:	Contact with eyes may cause irritation.	
	<u>Comp</u>	onents:			
	•	ethylphenyl) phosph	ate:		
	Specie Assess		:	Rabbit	
	Result		:	No eye irritation No eye irritation	
	Respi	ratory or skin sensiti	isatio	on	
	<u>Produ</u>	<u>ct:</u>			
	Remai	rks	:	This information is not available.	
	<u>Comp</u>	onents:			
	-	ethylphenyl) phosph	ate:		
	Assess		:	Does not cause skin sensitisation. Does not cause skin sensitisation.	
	recould		·		
	Germ	cell mutagenicity			
	<u>Produ</u>	<u>ct:</u>			
	Genote	oxicity in vitro	:	Remarks: No data available	
	Genote	oxicity in vivo	:	Remarks: No data available	
	Carcir	nogenicity			
	<u>Produ</u>	<u>ct:</u>			
	Remai	rks	:	No data available	
	Repro	ductive toxicity			
	<u>Produ</u>	<u>ct:</u>			
	Effects	s on fertility	:	Remarks: No data available	
		s on foetal pment	:	Remarks: No data available	
	<u>Comp</u>	onents:			
	tris(m	ethylphenyl) phosph	ate:		
		ductive toxicity -	:	- Fertility -	
	Asses	sment		Some evidence of adverse effects on sev	kual function and



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



sion	Revision Date:	Dat	e of last issue: 25.03.2019	Print Date:
	06.07.2022		e of first issue: 30.03.2013	07.07.2022
			fertility, and/or on development, ba	ased on animal experime
STOT	r - single exposure			
<u>Com</u>	ponents:			
tris(n	nethylphenyl) phos	phate:		
Asses	ssment	:	The substance or mixture is not cla organ toxicant, single exposure.	assified as specific targe
STOT	F - repeated exposu	re		
<u>Com</u>	ponents:			
tris(n	nethylphenyl) phos	phate:		
Asses	ssment	:	The substance or mixture is not cla organ toxicant, repeated exposure	
Repe	ated dose toxicity			
Prod	uct:			
Rema	arks	:	This information is not available.	
Aspir	ration toxicity			
Prod	uct:			
This i	nformation is not ava	ilable.		
<u>Com</u>	ponents:			
tris(n	nethylphenyl) phos	phate:		
No as	spiration toxicity class	sificatio	n	
Furth	er information			
Prod	uct:			
Rema	arks	:	Risks of irreversible effects after a Possible risk of irreversible effects	

12.1 Toxicity

Product:

Toxicity to fish

: Remarks: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 352	21				
Version 2.1	Revision Date: 06.07.2022		e of last issue: e of first issue:		Print Date: 07.07.2022
	ity to daphnia and other tic invertebrates	· :	Remarks: No	data available	
Toxic plants	ity to algae/aquatic	:	Remarks: No	data available	
Toxic	ity to microorganisms	:	Remarks: No	data available	
12.2 Persi	istence and degradabi	ility			
Prod	uct:				
	egradability	:	Remarks: No	data available	
	ico-chemical vability	:	Remarks: No	data available	
12.3 Bioa	ccumulative potential				
<u>Produ</u> Bioac	<u>uct:</u> cumulation	:	be persistent. This mixture	, bioaccumulating	ance considered to be very
12.4 Mobi	lity in soil				
Prod	uct:				
Mobil	ity	:	Remarks: No	data available	
	bution among onmental compartments	:	Remarks: No	data available	
12.5 Resu	llts of PBT and vPvB a	isses	sment		
Prod	uct:				
Asses	ssment	:	to be either p	ersistent, bioaccur nt and very bioacc	s no components considered mulative and toxic (PBT), or umulative (vPvB) at levels of
12.6 Othe	r adverse effects				
Produ	uct:				
Endo poten	crine disrupting tial	:	considered to to REACH Ar	have endocrine d ticle 57(f) or Comr 00 or Commissior	ot contain components lisrupting properties according mission Delegated regulation n Regulation (EU) 2018/605 at
					a brand of

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 35 2	OKS 3521					
Version 2.1	Revision Date: 06.07.2022		e of last issue: 25.03.2019 e of first issue: 30.03.2013	Print Date: 07.07.2022		
	ional ecological nation	:	Harmful to aquatic life with long las	ting effects.		
SECTION	N 13: Disposal cons	sider	ations			
13.1 Wast	te treatment methods	6				
Produ	uct	:	Do not dispose of with domestic re Dispose of as hazardous waste in national regulations.			
			Waste codes should be assigned be application for which the product w			
Conta	aminated packaging	:	Packaging that is not properly emp the unused product. Offer empty spray cans to an estab Pressurized container: Do not piero	blished disposal company.		
			The following Waste Codes are on	ly suggestions:		
Wast	e Code	:	unused product, packagings not co 16 05 04*, gases in pressure conta containing hazardous substances			

SECTION 14: Transport information

14.1 UN number or ID number

	ADR		UN 1950
	ADK	·	011 1950
	RID	:	UN 1950
	IMDG	:	UN 1950
	ΙΑΤΑ	:	UN 1950
14.2	2 UN proper shipping name		
	ADR	:	AEROSOLS
	RID	:	AEROSOLS
	IMDG	:	AEROSOLS
	ΙΑΤΑ	:	Aerosols, flammable
14.:	3 Transport hazard class(es)		
	ADR	:	2
	RID	:	2



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 35	21			
Version 2.1	Revision Date: 06.07.2022		e of last issue: 25.03.2019 e of first issue: 30.03.2013	Print Date: 07.07.2022
IMD	G	:	2.1	
IATA	A	:	2.1	
14.4 Pacl	king group			
Clas Labe Tunr	king group sification Code	:	Not assigned by regulation 5F 2.1 (D)	
Clas	king group sification Code ard Identification Number els	: : r : :	Not assigned by regulation 5F 23 2.1	
Labe	king group	:	Not assigned by regulation 2.1 F-D, S-U	
Pack aircra Pack	king instruction (LQ)	:	203 Y203 Not assigned by regulation Flammable Gas	
Pack (pas: Pack	A (Passenger) king instruction senger aircraft) king instruction (LQ) king group els	:	203 Y203 Not assigned by regulation Flammable Gas	
14.5 Envi	ironmental hazards			
ADR Envi	ronmentally hazardous	:	no	
RID Envi	ronmentally hazardous	:	no	
IMD Mari	G ne pollutant	:	no	
14.6 Spe	cial precautions for use	er		
		、 、		

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks

: Not applicable for product as supplied.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 3521						
Version	Revision Date:	Date of last issue: 25.03.2019	Print Date: 07.07.2022			
2.1	06.07.2022	Date of first issue: 30.03.2013				

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislat mixture	ion	specific for the substance or
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)	:	This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
REACH - List of substances subject to authorisation (Annex XIV) (EU. REACH-Annex XIV)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009)	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP)	:	Not applicable
Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals (EU PIC)	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV) (UK. REACH Annex XIV)	:	Not applicable
GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation (GB PIC)	:	Not applicable
Regulation (EU) 2019/1148 on the marketing and use of explosives precursors	:	Not applicable
15.2 Chemical safety assessment		

This information is not available.

SECTION 16: Other information

Full text of R-Phrases

Note C

: Some organic substances may be marketed either in a



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 352	OKS 3521					
Version 2.1	Revision Date: 06.07.2022	Date of last issue: 25.03.2019Print Date:Date of first issue: 30.03.201307.07.2022				
Note I	U (table 3.1)	 specific isomeric form or as a mixture of several isomers this case the supplier must state on the label whether th substance is a specific isomer or a mixture of isomers. When put on the market gases have to be classified as "Gases under pressure", in one of the groups compress gas, liquefied gas, refrigerated liquefied gas or dissolved The group depends on the physical state in which the ga packaged and therefore has to be assigned case by case following codes are assigned: Press. Gas (Comp.) Press (Liq.) Press. Gas (Ref. Liq.) Press. Gas (Diss.) Aerosols not be classified as gases under pressure (See Annex I, 2, Section 2.3.2.1, Note 2). 	e d gas. as is se. The s. Gas s shall			
	ext of H-Statements					
H220 H280 H361 H400 H410		 Extremely flammable gas. Contains gas under pressure; may explode if heated. Suspected of damaging fertility or the unborn child. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. 				
Full te	ext of other abbrevia	ns				
Note (C	: Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers this case the supplier must state on the label whether th substance is a specific isomer or a mixture of isomers.				
Note (U (table 3.1)	 When put on the market gases have to be classified as "Gases under pressure", in one of the groups compressigas, liquefied gas, refrigerated liquefied gas or dissolved The group depends on the physical state in which the gapackaged and therefore has to be assigned case by cas following codes are assigned: Press. Gas (Comp.) Press (Liq.) Press. Gas (Ref. Liq.) Press. Gas (Diss.) Aerosols not be classified as gases under pressure (See Annex I, 2, Section 2.3.2.1, Note 2). 	d gas. as is se. The s. Gas shall			
	H40 H40 / TWA H40 / STEL	 UK. EH40 WEL - Workplace Exposure Limits Long-term exposure limit (8-hour TWA reference period) Short-term exposure limit (15-minute reference period))			
ADN -	European Agreemen	oncerning the International Carriage of Dangerous Goods by	/ Inland			

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 3521

Version	Revision Date:	Date of last issue: 25.03.2019	Print Date:
2.1	06.07.2022	Date of first issue: 30.03.2013	07.07.2022

Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG -United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Classification of the mixture:		Classification procedure:
Aerosol 1	H222, H229	Based on product data or assessment
Aquatic Chronic 3	H412	Calculation method

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

