according to GB/T 16483 and GB/T 17519



OKS 3600

Version **Revision Date:** Date of last issue: 2021-09-22

Date of first issue: 2016-06-01 Print Date: 2023-02-03 2023-01-26 1.3

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : OKS 3600

Chemical nature Synthetic hydrocarbon oil

Additive

Manufacturer or supplier's details

Company name of supplier OKS Spezialschmierstoffe GmbH

Ganghoferstr. 47

D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com

E-mail address of person

mcm@oks-germany.com

responsible for the SDS Material Compliance Management

National contact

Emergency telephone number: +86 532 8388 9090 (NRCC, only for hazardous chemicals)

+86 21 69225521

Recommended use of the chemical and restrictions on use

Recommended use : Lubricant

Restrictions on use Restricted to professional users.

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance liquid

Colour beige, orange Odour characteristic

Combustible liquid.

GHS Classification

Flammable liquids Category 4

GHS label elements

Hazard pictograms None

Signal word Warning

according to GB/T 16483 and GB/T 17519 CN



OKS 3600

Version Revision Date: Date of last issue: 2021-09-22

1.3 2023-01-26 Date of first issue: 2016-06-01 Print Date: 2023-02-03

Hazard statements : H227 Combustible liquid.

Precautionary statements : Prevention:

P210 Keep away from heat/ sparks/ open flames/ hot surfaces.

No smoking.

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection.

Response:

P370 + P378 In case of fire: Use alcohol-resistant foam, carbon

dioxide or water mist to extinguish.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal:

P501 Dispose of contents/containers according the local

government requirements.

Physical and chemical hazards

Combustible liquid.

Health hazards

Not classified based on available information.

Environmental hazards

Not classified based on available information.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Distillates (petroleum), hydrotreated light	64742-47-8	>= 50 -< 70
Akyl naphthalene sulfonic acid, calcium salt	Not Assigned	>= 1 -< 10
Poly Alpha Olefin (PAO)	68037-01-4	>= 1 -< 10
N-alkylated benzotriazole	94270-86-7	>= 0.1 -< 0.25

4. FIRST AID MEASURES

If inhaled : Remove person to fresh air. If signs/symptoms continue, get

medical attention.

according to GB/T 16483 and GB/T 17519 CN



OKS 3600

Version Revision Date: Date of last issue: 2021-09-22

1.3 2023-01-26 Date of first issue: 2016-06-01 Print Date: 2023-02-03

Keep patient warm and at rest.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

If breathing is irregular or stopped, administer artificial

respiration.

In case of skin contact : Take off all contaminated clothing immediately.

Get medical attention immediately if irritation develops and

persists.

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

Wash skin thoroughly with soap and water or use recognized

skin cleanser.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 10 minutes. Seek medical advice.

If swallowed : Move the victim to fresh air.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear. Do NOT induce vomiting. Rinse mouth with water.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

delayed

Can be absorbed through skin.

May cause an allergic skin reaction.

Skin contact may provoke the following symptoms:

Erythema

Allergic appearance

Notes to physician : The first aid procedure should be established in consultation

with the doctor responsible for industrial medicine.

Treat symptomatically.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Unsuitable extinguishing

media

High volume water jet

Hazardous combustion

products

Carbon oxides Sulphur oxides

Metal oxides

Specific extinguishing

methods

Standard procedure for chemical fires.

Cool containers/tanks with water spray.

according to GB/T 16483 and GB/T 17519



OKS 3600

Version Revision Date: Date of last issue: 2021-09-22

1.3 2023-01-26 Date of first issue: 2016-06-01 Print Date: 2023-02-03

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Exposure to decomposition products may be a hazard to

health.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Evacuate personnel to safe areas.
Use personal protective equipment.

Ensure adequate ventilation. Remove all sources of ignition. Do not breathe vapours or spray mist.

Refer to protective measures listed in sections 7 and 8.

Environmental precautions :

Try to prevent the material from entering drains or water

courses.

Prevent further leakage or spillage if safe to do so. Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13).

Non-sparking tools should be used.

7. HANDLING AND STORAGE

Handling

Advice on protection against :

fire and explosion

Keep away from heat and sources of ignition.

Advice on safe handling : Do not use in areas without adequate ventilation.

Do not breathe vapours or spray mist.

In case of insufficient ventilation, wear suitable respiratory

equipment.

Avoid contact with skin and eyes. For personal protection see section 8.

Keep away from fire, sparks and heated surfaces. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is

being used.

Smoking, eating and drinking should be prohibited in the

application area.

Take precautionary measures against static discharges.

according to GB/T 16483 and GB/T 17519



OKS 3600

Version Revision Date: Date of last issue: 2021-09-22

1.3 2023-01-26 Date of first issue: 2016-06-01 Print Date: 2023-02-03

Wash hands and face before breaks and immediately after

handling the product.

Ensure all equipment is electrically grounded before beginning

transfer operations.

Do not get in eyes or mouth or on skin.

Do not get on skin or clothing.

Do not ingest.

Do not enter areas where used or stored until adequately

ventilated.

Do not repack.

Do not re-use empty containers.

These safety instructions also apply to empty packaging which

may still contain product residues. Keep container closed when not in use.

Avoidance of contact : Oxidizing agents

Storage

Conditions for safe storage : Store in original container.

Keep container closed when not in use. Keep in a dry, cool and well-ventilated place.

Do not store together with oxidizing and self-igniting products. Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Store in accordance with the particular national regulations.

Keep in properly labelled containers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated light	64742-47-8	TWA	200 mg/m3 (total hydrocarbon vapor)	ACGIH (2010-03-01)
		TWA	200 mg/m3 (total hydrocarbon vapor)	ACGIH (2010-03-01)

Engineering measures : Effective exhaust ventilation system

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.



according to GB/T 16483 and GB/T 17519



OKS 3600

Version Revision Date: Date of last issue: 2021-09-22

1.3 2023-01-26 Date of first issue: 2016-06-01 Print Date: 2023-02-03

Filter type : Filter type A-P

Eye/face protection : Safety glasses with side-shields

Skin and body protection : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Hand protection

Material : Nitrile rubber
Break through time : > 10 min
Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends

amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each

case.

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after

handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : beige, orange

Odour : characteristic

Odour Threshold : No data available

pH : Not applicable

substance/mixture is non-polar/aprotic

Melting point/range : No data available

Boiling point/boiling range : 204 °C

(1,013 hPa)

Flash point : 66.5 °C

according to GB/T 16483 and GB/T 17519 CN



OKS 3600

Version Revision Date: Date of last issue: 2021-09-22

1.3 2023-01-26 Date of first issue: 2016-06-01 Print Date: 2023-02-03

Method: DIN 51758

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Self-ignition : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : 51.6 hPa (20 °C)

Relative vapour density : No data available

Relative density : 0.8072 (20 °C)

Reference substance: Water The value is calculated

Density : 0.81 g/cm3 (20 °C)

Bulk density : No data available

Solubility(ies)

Water solubility : immiscible

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : 27.1 mm2/s (40 °C)

Explosive properties : Not explosive

Oxidizing properties : No data available

Sublimation point : No data available

Metal corrosion rate : Not corrosive to metals

according to GB/T 16483 and GB/T 17519



OKS 3600

Version Revision Date: Date of last issue: 2021-09-22

1.3 2023-01-26 Date of first issue: 2016-06-01 Print Date: 2023-02-03

10. STABILITY AND REACTIVITY

Reactivity : No hazards to be specially mentioned.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Oxidizing agents

Hazardous decomposition

products

No decomposition if stored and applied as directed.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Remarks: Prolonged or repeated skin contact with liquid may cause defatting resulting in drying, redness and possible

blistering.

Symptoms: Redness, Local irritation, Skin disorders

Components:

Akyl naphthalene sulfonic acid, calcium salt:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg



according to GB/T 16483 and GB/T 17519 CN



OKS 3600

Version Revision Date: Date of last issue: 2021-09-22

1.3 2023-01-26 Date of first issue: 2016-06-01 Print Date: 2023-02-03

Poly Alpha Olefin (PAO):

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

N-alkylated benzotriazole:

Acute oral toxicity : LD50 (Rat): 3,313 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Product:

Remarks : This information is not available.

Components:

Distillates (petroleum), hydrotreated light:

Result : Repeated exposure may cause skin dryness or cracking.

Poly Alpha Olefin (PAO):

Result : No skin irritation

N-alkylated benzotriazole:

Species : Rabbit

Assessment : Irritating to skin.

Method : Draize Test

Result : Irritating to skin.



according to GB/T 16483 and GB/T 17519



OKS 3600

Version Revision Date: Date of last issue: 2021-09-22

1.3 2023-01-26 Date of first issue: 2016-06-01 Print Date: 2023-02-03

Serious eye damage/eye irritation

Product:

Remarks : This information is not available.

Components:

Akyl naphthalene sulfonic acid, calcium salt:

Species : Rabbit Result : Eye irritation

Poly Alpha Olefin (PAO):

Result : No eye irritation

N-alkylated benzotriazole:

Species : Rabbit

Result : No eye irritation
Assessment : No eye irritation
Method : Draize Test

Respiratory or skin sensitisation

Product:

Remarks : This information is not available.

Components:

Poly Alpha Olefin (PAO):

Result : Did not cause sensitisation on laboratory animals.

N-alkylated benzotriazole:

Test Type : Maximisation Test

Species : Guinea pig

Assessment : The product is a skin sensitiser, sub-category 1B.

Method : OECD Test Guideline 406

Result : The product is a skin sensitiser, sub-category 1B.

according to GB/T 16483 and GB/T 17519



OKS 3600

Version Revision Date: Date of last issue: 2021-09-22

1.3 2023-01-26 Date of first issue: 2016-06-01 Print Date: 2023-02-03

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Components:

Poly Alpha Olefin (PAO):

Genotoxicity in vitro : Test Type: Ames test

Result: negative

Remarks: In vitro tests did not show mutagenic effects

N-alkylated benzotriazole:

Genotoxicity in vitro : Test Type: Ames test

Method: OECD Test Guideline 471

Result: negative

Germ cell mutagenicity -

Assessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

Carcinogenicity

Product:

Remarks : No data available

Components:

N-alkylated benzotriazole:

Carcinogenicity - Assessment

: Carcinogenicity classification not possible from current data.

Reproductive toxicity

Product:

Effects on fertility : Remarks: No data available

Effects on foetal development

: Remarks: No data available



according to GB/T 16483 and GB/T 17519



OKS 3600

Version Revision Date: Date of last issue: 2021-09-22

1.3 2023-01-26 Date of first issue: 2016-06-01 Print Date: 2023-02-03

Components:

N-alkylated benzotriazole:

Effects on fertility : Species: Rat

Application Route: Oral

General Toxicity - Parent: NOAEL: 45 mg/kg body weight General Toxicity F1: NOAEL: 45 mg/kg body weight

Fertility: NOAEL: 150 mg/kg body weight Method: OECD Test Guideline 422

Effects on foetal

development

Species: Rat

Application Route: Oral

Duration of Single Treatment: 28 h

General Toxicity Maternal: NOAEL: 45 mg/kg body weight Developmental Toxicity: NOAEL: 45 mg/kg body weight

Method: OECD Test Guideline 422

Reproductive toxicity -

Assessment

: - Fertility -

No evidence of adverse effects on sexual function and fertility,

or on development, based on animal experiments.

- Teratogenicity -

No evidence of adverse effects on sexual function and fertility,

or on development, based on animal experiments.

STOT - single exposure

Components:

N-alkylated benzotriazole:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT - repeated exposure

Components:

N-alkylated benzotriazole:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Product:

Remarks : This information is not available.

according to GB/T 16483 and GB/T 17519 CN



OKS 3600

Version Revision Date: Date of last issue: 2021-09-22

1.3 2023-01-26 Date of first issue: 2016-06-01 Print Date: 2023-02-03

Components:

N-alkylated benzotriazole:

Species : Rat
NOAEL : 45 mg/kg
Application Route : Oral
Exposure time : 28

Method : OECD Test Guideline 422

Aspiration toxicity

Product:

This information is not available.

Components:

Distillates (petroleum), hydrotreated light:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Poly Alpha Olefin (PAO):

May be fatal if swallowed and enters airways.

N-alkylated benzotriazole:

No aspiration toxicity classification

Further information

Product:

Remarks : Information given is based on data on the components and

the toxicology of similar products.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish

Remarks: No data available



according to GB/T 16483 and GB/T 17519



OKS 3600

Version Revision Date: Date of last issue: 2021-09-22

1.3 2023-01-26 Date of first issue: 2016-06-01 Print Date: 2023-02-03

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: No data available

Toxicity to algae/aquatic

plants

Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

Components:

Poly Alpha Olefin (PAO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 1,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

NOEC (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

NOEC (algae): > 1,000 mg/l

Exposure time: 72 h

N-alkylated benzotriazole:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): 1.3 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 2.05 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): 0.762 mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

M-Factor (Acute aquatic

toxicity)

: 1

Toxicity to microorganisms : EC20 (activated sludge): 15 mg/l

according to GB/T 16483 and GB/T 17519



OKS 3600

Version Revision Date: Date of last issue: 2021-09-22

1.3 2023-01-26 Date of first issue: 2016-06-01 Print Date: 2023-02-03

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Physico-chemical

removability

Remarks: No data available

Components:

Akyl naphthalene sulfonic acid, calcium salt:

Biodegradability : Remarks: No data available

Poly Alpha Olefin (PAO):

Biodegradability : Primary biodegradation

Inoculum: activated sludge

Result: Not readily biodegradable. Method: OECD Test Guideline 301B

N-alkylated benzotriazole:

Biodegradability : Primary biodegradation

Inoculum: activated sludge Result: Not rapidly biodegradable

Biodegradation: < 10 % Exposure time: 28 d

Method: OECD Test Guideline 301B

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to

be persistent, bioaccumulating and toxic (PBT).

according to GB/T 16483 and GB/T 17519



OKS 3600

Version Revision Date: Date of last issue: 2021-09-22

1.3 2023-01-26 Date of first issue: 2016-06-01 Print Date: 2023-02-03

This mixture contains no substance considered to be very

persistent and very bioaccumulating (vPvB).

Components:

Akyl naphthalene sulfonic acid, calcium salt:

Bioaccumulation : Remarks: No data available

Poly Alpha Olefin (PAO):

Bioaccumulation : Bioconcentration factor (BCF): > 10

Remarks: No data available

N-alkylated benzotriazole:

Bioaccumulation : Bioconcentration factor (BCF): 1,676

Partition coefficient: n-

octanol/water

Remarks: Not applicable

Mobility in soil

Product:

Mobility : Remarks: No data available

Distribution among

environmental compartments

Remarks: No data available

Other adverse effects

Product:

Additional ecological

information

No information on ecology is available.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not dispose of with domestic refuse.

Dispose of as hazardous waste in compliance with local and

national regulations.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as

according to GB/T 16483 and GB/T 17519



OKS 3600

Version Revision Date: Date of last issue: 2021-09-22

1.3 2023-01-26 Date of first issue: 2016-06-01 Print Date: 2023-02-03

the unused product.

Dispose of waste product or used containers according to

local regulations.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo : Not applicable

aircraft)

Packing instruction : Not applicable

(passenger aircraft)

IMDG-Code

UN number Not applicable Not applicable Proper shipping name Not applicable Class Subsidiary risk Not applicable Not applicable Packing group Not applicable Labels **EmS Code** Not applicable Marine pollutant Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable



according to GB/T 16483 and GB/T 17519



OKS 3600

Version Revision Date: Date of last issue: 2021-09-22

1.3 2023-01-26 Date of first issue: 2016-06-01 Print Date: 2023-02-03

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : Not applicable

Hazardous Chemicals for Priority Management under : Not applicable

SAWS

Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals : Not applicable

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import : Not applicable

and Export

International Regulations

Montreal Protocol : Not applicable

Rotterdam Convention (Prior Informed Consent) : Not applicable

Stockholm Convention (Persistent Organic Pollutants) : Not applicable

The components of this product are reported in the following inventories:

IECSC : On the inventory, or in compliance with the inventory

16. OTHER INFORMATION

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

according to GB/T 16483 and GB/T 17519 CN



OKS 3600

Version Revision Date: Date of last issue: 2021-09-22

1.3 2023-01-26 Date of first issue: 2016-06-01 Print Date: 2023-02-03

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily



according to GB/T 16483 and GB/T 17519 CN



OKS 3600

Version Revision Date: Date of last issue: 2021-09-22

1.3 2023-01-26 Date of first issue: 2016-06-01 Print Date: 2023-02-03

mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.