according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 3600

Version	Revision Date:	Date of last issue: 22.09.2021	Print Date:
1.3	26.01.2023	Date of first issue: 01.06.2016	03.02.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product i	dentifier		
Product r	name	:	OKS 3600
1.2 Relevant	identified uses of th	ne s	ubstance or mixture and uses advised against
Use of th			Lubricant
stance/M	lixture	•	
	ended restrictions	:	Restricted to professional users.
on use			
1.3 Details of	the supplier of the	saf	-
Company	y	:	
			Ganghoferstr. 47
			D-82216 Maisach-Gernlinden
			Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599
			info@oks-germany.com
	dress of person	:	
responsit	ole for the SDS		Material Compliance Management
National	contact	:	
		•	
1.4 Emeraena	cy telephone numbe	ər	
-	icy telephone num-		+49 8142 3051 517
Emergen		•	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

ber

Labelling (REGULATION (EC) No 1272/2008)

Supplemental Hazard : EUH066 Statements Repeated exposure may cause skin dryness or cracking.

Additional Labelling



Warszawa: +48 22 619 66 54

according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 3600

Version 1.3	Revisio 26.01.2	n Date: 2023	Date of last issue: 22.09.2021 Date of first issue: 01.06.2016	Print Date: 03.02.2023
EUH2	210	Safety data	a sheet available on request.	
EUH2	EUH208 Contains N bis(2-ethyll 2-methana methanam methanam		I,N-bis(2-ethylhexyl)-5-methyl-1H-benzo hexyl)-4-methyl-1H-benzotriazole-1-met mine, N,N-bis(2-ethylhexyl)-4-methyl-, 2 ine, N,N-bis(2-ethylhexyl)-5-methyl-, 1H ine, N,N-bis(2-ethylhexyl)-6-methyl-(Mix luce an allergic reaction.	hylamine, 2H-Benzotriazole- 2H-Benzotriazole-2- I-Benzotriazole-1-

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

Synthetic hydrocarbon oil Additive

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concen- tration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
Hydrocarbons, C11- C13, isoalkanes, <2% aromatics	920-901-0 01-2119456810-40- XXXX	Asp. Tox.1; H304; EUH066		>= 50 - < 70
Akyl naphthalene sul- fonic acid, calcium salt (CAS-No. confidential)	Not Assigned 943-845-9 01-2120126131-76- xxxx	Eye Irrit.2; H319		>= 1 - < 10



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 3600

Version	Revision Date:	Date of last issue: 22.09.2021	Print Date:
1.3	26.01.2023	Date of first issue: 01.06.2016	03.02.2023

Poly Alpha Olefin (PAO)	68037-01-4 500-183-1	Asp. Tox.1; H304		>= 1 - < 10
N,N-bis(2-ethylhexyl)- 5-methyl-1H- benzotriazole-1- methylamine, N,N- bis(2-ethylhexyl)-4- methyl-1H- benzotriazole-1- methylamine, 2H- Benzotriazole-2- methanamine, N,N- bis(2-ethylhexyl)-4- methyl-, 2H- Benzotriazole-2- methanamine, N,N- bis(2-ethylhexyl)-5- methyl-, 1H- Benzotriazole-1- methanamine, N,N- bis(2-ethylhexyl)-6- methyl-(Mixture)	939-700-4 01-2119982395-25- XXXX	Skin Irrit.2; H315 Skin Sens.1B; H317 Aquatic Acute1; H400 Aquatic Chronic2; H411	M-Factor: 1/	>= 0,1 - < 0,25

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled	 Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respiration. 	
In case of skin contact	 Take off all contaminated clothing immediately. Get medical attention immediately if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse. Wash skin thoroughly with soap and water or use recognized skin cleanser. 	
In case of eye contact	: Rinse immediately with plenty of water, also under the eyelids,	



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 3600

Version 1.3	Revision Date: 26.01.2023	Date of last issue: 22.09.2021 Date of first issue: 01.06.2016	Print Date: 03.02.2023
		for at least 10 minutes. Seek medical advice.	
lf swa	allowed	advice. Keep respiratory tract clear. Do NOT induce vomiting. Rinse mouth with water.	overy position and seek medical oth to an unconscious person.
4.2 Most	important symptom	s and effects, both acute and delay	yed
Symp	otoms	: Skin contact may provoke th Erythema Allergic appearance	ne following symptoms:
Risks	5	: Can be absorbed through sk May cause an allergic skin r	
4.3 Indica	ation of any immedia	te medical attention and special t	reatment needed
Treat	tment	: The first aid procedure shou with the doctor responsible f Treat symptomatically.	Ild be established in consultation for industrial medicine.

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide.
Unsuitable extinguishing media	:	High volume water jet
5.2 Special hazards arising from	the	e substance or mixture
Hazardous combustion prod- ucts	:	Carbon oxides Sulphur oxides Metal oxides
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposi- tion products may be a hazard to health.
Further information	:	Standard procedure for chemical fires. Cool containers/tanks with water spray.



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 3600

Version	Revision Date:	Date of last issue: 22.09.2021	Print Date:
1.3	26.01.2023	Date of first issue: 01.06.2016	03.02.2023

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	 Evacuate personnel to safe areas. Use personal protective equipment. Ensure adequate ventilation.
	Remove all sources of ignition.
	Do not breathe vapours or spray mist. Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

cou Pre Loc	to prevent the material from entering drains or water rses. vent further leakage or spillage if safe to do so. al authorities should be advised if significant spillages not be contained.
-------------------	--

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Contain spillage, and then collect with non-combustible ab- sorbent material, (e.g. sand, earth, diatomaceous earth, ver- miculite) and place in container for disposal according to local / national regulations (see section 13). Non-sparking tools should be used.
-------------------------	---	--

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Do not use in areas without adequate ventilation. • Do not breathe vapours or spray mist. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin and eyes. For personal protection see section 8. Keep away from fire, sparks and heated surfaces. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Wash hands and face before breaks and immediately after handling the product. Ensure all equipment is electrically grounded before beginning transfer operations.



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 3600

Versio 1.3	n	Revision Date: 26.01.2023		e of last issue: 22.09.2021 e of first issue: 01.06.2016	Print Date: 03.02.2023
	dvice	on protoction opping		Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not ingest. Do not enter areas where used or stored tilated. Do not repack. Do not re-use empty containers. These safety instructions also apply to er may still contain product residues. Keep container closed when not in use.	npty packaging which
	Advice on protection against fire and explosion		:	Keep away from heat and sources of ign	tion.
Hygiene measures		:	Wash face, hands and any exposed skin handling.	thoroughly after	
7.2 Co	onditio	ons for safe storage	, incl	luding any incompatibilities	
	•	ements for storage ind containers	:	Store in original container. Keep contained use. Keep in a dry, cool and well-ventilate store together with oxidizing and self-ignit tainers which are opened must be careful upright to prevent leakage. Store in acco ticular national regulations. Keep in proper ers.	ed place. Do not ting products. Con- Ily resealed and kept rdance with the par-
•		e end use(s) c use(s)	:	Specific instructions for handling, not req	uired.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Hydrocarbons, C11-C13, isoal- kanes, <2% aro- matics	Not As- signed	NDS	300 mg/m3	PL OEL (2018-07-07)
		NDS	300 mg/m3	PL OEL (2014-06-23)
		NDSch	900 mg/m3	PL OEL (2018-07-07)
		NDSch	900 mg/m3	PL OEL (2014-06-23)



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 3600

Version	Revision Date:	Date of last issue: 22.09.2021	Print Date:
1.3	26.01.2023	Date of first issue: 01.06.2016	03.02.2023

8.2 Exposure controls

Engineering measures Effective exhaust ventilation system					
Personal protective equipn	nent				
Eye protection	:	Safety glasses with side-shields			
Hand protection Material Break through time Protective index	:	Nitrile rubber > 10 min Class 1			
Remarks	:	Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. The selected protective gloves have to satisfy the specifica- tions of Regulation (EU) 2016/425 and the standard EN 374 derived from it.			
Skin and body protection	:	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.			
Respiratory protection	:	Use respiratory protection unless adequate local exhaust ven- tilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.			
Filter type	:	Filter type A-P			
Protective measures	:	The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.			

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	beige, orange
Odour	:	characteristic
Odour Threshold	:	No data available

Melting point/range : No data available



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 3600

Vers 1.3	ion	Revision Date: 26.01.2023		of last issue: 22.09.2021 of first issue: 01.06.2016	Print Date: 03.02.2023
	Boiling	point/boiling range	:	204 °C (1.013 hPa)	
	Flamma	ability (solid, gas)	:	Not applicable	
		explosion limit / Upper bility limit	:	No data available	
		explosion limit / Lower bility limit	:	No data available	
	Flash p	oint	:	66,5 °C Method: DIN 51758	
	Auto-ig	nition temperature	:	No data available	
	Decom	position temperature	:	No data available	
	рН		:	Not applicable substance/mixture is non-polar/aprotic	
	Viscosi Visc	ty sosity, dynamic	:	No data available	
	Visc	osity, kinematic	:	27,1 mm2/s (40 °C)	
	Solubili Wat	ty(ies) er solubility	:	immiscible	
	Solu	bility in other solvents	;	No data available	
	Partition octanol	n coefficient: n- /water	:	No data available	
	Vapour	pressure	:	51,6 hPa (20 °C)	
	Relative	e density	:	0,8072 (20 °C) Reference substance: Water The value is calculated	
	Density	,	:	0,81 g/cm3 (20 °C)	
	Bulk de	ensity	:	No data available	
	Relative	e vapour density	:	No data available	
9.2 C	Other in	formation			
	Explosi	ves	:	Not explosive	



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 3600

Version 1.3	Revision Date: 26.01.2023	Date of last issue: 22.09.2021Print Date:Date of first issue: 01.06.201603.02.2023	
Oxidi	zing properties	: No data available	
Self-i	gnition	: No data available	
Metal	l corrosion rate	: Not corrosive to metals	
Evap	oration rate	: No data available	
Subli	mation point	: No data available	

SECTION 10: Stability and reactivity

10.1 Reactivity No hazards to be specially me	ntion	ned.
10.2 Chemical stability Stable under normal conditions	6.	
10.3 Possibility of hazardous read	ctior	ns
Hazardous reactions	:	No dangerous reaction known under conditions of normal use.
10.4 Conditions to avoid		
Conditions to avoid	:	Heat, flames and sparks.
10.5 Incompatible materials Materials to avoid	:	Oxidizing agents

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:

Acute dermal toxicity	:	Remarks: Prolonged or repeated skin contact with liquid may cause defatting resulting in drying, redness and possible blistering.
		Symptoms: Redness, Local irritation, Skin disorders

Components:

Akyl naphthalene sulfonic acid, calcium salt (CAS-No. confidential):



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 3600

/ersion 1.3	Revision Date: 26.01.2023		e of last issue: 22.09.2021 e of first issue: 01.06.2016	Print Date: 03.02.2023
Aci	ute oral toxicity	:	LD50 (Rat): > 2.000 mg/kg	
Ро	ly Alpha Olefin (PAO):			
	ute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg	
Acı	ute inhalation toxicity	:	LC50 (Rat): > 5,2 mg/l Exposure time: 4 h Test atmosphere: dust/mist	
Acı	ute dermal toxicity	:	LD50 (Rat): > 2.000 mg/kg	
1H me	-benzotriazole-1-methyla	mine, -metl	H-benzotriazole-1-methylamine, N,N , 2H-Benzotriazole-2-methanamine, nanamine, N,N-bis(2-ethylhexyl)-5-m kyl)-6-methyl-(Mixture)	N,N-bis(2-ethylhexyl)-4-
: Acı	ute oral toxicity	:	LD50 (Rat): 3.313 mg/kg Method: OECD Test Guideline 401	
Acı	ute dermal toxicity	:	LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mix toxicity	
Ski	in corrosion/irritation			
Pro	oduct:			
Re	marks	:	This information is not available.	
<u>Co</u>	mponents:			
Hy	drocarbons, C11-C13, is	soalk	anes, <2% aromatics:	
Re	sult	:	Repeated exposure may cause ski	n dryness or cracking.
Ро	ly Alpha Olefin (PAO):			
Re	sult	:	No skin irritation	
1H me	-benzotriazole-1-methyla	mine, -metl	H-benzotriazole-1-methylamine, N,N , 2H-Benzotriazole-2-methanamine, nanamine, N,N-bis(2-ethylhexyl)-5-m kyl)-6-methyl-(Mixture)	N,N-bis(2-ethylhexyl)-4-
:				
	ecies sessment	:	Rabbit Irritating to skin.	
	thod	:	Draize Test	
	sult	:	Irritating to skin.	



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 3600

Version	Revision Date:	Date of last issue: 22.09.2021	Print Date:
1.3	26.01.2023	Date of first issue: 01.06.2016	03.02.2023

Serious eye damage/eye irritation

Product:

Remarks

: This information is not available.

Components:

Akyl naphthalene sulfonic acid, calcium salt (CAS-No. confidential):

Species	:	Rabbit
Result	:	Eye irritation

Poly Alpha Olefin (PAO):

Result	:	No eye irritation
--------	---	-------------------

N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine, N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4methyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl-, 1H-Benzotriazole-1methanamine, N,N-bis(2-ethylhexyl)-6-methyl-(Mixture)

:		
Species	:	Rabbit
Assessment	:	No eye irritation
Method	:	Draize Test
Result	:	No eye irritation

Respiratory or skin sensitisation

Product:

Remarks

:

: This information is not available.

Components:

Poly Alpha Olefin (PAO):

Result :	Did not cause sensitisation on laboratory animals.
----------	--

N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine, N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4methyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl-, 1H-Benzotriazole-1methanamine, N,N-bis(2-ethylhexyl)-6-methyl-(Mixture)

ategory 1B.
ategory 1B.



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 3600

(S 36 0	00			
rsion	Revision Date: 26.01.2023		e of last issue: 22.09.2021 e of first issue: 01.06.2016	Print Date: 03.02.2023
Germ	cell mutagenicity			
<u>Produ</u>	uct:			
Geno	toxicity in vitro	:	Remarks: No data available	
Geno	toxicity in vivo	:	Remarks: No data available	
<u>Com</u>	oonents:			
Poly	Alpha Olefin (PAO):			
Geno	toxicity in vitro	:	Test Type: Ames test Result: negative Remarks: In vitro tests did not sho	ow mutagenic effects
1H-be methy	enzotriazole-1-methyla /l-, 2H-Benzotriazole-2	imine, 2-metl	H-benzotriazole-1-methylamine, N,I 2H-Benzotriazole-2-methanamine nanamine, N,N-bis(2-ethylhexyl)-5-i (yl)-6-methyl-(Mixture)	, N,N-bis(2-ethylhexyl)-4-
: Geno	toxicity in vitro	:	Test Type: Ames test Method: OECD Test Guideline 47 Result: negative	1
Germ sessn	cell mutagenicity- As- nent	· :	Tests on bacterial or mammalian mutagenic effects.	cell cultures did not show
Carci	nogenicity			
<u>Produ</u>	uct:			
Rema	arks	:	No data available	
<u>Com</u>	oonents:			
1H-be methy	enzotriazole-1-methyla yl-, 2H-Benzotriazole-2	imine, 2-metl	H-benzotriazole-1-methylamine, N,I 2H-Benzotriazole-2-methanamine nanamine, N,N-bis(2-ethylhexyl)-5-r kyl)-6-methyl-(Mixture)	, N,N-bis(2-ethylhexyl)-4-
:				
Carcii ment	nogenicity - Assess-	:	Carcinogenicity classification not	possible from current data.
Repro	oductive toxicity			
<u>Produ</u> Effect	uct: ts on fertility	:	Remarks: No data available	
Effect ment	ts on foetal develop-	:	Remarks: No data available	
			12/23	a brand of

according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 3600

Version	Revision Date:	Date of last issue: 22.09.2021	Print Date:
1.3	26.01.2023	Date of first issue: 01.06.2016	03.02.2023

Components:

N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine, N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4methyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl-, 1H-Benzotriazole-1methanamine, N,N-bis(2-ethylhexyl)-6-methyl-(Mixture)

:		
Effects on fertility	:	Species: Rat Application Route: Oral General Toxicity - Parent: NOAEL: 45 mg/kg body weight General Toxicity F1: NOAEL: 45 mg/kg body weight Fertility: NOAEL: 150 mg/kg body weight Method: OECD Test Guideline 422
Effects on foetal develop- ment	:	Species: Rat Application Route: Oral Duration of Single Treatment: 28 h General Toxicity Maternal: NOAEL: 45 mg/kg body weight Developmental Toxicity: NOAEL: 45 mg/kg body weight Method: OECD Test Guideline 422
Reproductive toxicity - As-	:	- Fertility -
sessment		No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments. - Teratogenicity -
		No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

STOT - single exposure

Components:

N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine, N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4methyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl-, 1H-Benzotriazole-1methanamine, N,N-bis(2-ethylhexyl)-6-methyl-(Mixture)

:

Assessment

: The substance or mixture is not classified as specific target organ toxicant, single exposure.



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 3600

Version	Revision Date:	Date of last issue: 22.09.2021	Print Date:
1.3	26.01.2023	Date of first issue: 01.06.2016	03.02.2023

STOT - repeated exposure

Components:

N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine, N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4methyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl-, 1H-Benzotriazole-1methanamine, N,N-bis(2-ethylhexyl)-6-methyl-(Mixture)

:

Assessment

: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Product:

Remarks

2

: This information is not available.

Components:

N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine, N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4methyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl-, 1H-Benzotriazole-1methanamine, N,N-bis(2-ethylhexyl)-6-methyl-(Mixture)

Species NOAEL Application Route Exposure time Method	:	Rat 45 mg/kg Oral 28 OECD Test Guideline 422
--	---	--

Aspiration toxicity

Product:

This information is not available.

Components:

Hydrocarbons, C11-C13, isoalkanes, <2% aromatics:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Poly Alpha Olefin (PAO):

May be fatal if swallowed and enters airways.



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 3600

Version	Revision Date:	Date of last issue: 22.09.2021	Print Date:
1.3	26.01.2023	Date of first issue: 01.06.2016	03.02.2023

N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine, N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4methyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl-, 1H-Benzotriazole-1methanamine, N,N-bis(2-ethylhexyl)-6-methyl-(Mixture)

:

No aspiration toxicity classification

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks

: Information given is based on data on the components and the toxicology of similar products.

SECTION 12: Ecological information

12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available
Components:		
Poly Alpha Olefin (PAO):		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 1.000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	NOEC (Daphnia magna (Water flea)): > 1.000 mg/l Exposure time: 48 h



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 3600

Version 1.3	Revision Date: 26.01.2023		e of last issue: 22.09.2021 e of first issue: 01.06.2016	Print Date: 03.02.2023
Toxicit plants	y to algae/aquatic	:	NOEC (algae): > 1.000 mg/l Exposure time: 72 h	
1H-bei methyl	nzotriazole-1-methylan	nine, meth	H-benzotriazole-1-methylamine, N,l 2H-Benzotriazole-2-methanamine aanamine, N,N-bis(2-ethylhexyl)-5- yl)-6-methyl-(Mixture)	, N,N-bis(2-ethylhexyl)-4-
:				
Toxicit	ry to fish	:	LC50 (Brachydanio rerio (zebrafis Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 20	
	ry to daphnia and other c invertebrates	:	EC50 (Daphnia magna (Water fle Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 20	
Toxicit plants	y to algae/aquatic	:	EC50 (Desmodesmus subspicatu Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 20	
M-Fac icity)	tor (Acute aquatic tox-	:	1	
Toxicit	y to microorganisms	:	EC20 (activated sludge): 15 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 20	9
Ecoto	xicology Assessment	t		
	aquatic toxicity		Very toxic to aquatic life.	
Chroni	ic aquatic toxicity	:	Toxic to aquatic life with long lasti	ng effects.
2.2 Persis	stence and degradabi	lity		
<u>Produ</u>	ct:			
	gradability	:	Remarks: No data available	
Physic ity	co-chemical removabil-	:	Remarks: No data available	
Comp	onents:			

Akyl naphthalene sulfonic ac	cid,	calcium salt (CAS-No. confidential):
Biodegradability	:	Remarks: No data available



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 3600

Version	Revision Date: 26.01.2023	Date of last issue: 22.09.2021	Print Date:			
1.3		Date of first issue: 01.06.2016	03.02.2023			

Poly Alpha Olefin (PAO): Biodegradability : Test Type: Primary biodegradation

Diodogradability	Inoculum: activated sludge
	Result: Not readily biodegradable.
	Method: OECD Test Guideline 301B

N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine, N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4methyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl-, 1H-Benzotriazole-1methanamine, N,N-bis(2-ethylhexyl)-6-methyl-(Mixture)

:

Biodegradability	:	Test Type: Primary biodegradation Inoculum: activated sludge Result: Not rapidly biodegradable Biodegradation: < 10 % Exposure time: 28 d
		Method: OECD Test Guideline 301B

12.3 Bioaccumulative potential

Bioaccumulation	:	Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).
		percent and very bloadeannaidting (vr vb).

Components:

.

Akyl naphthalene sulfonic acid, calcium salt (CAS-No. confidential):							
Bioaccumulation	:	Remarks: No data available					
Poly Alpha Olefin (PAO):							
Bioaccumulation	:	Bioconcentration factor (BCF): > 10					
		Remarks: No data available					

N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine, N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4methyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl-, 1H-Benzotriazole-1methanamine, N,N-bis(2-ethylhexyl)-6-methyl-(Mixture)

Bioaccumulation	:	Bioconcentration factor (BCF): 1.676
Partition coefficient: n- octanol/water	:	Remarks: Not applicable



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 3600

Version	Revision Date:	Date of last issue: 22.09.2021	Print Date:
1.3	26.01.2023	Date of first issue: 01.06.2016	03.02.2023

12.4 Mobility in soil

Product:		
Mobility	:	Remarks: No data available
Distribution among environ- mental compartments	:	Remarks: No data available

12.5 Results of PBT and vPvB assessment

Ρ	r	0	d	u	С	t	

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
7 Other advarge offects	

12.7 Other adverse effects

Product:

Additional ecological infor-	:	No information on ecology is available.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	The product should not be allowed to enter drains, water courses or the soil. Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
		Waste codes should be assigned by the user based on the application for which the product was used.
Contaminated packaging	:	Packaging that is not properly emptied must be disposed of as the unused product. Dispose of waste product or used containers according to local regulations.
		The following Waste Codes are only suggestions:

The following waste Codes are only suggestions:



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 3600

Version 1.3	Revision Date: 26.01.2023	Date of last issue: 22.09.2 Date of first issue: 01.06.2		Print Date: 03.02.2023
Waste	e Code	vents or other hazard	nt and varnish contain lous substances gs g containing residues o	

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 3600

Version	Revision Date:	Date of last issue: 22.09.2021	Print Date:
1.3	26.01.2023	Date of first issue: 01.06.2016	03.02.2023

14.5 Environmental hazards

	ADN	:	Not regulated as a dangerous good	
	ADR	:	Not regulated as a dangerous good	
	RID	:	Not regulated as a dangerous good	
	IMDG	:	Not regulated as a dangerous good	
1 /	6 Special precautions for user			

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Remarks	: Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)	: This product does not contain sub- stances of very high concern (Regu- lation (EC) No 1907/2006 (REACH), Article 57).
REACH - List of substances subject to authorisation (Annex XIV) (EU. REACH-Annex XIV)	: Not applicable
Regulation (EC) No 1005/2009 on substances that de- plete the ozone layer (EC 1005/2009)	: Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast) (EU POP)	: Not applicable
Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals (EU PIC)	: Not applicable
Seveso III: Directive 2012/18/EU of the European : Parliament and of the Council on the control of major-accident hazards involving dangerous sub- stances.	Not applicable
5 1	of 24 November 2010 on industrial pollution prevention and control)



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 3600

Version	Revision Date:	Date of last issue: 22.09.2021	Print Date:
1.3	26.01.2023	Date of first issue: 01.06.2016	03.02.2023

Volatile organic compounds (VOC) content: 50,3 %

Other regulations:

Act of 25 February 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2019, No. 0, item 1225)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2020/878

Ordinance of the Minister of Health of 10 August 2012 concerning the criteria and procedure of classification of chemical substances and their mixtures (consolidated text Dz. U. of 2015., pos. 208).

Ordinance of the Minister of Economy, Labour and Social Policy of 21st December 2005 concerning the basic requirements for personal protective equipment (Dz. U. Nr. 259, item 2173). Ordinance of the Minister of Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 wraz z późn. zm.). Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (Dz. U. from 2005, Nr. 11, item 86, as amended).

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended). Act of 13 June 2013. On packaging and packaging waste Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of 18 February 2019 on enforcing of changes Annexes A and B of Agreement concerning international transport of dangerous goods by road (ADR) (Dz. U. 2019, item 769).

Ordinance of the Minister of Health of 20th April 2012 concerning labeling of containers of dangerous substances and dangerous mixtures and some mixtures ((consolidated text) Dz. U. z 2015 nr. 0 poz. 450).

Ordinance of the Minister of Health of 11th June 2012 concerning categories of dangerous substances and dangerous mixtures for which containers must be fitted with child-resistant fastenings and a tactile warning of danger (Dz. U. from 2012, item 688 as amended).



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 3600

Version	Revision Date:	Date of last issue: 22.09.2021	Print Date:
1.3	26.01.2023	Date of first issue: 01.06.2016	03.02.2023

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

EUH066	:	Repeated exposure may cause skin dryness or cracking.
H304	:	May be fatal if swallowed and enters airways.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H319	:	Causes serious eye irritation.
H400	:	Very toxic to aquatic life.
H411	:	Toxic to aquatic life with long lasting effects.
EUH066	:	Repeated exposure may cause skin dryness or cracking.

Full text of other abbreviations

PL OEL	:	Poland. Occupational exposure limits for airborne toxic sub- stances
PL OEL / NDS PL OEL / NDSch		Maximal Admissible Concentration Maximal Admissible Temporary Concentration

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 3600

Version	Revision Date:	Date of last issue: 22.09.2021	Print Date:
1.3	26.01.2023	Date of first issue: 01.06.2016	03.02.2023

Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

