according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 3601

Version	Revision Date:	Date of last issue: 22.10.2021	Print Date:
2.2	07.02.2023	Date of first issue: 21.10.2016	07.02.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
	: OKS 3601	
1.2 Relevant identified uses of the	substance (or mixture and uses advised against
	: Lubricant	-
Recommended restrictions on use	: Restricted	to professional users.
1.3 Details of the supplier of the s	afety data sł	leet
Company	Ganghofe D-82216 M Tel.: +49 8 Fax.: +49	tialschmierstoffe GmbH rstr. 47 Aaisach-Gernlinden 3142 3051 500 8142 3051 599 germany.com
E-mail address of person responsible for the SDS		s-germany.com ompliance Management
National contact	:	
1.4 Emergency telephone number		
Emergency telephone num- ber		2 04 20
SECTION 2: Hazards identifica	tion	
2.1 Classification of the substance	e or mixture	
Classification (REGULATION		2/2009)
Aerosols, Category 1	(LC) NO 127	H222: Extremely flammable aerosol.

Aerosols, Category 1H222: Extremely flammable aerosol.
H229: Pressurised container: May burst if heated.Aspiration hazard, Category 1H304: May be fatal if swallowed and enters airways.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 3601

0110 00					
Version 2.2	Revision Date: 07.02.2023		ate of last issue: 22 ate of first issue: 21		Print Date: 07.02.2023
Haza	ard pictograms	:			
Sign	al word	:	Danger		
Haza	ard statements	:	H222 H229 H304	Extremely flammable Pressurised containe May be fatal if swallor ways.	r: May burst if heated.
	blemental Hazard	:	EUH066	Repeated exposed dryness or cracking.	ure may cause skin
Prec	autionary statements	:	Prevention:		
		•	P210		, hot surfaces, sparks, er ignition sources. No
			P211	Do not spray on an op ignition source.	pen flame or other
			P251	Do not pierce or burn	, even after use.
			Response:		
			P301 + P310	IF SWALLOWED: Im POISON CENTER/ d	
			P331	Do NOT induce vomit	ting.
			Storage:		
			P410 + P412	Protect from sunlight. temperatures exceed	•

Hazardous components which must be listed on the label:

Hydrocarbons, C11-C13, isoalkanes, <2% aromatics

Poly Alpha Olefin (PAO)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 3601

Version	Revision Date:	Date of last issue: 22.10.2021	Print Date:
2.2	07.02.2023	Date of first issue: 21.10.2016	07.02.2023

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Active substance with propellant Synthetic hydrocarbon oil Additive

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concen- tration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
Hydrocarbons, C11- C13, isoalkanes, <2% aromatics	920-901-0 01-2119456810-40-	Asp. Tox.1; H304; EUH066		>= 20 - < 30
	XXXX			
Akyl naphthalene sul- fonic acid, calcium salt (CAS-No. confidential)	Not Assigned 943-845-9	Eye Irrit.2; H319		>= 1 - < 10
	01-2120126131-76- xxxx			
Poly Alpha Olefin (PAO)	68037-01-4 500-183-1	Asp. Tox.1; H304		>= 1 - < 10
Substances with a work	nlace exposure limit :			
butane	106-97-8 203-448-7 601-004-00-0 01-2119474691-32- XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1), Note C	>= 30 - < 50
propane	74-98-6 200-827-9 601-003-00-5 01-2119486944-21- XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1)	>= 10 - < 20
isobutane	75-28-5 200-857-2	Flam. Gas1A; H220 Press. GasCompr.	Note U (table	>= 10 - < 20



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 3601

Version 2.2	Revision Date: 07.02.2023		ssue: 22.10.2021 ssue: 21.10.2016		t Date: 2.2023
		04-00-0 19485395-27-	Gas; H280	3.1), Note C	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled :	Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respira- tion.
In case of skin contact :	Take off all contaminated clothing immediately. Get medical attention immediately if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse. Wash skin thoroughly with soap and water or use recognized skin cleanser.
In case of eye contact :	Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. Seek medical advice.
If swallowed :	Move the victim to fresh air. Keep respiratory tract clear. Do NOT induce vomiting. Obtain medical attention. Rinse mouth with water. Aspiration hazard if swallowed - can enter lungs and cause damage.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	 Inhalation may provoke the following symptoms: Unconsciousness Dizziness Drowsiness Headache Nausea Tiredness Skin contact may provoke the following symptoms:
	Skin contact may provoke the following symptoms: Erythema



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 3601

Version 2.2	Revision Date: 07.02.2023	Date of last issue: 22.10.2021 Date of first issue: 21.10.2016	Print Date: 07.02.2023
Risks		Aspiration may cause pulmonary of Can be absorbed through skin. Risk of product entering the lungs of Health injuries may be delayed.	·
4.3 Indicat	ion of any immediat	e medical attention and special treatme	nt needed

- Treatment :
 - : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	ABC powder
Unsuitable extinguishing media	:	High volume water jet
5.2 Special hazards arising from	the	e substance or mixture
Specific hazards during fire- fighting	:	Fire Hazard Do not let product enter drains. Contains gas under pressure; may explode if heated. Beware of vapours accumulating to form explosive concentra- tions. Vapours can accumulate in low areas.
Hazardous combustion prod- ucts	:	Carbon oxides Sulphur oxides Metal oxides
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposi- tion products may be a hazard to health.
Further information	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Cool containers/tanks with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Evacuate personnel to safe areas. Ensure adequate ventilation.
	Remove all sources of ignition.
	Do not breathe vapours or spray mist.



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 3601

Version 2.2	Revision Date: 07.02.2023	Date of last issue: 22.10.2021Print DaDate of first issue: 21.10.201607.02.20	
		Refer to protective measures listed in sections 7 a Only qualified personnel equipped with suitable pro equipment may intervene.	
6.2 Envir	onmental precautions		
 Environmental precautions Try to prevent the material from entering drains or courses. Prevent further leakage or spillage if safe to do so. Local authorities should be advised if significant sp cannot be contained. 			
6.3 Metho	ods and material for c	ontainment and cleaning up	
Meth	ods for cleaning up	 Contain spillage, and then collect with non-combus sorbent material, (e.g. sand, earth, diatomaceous miculite) and place in container for disposal accord / national regulations (see section 13). Keep in suitable, closed containers for disposal. 	earth, ver-

Non-sparking tools should be used.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Do not use in areas without adequate ventilation. Do not breathe vapours or spray mist. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin and eyes. For personal protection see section 8. Keep away from fire, sparks and heated surfaces. Smoking, eating and drinking should be prohibited in the ap- plication area. Wash hands and face before breaks and immediately after handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not ingest. Do not use sparking tools. These safety instructions also apply to empty packaging which may still contain product residues. Pressurized container: protect from sunlight and do not ex- pose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.
Hygiene measures	:	Wash face, hands and any exposed skin thoroughly after handling.



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 3601

Version	Revision Date:	Date of last issue: 22.10.2021	Print Date:
2.2	07.02.2023	Date of first issue: 21.10.2016	07.02.2023

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Store in accordance with the particular na- tional regulations.
7.3 Specific end use(s) Specific use(s)	:	Specific instructions for handling, not required.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
butane	106-97-8	VLA-ED (gas)	1.000 ppm	ES VLA (2013-02-22)
Hydrocarbons, C11-C13, isoal- kanes, <2% aro- matics	Not As- signed	VLA-ED (Mist)	5 mg/m3	ES VLA (2013-02-22)
	Further information: This value is applied to the refined mineral oil and			
	applied to the potential additives in its formulation.			
		VLA-EC (Mist)	10 mg/m3	ES VLA (2013-02-22)
	Further information: This value is applied to the refined mineral oil and it is n applied to the potential additives in its formulation.			l oil and it is not
propane	74-98-6	VLA-ED	1.000 ppm	ES VLA (2011-03-03)
isobutane	75-28-5	VLA-ED (gas)	1.000 ppm	ES VLA (2013-02-22)

8.2 Exposure controls

Engineering measures

Use only in an area equipped with explosion proof exhaust ventilation. Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment

Eye protection	:	Safety glasses with side-shields
Hand protection Material Break through time Protective index	: :	Nitrile rubber > 10 min Class 1

Remarks

: For prolonged or repeated contact use protective gloves. The



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 3601

Version 2.2	Revision Date: 07.02.2023		e of last issue: 22.10.2021 e of first issue: 21.10.2016	Print Date: 07.02.2023	
			break through time depends amongst oth material, the thickness and the type of glo has to be measured for each case. The selected protective gloves have to sa tions of Regulation (EU) 2016/425 and th derived from it.	ove and therefore atisfy the specifica-	
Skin and body protection Respiratory protection Filter type		: Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.			
		: Use respiratory protection unless adequate local exitiation is provided or exposure assessment demons exposures are within recommended exposure guide		ent demonstrates that	
		: Filter type A-P			
Protec	ctive measures	:	The type of protective equipment must be to the concentration and amount of the da at the specific workplace.		

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	aerosol
Colour	:	beige
Odour	:	characteristic
Odour Threshold	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	-161 °C (1.013 hPa) Not applicable
Flammability (solid, gas)	:	Extremely flammable aerosol.
Upper explosion limit / Upper flammability limit	:	10,9 %(V)
Lower explosion limit / Lower flammability limit	:	1,5 %(V)
Flash point	:	-60 °C Method: Abel-Pensky



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 3601

Versio 2.2	on Revision Date: 07.02.2023		of last issue: 22.10.2021 of first issue: 21.10.2016	Print Date: 07.02.2023
ŀ	Auto-ignition temperature	:	No data available	
C	Decomposition temperature	:	No data available	
þ	ЭΗ	:	Not applicable substance/mixture is non-solu	ble (in water)
١	∕iscosity Viscosity, dynamic	:	No data available	
	Viscosity, kinematic	:	< 20,5 mm2/s (40 °C)	
S	Solubility(ies) Water solubility	:	insoluble	
	Solubility in other solven	ts :	No data available	
	Partition coefficient: n- octanol/water	:	No data available	
١	/apour pressure	:	4.400 hPa (20 °C)	
F	Relative density	:	0,64 (20 °C) Reference substance: Water The value is calculated	
C	Density	:	0,64 g/cm3 (20 °C)	
E	Bulk density	:	No data available	
F	Relative vapour density	:	No data available	
9.2 O	ther information			
E	Explosives	:	Not explosive	
(Dxidizing properties	:	No data available	
S	Self-ignition	:	No data available	
Ν	Metal corrosion rate	:	Not corrosive to metals	
E	Evaporation rate	:	No data available	
S	Sublimation point	:	No data available	



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 3601

Version	Revision Date:	Date of last issue: 22.10.2021	Print Date:				
2.2	07.02.2023	Date of first issue: 21.10.2016	07.02.2023				
				-			
SECTION 10: Stability and reactivity							
SECTION 10: Stability and reactivity							

: No dangerous reaction known under conditions of normal use.

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	
10.4 Conditions to avoid	

Conditions to avoid	:	Heat, flames and sparks.
		Strong sunlight for prolonged periods. Risk of receptacle bursting.

10.5 Incompatible materials

Materials to avoid	: Oxidizing agents
--------------------	--------------------

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity		
Product:		
Acute inhalation toxicity	:	Symptoms: Inhalation may provoke the following symptoms:, Respiratory disorder
Acute dermal toxicity	:	Remarks: Prolonged or repeated skin contact with liquid may cause defatting resulting in drying, redness and possible blistering.
		Symptoms: Skin disorders
Components:		
Akyl naphthalene sulfonic	acid	, calcium salt (CAS-No. confidential):
Acute oral toxicity	:	LD50 (Rat): > 2.000 mg/kg
Poly Alpha Olefin (PAO):		
Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5,2 mg/l



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 3601

0110					
Versi 2.2	ion	Revision Date: 07.02.2023		e of last issue: 22.10.2021 e of first issue: 21.10.2016	Print Date: 07.02.2023
				Exposure time: 4 h Test atmosphere: dust/mist	
	Acute c	lermal toxicity	:	LD50 (Rat): > 2.000 mg/kg	
	butane	:			
,	Acute ir	nhalation toxicity	:	LC50 (Rat): 658 mg/l Exposure time: 4 h Test atmosphere: gas	
i	isobuta	ane:			
	Acute ir	nhalation toxicity	:	LC50 (Rat): 658 mg/l Exposure time: 4 h Test atmosphere: gas	
:	Skin co	prrosion/irritation			
<u> </u>	Produc	: <u>t:</u>			
	Remark	(S	:	This information is not available.	
2	<u>Compc</u>	onents:			
	-	arbons, C11-C13, is	oalk	anes, <2% aromatics:	
	Result		:	Repeated exposure may cause skin dryn	ess or cracking.
	Poly A	pha Olefin (PAO):			
	Result		:	No skin irritation	
:	Seriou	s eye damage/eye ir	ritati	on	
	Produc	<u>:t:</u>			
	Remark	<s< td=""><td>:</td><td>Contact with eyes may cause irritation.</td><td></td></s<>	:	Contact with eyes may cause irritation.	
	Compo	onents:			
	Akyl na	aphthalene sulfonic	acid,	calcium salt (CAS-No. confidential):	
	Species Result	6	:	Rabbit Eye irritation	
	Polv A	pha Olefin (PAO):			
	Result		:	No eye irritation	
	Respira	atory or skin sensiti	satio	n	
	Produc	-			
	Remark		:	This information is not available.	



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 3601

rsion 2	Revision Date: 07.02.2023		e of last issue: 22.10.2021 e of first issue: 21.10.2016	Print Date: 07.02.2023
Com	ponents:			
Polv	Alpha Olefin (PAO):			
Resu	• • • •	:	Did not cause sensitisation on lab	oratory animals.
Germ	n cell mutagenicity			
Prod	uct:			
Geno	toxicity in vitro	:	Remarks: No data available	
Geno	toxicity in vivo	:	Remarks: No data available	
Com	ponents:			
Poly	Alpha Olefin (PAO):			
Geno	toxicity in vitro	:	Test Type: Ames test Result: negative Remarks: In vitro tests did not sho	w mutagenic effects
Carci	inogenicity			
Prod	uct:			
Rema	arks	:	No data available	
Repr	oductive toxicity			
Prod				
Effec	ts on fertility	:	Remarks: No data available	
Effect ment	ts on foetal develop-	:	Remarks: No data available	
Repe	ated dose toxicity			
Prod	uct:			
Rema	arks	:	This information is not available.	
Aspii	ration toxicity			
<u>Prod</u> May b	<mark>uct:</mark> pe fatal if swallowed a	nd ent	ers airways.	
May b	pe fatal if swallowed a	nd ent	ers airways.	
Com	ponents:			
<u></u>				

Hydrocarbons, C11-C13, isoalkanes, <2% aromatics:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 3601

Version	Revision Date:	Date of last issue: 22.10.2021	Print Date:
2.2	07.02.2023	Date of first issue: 21.10.2016	07.02.2023

Poly Alpha Olefin (PAO):

May be fatal if swallowed and enters airways.

11.2 Information on other hazards

Endocrine disrupting properties			
Product:			
Assessment	The substance/mixture does not contain components consid ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 a levels of 0.1% or higher.		
Further information			
Product:			
Remarks	Information given is based on data on the components and the toxicology of similar products.		

SECTION 12: Ecological information

12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available
Components:		
Poly Alpha Olefin (PAO):		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 1.000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	NOEC (Daphnia magna (Water flea)): > 1.000 mg/l Exposure time: 48 h



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 3601

Version	Revision Date:	Date of last issue: 22.10.2021	Print Date:
2.2	07.02.2023	Date of first issue: 21.10.2016	07.02.2023

12.2 Persistence and degradability

		,		
	Product:			
	Biodegradability	:	Remarks: No data available	
	Physico-chemical removabil- ity	:	Remarks: No data available	
	Components:			
	Akyl naphthalene sulfonic a	cid	, calcium salt (CAS-No. confidential):	
	Biodegradability	:	Remarks: No data available	
	Poly Alpha Olefin (PAO):			
	Biodegradability	:	Test Type: Primary biodegradation Inoculum: activated sludge Result: Not readily biodegradable. Method: OECD Test Guideline 301B	
12.	3 Bioaccumulative potential			
	Product:			
	Bioaccumulation	:	Remarks: This mixture contains no subst be persistent, bioaccumulating and toxic This mixture contains no substance cons persistent and very bioaccumulating (vPv	(PBT). idered to be very
	Components:			
	Akyl naphthalene sulfonic a	cid	, calcium salt (CAS-No. confidential):	
	Bioaccumulation	:	Remarks: No data available	
	Poly Alpha Olefin (PAO):			
	Bioaccumulation	:	Bioconcentration factor (BCF): > 10 Remarks: No data available	
	butane:			
	Partition coefficient: n- octanol/water	:	log Pow: 2,89 Method: OECD Test Guideline 107	
	propane:			
	Partition coefficient: n- octanol/water	:	log Pow: 2,36	
	isobutane:			
	Partition coefficient: n-	:	log Pow: 2,88	
				a brand of



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 3601

ON2 30	U1				
Version 2.2	Revision Date: 07.02.2023		nt Date: 02.2023		
octan	ol/water	Method: OECD Test Guideline 107			
12.4 Mobi	lity in soil				
<u>Prod</u> Mobil		: Remarks: No data available			
	bution among environ- al compartments	: Remarks: No data available			
12.5 Resu	Ilts of PBT and vPvB	sessment			
Prod	uct:				
	ssment	: This substance/mixture contains no component to be either persistent, bioaccumulative and to very persistent and very bioaccumulative (vPv 0.1% or higher.	oxic (PBT), or		
12.6 Endo	ocrine disrupting prop	ties			
Prod	uct:				
Asse	ssment	: The substance/mixture does not contain comp ered to have endocrine disrupting properties a REACH Article 57(f) or Commission Delegate (EU) 2017/2100 or Commission Regulation (E levels of 0.1% or higher.	according to d regulation		
12.7 Othe	r adverse effects				
Prod Addit matic	ional ecological infor-	: No information on ecology is available.			
SECTION	SECTION 13: Disposal considerations				
13.1 Wast	e treatment methods				
Produ	uct	: Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance national regulations.	with local and		
		Waste codes should be assigned by the user application for which the product was used.	based on the		

Contaminated packaging	:	Packaging that is not properly emptied must be disposed of as the unused product.
		Offer empty spray cans to an established disposal company. Pressurized container: Do not pierce or burn, even after use.



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 3601

Version	Revision Date:	Date of last issue: 22.10.2021	Print Date:
2.2	07.02.2023	Date of first issue: 21.10.2016	07.02.2023
Waste	e Code	The following Waste Codes are o : unused product, packagings not o 16 05 04*, gases in pressure con containing hazardous substances	completely emptied tainers (including halons)

SECTION 14: Transport information

14.1 UN number or ID number				
ADR	:	UN 1950		
RID	:	UN 1950		
IMDG	:	UN 1950		
ΙΑΤΑ	:	UN 1950		
14.2 UN proper shipping name				
ADR	:	AEROSOLS		
RID	:	AEROSOLS		
IMDG	:	AEROSOLS		
ΙΑΤΑ	:	Aerosols, flammable		
14.3 Transport hazard class(es)				
ADR	:	2		
RID	:	2		
IMDG	:	2.1		
ΙΑΤΑ	:	2.1		
14.4 Packing group				
ADR Packing group Classification Code Labels Tunnel restriction code		Not assigned by regulation 5F 2.1 (D)		
RID Packing group Classification Code Hazard Identification Number Labels		Not assigned by regulation 5F 23 2.1		
IMDG Packing group Labels EmS Code	:	Not assigned by regulation 2.1 F-D, S-U		
IATA (Cargo) Packing instruction (cargo	:	203		



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 3601

Version 2.2	Revision Date: 07.02.2023		e of last issue: 22.10.2021 e of first issue: 21.10.2016	Print Date: 07.02.2023
Packir Labels	ng instruction (LQ) ng group s	:	Y203 Not assigned by regulation Flammable Gas	
Packiı ger aiı Packiı	ng instruction (LQ) ng group		203 Y203 Not assigned by regulation Flammable Gas	
14.5 Envir	onmental hazards			
ADR Enviro	onmentally hazardous	:	no	
RID Enviro	onmentally hazardous	:	no	
IMDG Marine	e pollutant	:	no	

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks

: Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)	: This product does not contain sub- stances of very high concern (Regu- lation (EC) No 1907/2006 (REACH), Article 57).
REACH - List of substances subject to authorisation (Annex XIV) (EU. REACH-Annex XIV)	: Not applicable
Regulation (EC) No 1005/2009 on substances that de- plete the ozone layer (EC 1005/2009)	: Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	: Not applicable



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 3601

UNS 3	601					
Version 2.2	Revision Date: 07.02.2023	Date of last issue: 22.1 Date of first issue: 21.1		Print Date: 07.02.2023		
,	J POP)					
mer of d	Regulation (EC) No 649/2012 of the European Parlia- : Not applicable ment and the Council concerning the export and import of dangerous chemicals (EU PIC)					
		:	: P2			
Par maj	reso III: Directive 2012/ liament and of the Cour or-accident hazards inv nces.	ncil on the control of	P3a	FLAMMABLE AEROSOLS		
			34	Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar proper- ties as regards flammability and environmental hazards as the products referred to in points (a) to (d)		
			18	Liquefied extremely flammable gases (including LPG) and natural gas		
Vola	atile organic compound	emissions (integra	ted poll	4 November 2010 on industrial ution prevention and control) ds (VOC) content: 78,85 %		

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

EUH066	:	Repeated exposure may cause skin dryness or cracking.
H220	:	Extremely flammable gas.



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 3601

Versio 2.2		Revision Date: 07.02.2023		e of last issue: 22.10.2021 e of first issue: 21.10.2016	Print Date: 07.02.2023
H H	1280 1304 1319 IUH066	5	:	Contains gas under pressure; may explod May be fatal if swallowed and enters airwa Causes serious eye irritation. Repeated exposure may cause skin dryne	ays.
F	Full text of other abbreviat		ons		
N	lote C		:	Some organic substances may be market ic isomeric form or as a mixture of several case the supplier must state on the label stance is a specific isomer or a mixture of	l isomers. In this whether the sub-
Ν	lote U ((table 3.1)	:	When put on the market gases have to be es under pressure", in one of the groups of liquefied gas, refrigerated liquefied gas or group depends on the physical state in wh aged and therefore has to be assigned ca following codes are assigned: Press. Gas (Liq.) Press. Gas (Ref. Liq.) Press. Gas (E not be classified as gases under pressure 2, Section 2.3.2.1, Note 2).	e classified as "Gas- compressed gas, dissolved gas. The nich the gas is pack- ise by case. The (Comp.) Press. Gas Diss.) Aerosols shall
E	S VLA		:	Spain. Environmental Limits for exposure - Table 1: Occupational Exposure Values	to Chemical agents
_		/ VLA-ED / VLA-EC	:	Environmental Daily Limit Value Environmental Short Term Value	

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic sub-



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 3601

Version	Revision Date:	Date of last issue: 22.10.2021	Print Date:
2.2	07.02.2023	Date of first issue: 21.10.2016	07.02.2023

stance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixtur	Classification procedure:	
Aerosol 1	H222, H229	Based on product data or assessment
Asp. Tox. 1	H304	Based on product data or assessment

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

