



**OKS 390**

Version 1.7      Revision Date: 14.02.2022      Date of last issue: 25.03.2021      Print Date: 14.02.2022  
Date of first issue: 05.05.2014

**1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

Product name : OKS 390

**Manufacturer or supplier's details**

Company name of supplier : OKS Spezialechmierstoffe GmbH  
Ganghoferstr. 47  
D-82216 Maisach-Gernlinden  
Tel.: +49 8142 3051 500  
Fax.: +49 8142 3051 599  
info@oks-germany.com

E-mail address of person responsible for the SDS : mcm@oks-germany.com  
Material Compliance Management

Emergency telephone number : +7 495 628 1687  
+49 8142 3051 517

**Recommended use of the chemical and restrictions on use**

Recommended use : Lubricant  
Restrictions on use : Restricted to professional users.

**2. HAZARDS IDENTIFICATION**

**GHS Classification (According to GOST 32423, GOST 32424 and GOST 32425)**

Not a hazardous substance or mixture.

**GHS-Labeling (According to GOST 31340)**

Not a hazardous substance or mixture.

**Other hazards which do not result in classification**

None known.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Pure substance/mixture : Mixture

Chemical nature : Mineral oil.

**Components**

Chemical name	Concentration (% w/w)	Occupational Exposure Limits	CAS-No.	EC-No.
---------------	-----------------------	------------------------------	---------	--------

**OKS 390**

Version 1.7	Revision Date: 14.02.2022	Date of last issue: 25.03.2021 Date of first issue: 05.05.2014	Print Date: 14.02.2022
----------------	------------------------------	---	---------------------------

		MAC value mg/m3 / TSEL value	Hazard Class		
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	>= 90 - <= 100	No data available		64742-54-7	265-157-1

**4. FIRST AID MEASURES**

- If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.  
In case of contact, immediately flush skin with plenty of water.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
If eye irritation persists, consult a specialist.
- If swallowed : Move the victim to fresh air.  
Do NOT induce vomiting.  
Rinse mouth with water.
- Most important symptoms and effects, both acute and delayed : No information available.  
None known.
- Notes to physician : No information available.

**5. FIREFIGHTING MEASURES**

**Flammable properties**

- Flash point : > 175 °C
- Ignition temperature : No data available
- Upper explosion limit / Upper flammability limit : 10,0 %(V)
- Lower explosion limit / Lower flammability limit : 1,0 %(V)
- Flammability (solid, gas) : Not applicable

**OKS 390**

Version	Revision Date:	Date of last issue: 25.03.2021	Print Date:
1.7	14.02.2022	Date of first issue: 05.05.2014	14.02.2022

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Unsuitable extinguishing media : High volume water jet
- Hazardous combustion products : Carbon oxides  
Oxides of phosphorus
- Further information : Standard procedure for chemical fires.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

**6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas. Use personal protective equipment. Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Try to prevent the material from entering drains or water courses. Prevent further leakage or spillage if safe to do so. Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

**7. HANDLING AND STORAGE**

- Advice on safe handling : For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product.
- Conditions for safe storage : Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

**OKS 390**

Version	Revision Date:	Date of last issue: 25.03.2021	Print Date:
1.7	14.02.2022	Date of first issue: 05.05.2014	14.02.2022

---

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Components with workplace control parameters**

Contains no substances with occupational exposure limit values.

**Engineering measures** : none

**Personal protective equipment**

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type A-P

Hand protection

Material : Fluorinated rubber

Break through time : > 10 min

Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.

Eye protection : Safety glasses with side-shields

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.  
Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

---

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Colour : yellow

Odour : characteristic

Odour Threshold : No data available

**OKS 390**

Version 1.7	Revision Date: 14.02.2022	Date of last issue: 25.03.2021 Date of first issue: 05.05.2014	Print Date: 14.02.2022
----------------	------------------------------	---	---------------------------

pH : Not applicable  
substance/mixture is non-polar/aprotic

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : > 175 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Self-ignition : No data available

Upper explosion limit / Upper  
flammability limit : 10,0 %(V)

Lower explosion limit / Lower  
flammability limit : 1,0 %(V)

Vapour pressure : < 0,1 hPa (20 °C)

Relative vapour density : No data available

Relative density : 0,87 (20 °C)  
Reference substance: Water  
The value is calculated

Density : 0,87 g/cm<sup>3</sup> (20 °C)

Bulk density : No data available

Solubility(ies)  
Water solubility : immiscible

Solubility in other solvents : No data available

Partition coefficient: n-  
octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, dynamic : No data available

Viscosity, kinematic : 22 mm<sup>2</sup>/s ( 40 °C)

**OKS 390**

Version 1.7	Revision Date: 14.02.2022	Date of last issue: 25.03.2021 Date of first issue: 05.05.2014	Print Date: 14.02.2022
----------------	------------------------------	---	---------------------------

Explosive properties : Not explosive

Oxidizing properties : No data available

Sublimation point : No data available

Metal corrosion rate : Not corrosive to metals

**10. STABILITY AND REACTIVITY**

Reactivity : No hazards to be specially mentioned.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : No conditions to be specially mentioned.

Incompatible materials : No materials to be especially mentioned.

Hazardous decomposition products : No decomposition if stored and applied as directed.

**11. TOXICOLOGICAL INFORMATION**

**Acute toxicity**

**Product:**

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Remarks: This information is not available.

**Components:**

**Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 5,53 mg/l  
Exposure time: 4 h

**OKS 390**

Version	Revision Date:	Date of last issue: 25.03.2021	Print Date:
1.7	14.02.2022	Date of first issue: 05.05.2014	14.02.2022

Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg  
Method: OECD Test Guideline 402

**Skin corrosion/irritation**

**Product:**

Remarks : This information is not available.

**Components:**

**Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : yes

**Serious eye damage/eye irritation**

**Product:**

Remarks : This information is not available.

**Components:**

**Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Species : Rabbit  
Result : No eye irritation  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
GLP : yes

**Respiratory or skin sensitisation**

**Product:**

Remarks : This information is not available.

**OKS 390**

Version	Revision Date:	Date of last issue: 25.03.2021	Print Date:
1.7	14.02.2022	Date of first issue: 05.05.2014	14.02.2022

**Components:**

**Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.
GLP	:	yes

**Germ cell mutagenicity**

**Product:**

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

**Components:**

**Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

**Carcinogenicity**

**Product:**

Remarks : No data available

**Components:**

**Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

**Reproductive toxicity**

**Product:**

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

**Components:**

**Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**





**OKS 390**

Version 1.7	Revision Date: 14.02.2022	Date of last issue: 25.03.2021 Date of first issue: 05.05.2014	Print Date: 14.02.2022
----------------	------------------------------	---	---------------------------

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction

**Repeated dose toxicity**

**Product:**

Remarks : This information is not available.

**Aspiration toxicity**

**Product:**

This information is not available.

**Components:**

**Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

May be fatal if swallowed and enters airways.

**Further information**

**Product:**

Remarks : Information given is based on data on the components and the toxicology of similar products.

---

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

**Product:**

Toxicity to fish :  
Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates :  
Remarks: No data available

Toxicity to algae/aquatic plants :  
Remarks: No data available

Toxicity to microorganisms :  
Remarks: No data available

**OKS 390**

Version	Revision Date:	Date of last issue: 25.03.2021	Print Date:
1.7	14.02.2022	Date of first issue: 05.05.2014	14.02.2022

**Components:**

**Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l  
aquatic invertebrates  
Exposure time: 48 h  
Test Type: Immobilization  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic : NOEC (Pseudokirchneriella subcapitata (microalgae)): > 100  
plants mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201

Toxicity to daphnia and other : NOELR (Daphnia magna (Water flea)): 10 mg/l  
aquatic invertebrates  
(Chronic toxicity)  
Exposure time: 21 d  
Method: OECD Test Guideline 211  
Remarks: No toxicity at the limit of solubility

**Persistence and degradability**

**Product:**

Biodegradability : Remarks: No data available

Physico-chemical : Remarks: No data available  
removability

**Components:**

**Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Biodegradability : aerobic  
Inoculum: activated sludge  
Result: Not readily biodegradable.  
Biodegradation: 3 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
GLP: yes

**OKS 390**

Version 1.7	Revision Date: 14.02.2022	Date of last issue: 25.03.2021 Date of first issue: 05.05.2014	Print Date: 14.02.2022
----------------	------------------------------	---	---------------------------

**Bioaccumulative potential**

**Product:**

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

**Mobility in soil**

**Product:**

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

**Other adverse effects**

**Product:**

Additional ecological information : No information on ecology is available.

---

**13. DISPOSAL CONSIDERATIONS**

**Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Dispose of waste product or used containers according to local regulations.

The following Waste Codes are only suggestions:

Waste Code : unused product  
12 01 07\*, mineral-based machining oils free of halogens (except emulsions and solutions)  
  
uncleaned packagings  
15 01 10, packaging containing residues of or contaminated by hazardous substances

---

**14. TRANSPORT INFORMATION**



**OKS 390**

Version	Revision Date:	Date of last issue: 25.03.2021	Print Date:
1.7	14.02.2022	Date of first issue: 05.05.2014	14.02.2022

**ADR**

Not regulated as a dangerous good

**UNRTDG**

Not regulated as a dangerous good

**IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

---

**15. REGULATORY INFORMATION**

**National regulatory information**

Federal Law of 10.01.2002 No. 184-FZ "On Technical Regulation".

Federal Law of 10.01.2002 No. 7-FZ "On Environmental Protection".

Federal Law of 21.07.1997 No. 116-FZ (amended on 11.06.2021) "On industrial safety of hazardous production facilities".

Federal Law of 24.06.1998 No. 89-FZ (amended on 02.07.2021) "On production and consumption waste".

Federal Law of 10.01.2002 No. 7-FZ (amended on 02.07.2021) "On environmental protection".

Federal Law of 04.05.1999 No. 96-FZ "On the protection of atmospheric air" (as amended on December 8, 2020).

Federal Law of 30.03.1999 No. 52-FZ (amended on 02.07.2021) "On the Sanitary and Epidemiological Well-Being of the Population" (amended and supplemented, entered into force on 31.10.2021).

Federal Law of 27.12.2002 No. 184-FZ (amended on 02.07.2021) "On Technical Regulation" (amended and supplemented, entered into force on 01.09.2021).

TECHNICAL REGULATIONS OF THE CUSTOMS UNION TR CU 030/2012 On requirements for lubricants, oils and special fluids (amended on 03.03.2017).

---

**16. OTHER INFORMATION**

**List of data sources used in the preparation of the Safety Data Sheet**

GOST 30333-2007. Interstate standard. Safety data sheet for chemical products. Primary requirements.

GOST 12.1.007-76 Occupational safety standards system. Noxious substances. Classification and general safety requirements

GOST 12.1.044-89 Occupational safety standards system. Fire and explosion hazard of substances and materials. Nomenclature of indices and methods of their determination

GOST 14192-96. Interstate standard. Cargo marking. Minsk, 1998.

GOST 31340-2013. Interstate standard. Precautionary labeling of chemical products. General requirements.

**OKS 390**

Version	Revision Date:	Date of last issue: 25.03.2021	Print Date:
1.7	14.02.2022	Date of first issue: 05.05.2014	14.02.2022

GOST 32419-2013 Classification of the hazard of chemical products. General requirements.  
GOST 32421-2013 Classification of chemical products, the hazard of which is due to physical and chemical properties. Test methods for explosive chemical products.  
GOST 32423-2013 Hazard classification of mixed chemical products by their effects on the body.  
GOST 32424-2013 Classification of the hazard of chemical products by their impact on the environment. Basic provisions.  
GOST 32425-2013 Hazard classification of mixed chemical products in terms of environmental impact.  
GOST R 53264-2009 Fire fighting equipment. Special protective clothing for firefighters. General technical requirements. Test methods.  
GOST R 53265-2009 Fire fighting equipment. Personal protective equipment for the feet of the firefighter. General technical requirements. Test methods.  
GOST R 53268-2009 Fire fighting equipment. Fire rescue belts. General technical requirements. Test methods.  
GOST R 53269-2009 Fire fighting equipment. Firefighters helmets. General technical requirements. Test methods.  
SanPiN 1.2.3685-21 "Hygienic standards and requirements for ensuring the safety and (or) harmlessness to humans of environmental factors" dated 28.01.2021.  
SanPiN 2.1.3684-21 "Sanitary and epidemiological requirements for the maintenance of the territories of urban and rural settlements, for water bodies, drinking water and drinking water supply, atmospheric air, soils, living quarters, the operation of industrial, public premises, the organization and implementation of sanitary and anti-epidemic (preventive) measures".  
European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). United Nations. New York and Geneva, 20.  
International Maritime Dangerous Goods Code (IMDG-Code).  
Water quality standards for fishery water bodies, including standards for maximum permissible concentrations of harmful substances in the waters of fishery water bodies (approved by order of the Ministry of Agriculture of Russia dated December 13, 2016 No. 552).  
Regulations for the carriage of dangerous goods (Appendix 1 and 2) to the Agreement on International Goods Transport by Rail (SMGS), 2009.  
UN Recommendations on the Transport of Dangerous Goods. Typical rules. Twenty-first revised edition. United Nations, New York and Geneva, 2019.

**Full text of other abbreviations**

Asp. Tox. : Aspiration hazard

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect



**OKS 390**

Version	Revision Date:	Date of last issue: 25.03.2021	Print Date:
1.7	14.02.2022	Date of first issue: 05.05.2014	14.02.2022

Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.