

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 400 二硫化钼多用途高性能润滑脂

Version 1.8      Revision Date: 2024-07-04      Date of last issue: 2023-02-10  
Date of first issue: 2014-06-10      Print Date: 2024-07-04

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : OKS 400 二硫化钼多用途高性能润滑脂

Chemical nature : Mineral oil.  
solid lubricant  
lithium soap

#### Manufacturer or supplier's details

Company name of supplier : OKS Spezialschmierstoffe GmbH  
Ganghoferstr. 47  
82216 Maisach-Gernlinden  
Deutschland  
Tel.: +49 8142 3051 500  
Fax: +49 8142 3051 599  
info@oks-germany.com

E-mail address of person responsible for the SDS : mcm@oks-germany.com

National contact :

Emergency telephone number : +86 532 8388 9090 (NRCC, only for hazardous chemicals)  
+86 21 69225521

#### Recommended use of the chemical and restrictions on use

Recommended use : Grease

Restrictions on use : Restricted to professional users.

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

Appearance : paste  
Colour : black  
Odour : characteristic

Not a hazardous substance or mixture.

#### GHS Classification

Not a hazardous substance or mixture.

#### GHS label elements

Not a hazardous substance or mixture.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 400 二硫化钼多用途高性能润滑脂

Version 1.8      Revision Date: 2024-07-04      Date of last issue: 2023-02-10  
Date of first issue: 2014-06-10      Print Date: 2024-07-04

### Physical and chemical hazards

Not classified based on available information.

### Health hazards

Not classified based on available information.

### Environmental hazards

Not classified based on available information.

### Other hazards which do not result in classification

None known.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1	$\geq 0.25$ -< 1
Benzenesulfonic acid, di-C10-18-alkyl derivs., calcium salts	93820-57-6	$\geq 0.1$ -< 1

## 4. FIRST AID MEASURES

- If inhaled : Obtain medical attention.  
Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Take off all contaminated clothing immediately.  
Get medical attention immediately if irritation develops and persists.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.  
Wash off immediately with plenty of water.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
If eye irritation persists, consult a specialist.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 400 二硫化钼多用途高性能润滑脂

Version 1.8      Revision Date: 2024-07-04      Date of last issue: 2023-02-10  
Date of first issue: 2014-06-10      Print Date: 2024-07-04

- If swallowed : Move the victim to fresh air.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
Do not induce vomiting without medical advice.  
Obtain medical attention.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : None known.  
No symptoms known or expected.
- Notes to physician : Treat symptomatically.

### 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Unsuitable extinguishing media : High volume water jet
- Hazardous combustion products : Carbon oxides  
Sulphur oxides  
Metal oxides
- Specific extinguishing methods : Standard procedure for chemical fires.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.  
Exposure to decomposition products may be a hazard to health.

### 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.  
Ensure adequate ventilation.  
Do not breathe vapours, aerosols.  
Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Try to prevent the material from entering drains or water courses.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for : Pick up and transfer to properly labelled containers.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 400 二硫化钼多用途高性能润滑脂

Version 1.8    Revision Date: 2024-07-04    Date of last issue: 2023-02-10  
Date of first issue: 2014-06-10    Print Date: 2024-07-04

containment and cleaning up

## 7. HANDLING AND STORAGE

### Handling

- Advice on safe handling : Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash hands and face before breaks and immediately after handling the product.  
Do not get in eyes or mouth or on skin.  
Do not get on skin or clothing.  
Do not ingest.  
Do not repack.  
These safety instructions also apply to empty packaging which may still contain product residues.  
Keep container closed when not in use.
- Avoidance of contact : No materials to be especially mentioned.

### Storage

- Conditions for safe storage : Store in original container.  
Keep container closed when not in use.  
Keep in a dry, cool and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Store in accordance with the particular national regulations.  
Keep in properly labelled containers.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	TWA (Inhalable particulate matter)	5 mg/m <sup>3</sup>	ACGIH (2013-03-01)
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	TWA (Inhalable particulate)	5 mg/m <sup>3</sup>	ACGIH (2013-03-01)

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 400 二硫化钼多用途高性能润滑脂

Version 1.8      Revision Date: 2024-07-04      Date of last issue: 2023-02-10  
Date of first issue: 2014-06-10      Print Date: 2024-07-04

		matter)		
lithium 12-hydroxystearate	7620-77-1	TWA (Inhalable particulate matter)	10 mg/m <sup>3</sup>	ACGIH (2018-03-20)
		TWA (Respirable particulate matter)	3 mg/m <sup>3</sup>	ACGIH (2018-03-20)
molybdenum disulphide	1317-33-5	PC-TWA	6 mg/m <sup>3</sup> (Molybdenum)	CN OEL (2019-08-27)
		TWA (Inhalable particulate matter)	10 mg/m <sup>3</sup> (Molybdenum)	ACGIH (2019-03-05)
		TWA (Respirable particulate matter)	3 mg/m <sup>3</sup> (Molybdenum)	ACGIH (2019-03-05)

**Engineering measures** : Handle only in a place equipped with local exhaust (or other appropriate exhaust).

### Personal protective equipment

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type P

Eye/face protection : Safety glasses

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

### Hand protection

Material : Nitrile rubber

Break through time : > 10 min

Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 400 二硫化钼多用途高性能润滑脂

Version 1.8      Revision Date: 2024-07-04      Date of last issue: 2023-02-10  
Date of first issue: 2014-06-10      Print Date: 2024-07-04

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	paste
Colour	:	black
Odour	:	characteristic
Odour Threshold	:	No data available
pH	:	Not applicable
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Combustible Solids
Self-ignition	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	< 0.001 hPa (20 °C)
Relative vapour density	:	No data available
Relative density	:	0.90 (20 °C) Reference substance: Water The value is calculated
Density	:	0.90 g/cm <sup>3</sup> (20 °C)
Bulk density	:	No data available

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 400 二硫化钼多用途高性能润滑脂

Version 1.8      Revision Date: 2024-07-04      Date of last issue: 2023-02-10  
Date of first issue: 2014-06-10      Print Date: 2024-07-04

Solubility(ies)  
Water solubility : insoluble  
Solubility in other solvents : No data available  
Partition coefficient: n-octanol/water : No data available  
Auto-ignition temperature : No data available  
Decomposition temperature : No data available  
Viscosity  
Viscosity, dynamic : No data available  
Viscosity, kinematic : Not applicable  
Explosive properties : Not explosive  
Oxidizing properties : No data available  
Sublimation point : No data available  
Particle size : Not applicable

### 10. STABILITY AND REACTIVITY

Reactivity : No hazards to be specially mentioned.  
Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.  
Conditions to avoid : No conditions to be specially mentioned.  
Incompatible materials : No materials to be especially mentioned.  
Hazardous decomposition products : No decomposition if stored and applied as directed.

### 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

#### Product:

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 400 二硫化钼多用途高性能润滑脂

Version 1.8      Revision Date: 2024-07-04      Date of last issue: 2023-02-10  
Date of first issue: 2014-06-10      Print Date: 2024-07-04

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Remarks: This information is not available.

### Components:

#### **Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

#### **Benzenesulfonic acid, di-C10-18-alkyl derivs., calcium salts:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 1.9 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

### **Skin corrosion/irritation**

#### Product:

Remarks : This information is not available.

### Components:

#### **Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Species : Rabbit  
Assessment : No skin irritation



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 400 二硫化钼多用途高性能润滑脂

Version 1.8      Revision Date: 2024-07-04      Date of last issue: 2023-02-10  
Date of first issue: 2014-06-10      Print Date: 2024-07-04

Result : No skin irritation

### Benzenesulfonic acid, di-C10-18-alkyl derivs., calcium salts:

Assessment : No skin irritation  
Result : No skin irritation

### Serious eye damage/eye irritation

#### Product:

Remarks : This information is not available.

#### Components:

### Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species : Rabbit  
Result : No eye irritation  
Assessment : No eye irritation

### Benzenesulfonic acid, di-C10-18-alkyl derivs., calcium salts:

Result : No eye irritation  
Assessment : No eye irritation

### Respiratory or skin sensitisation

#### Product:

Remarks : This information is not available.

#### Components:

### Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.

### Benzenesulfonic acid, di-C10-18-alkyl derivs., calcium salts:

Assessment : The product is a skin sensitiser, sub-category 1B.  
Result : The product is a skin sensitiser, sub-category 1B.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 400 二硫化钼多用途高性能润滑脂

Version 1.8      Revision Date: 2024-07-04      Date of last issue: 2023-02-10  
Date of first issue: 2014-06-10      Print Date: 2024-07-04

### Germ cell mutagenicity

**Product:**

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

### Carcinogenicity

**Product:**

Remarks : No data available

### Reproductive toxicity

**Product:**

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

### **Components:**

**Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Reproductive toxicity - Assessment : - Fertility -  
Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

**Benzenesulfonic acid, di-C10-18-alkyl derivs., calcium salts:**

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction

### STOT - single exposure

**Product:**

Remarks : No data available

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 400 二硫化钼多用途高性能润滑脂

Version 1.8    Revision Date: 2024-07-04    Date of last issue: 2023-02-10  
Date of first issue: 2014-06-10    Print Date: 2024-07-04

---

### STOT - repeated exposure

**Product:**

Remarks : No data available

### Repeated dose toxicity

**Product:**

Remarks : This information is not available.

### Aspiration toxicity

**Product:**

This information is not available.

### Further information

**Product:**

Remarks : Information given is based on data on the components and the toxicology of similar products.

---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

**Product:**

Toxicity to fish :  
Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates :  
Remarks: No data available

Toxicity to algae/aquatic plants :  
Remarks: No data available

Toxicity to microorganisms :  
Remarks: No data available

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 400 二硫化钼多用途高性能润滑脂

Version 1.8      Revision Date: 2024-07-04      Date of last issue: 2023-02-10  
Date of first issue: 2014-06-10      Print Date: 2024-07-04

### Components:

#### **Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 51 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EL10 (Daphnia magna (Water flea)): 1.69 mg/l  
Exposure time: 21 d
- Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

#### **Benzenesulfonic acid, di-C10-18-alkyl derivs., calcium salts:**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- Toxicity to microorganisms : EC50 (activated sludge): > 10,000 mg/l  
Exposure time: 3 h  
Test Type: static test

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 400 二硫化钼多用途高性能润滑脂

Version 1.8      Revision Date: 2024-07-04      Date of last issue: 2023-02-10  
Date of first issue: 2014-06-10      Print Date: 2024-07-04

### Persistence and degradability

#### Product:

Biodegradability : Remarks: No data available

Physico-chemical  
removability : Remarks: No data available

#### Components:

##### **Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Biodegradability : aerobic  
Inoculum: activated sludge  
Result: Not rapidly biodegradable  
Biodegradation: 1 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
GLP: yes

##### **Benzenesulfonic acid, di-C10-18-alkyl derivs., calcium salts:**

Biodegradability : Result: Not readily biodegradable.

### Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: No data available

#### Components:

##### **Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): 1,730  
Exposure time: 42 d  
Remarks: Due to the distribution coefficient n-octanol/water,  
accumulation in organisms is possible.

Partition coefficient: n-  
octanol/water : log Pow: 5.2 - 10.82

##### **Benzenesulfonic acid, di-C10-18-alkyl derivs., calcium salts:**

Bioaccumulation : Bioconcentration factor (BCF): 70.8

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 400 二硫化钼多用途高性能润滑脂

Version 1.8      Revision Date: 2024-07-04      Date of last issue: 2023-02-10  
Date of first issue: 2014-06-10      Print Date: 2024-07-04

### Mobility in soil

#### Product:

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

### Other adverse effects

#### Product:

Additional ecological information : No information on ecology is available.

#### Components:

#### **Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Results of PBT and vPvB assessment : Non-classified PBT substance Non-classified vPvB substance

#### **Benzenesulfonic acid, di-C10-18-alkyl derivs., calcium salts:**

Results of PBT and vPvB assessment : Non-classified PBT substance Non-classified vPvB substance

---

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not dispose of with domestic refuse.  
Dispose of as hazardous waste in compliance with local and national regulations.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Dispose of waste product or used containers according to local regulations.

---

## 14. TRANSPORT INFORMATION

### International Regulations

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 400 二硫化钼多用途高性能润滑脂

Version 1.8      Revision Date: 2024-07-04      Date of last issue: 2023-02-10  
Date of first issue: 2014-06-10      Print Date: 2024-07-04

### UNRTDG

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable

### IATA-DGR

UN/ID No. : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Packing instruction (cargo aircraft) : Not applicable  
Packing instruction (passenger aircraft) : Not applicable

### IMDG-Code

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
EmS Code : Not applicable  
Marine pollutant : Not applicable

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### GB 6944/12268

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable

### Special precautions for user

Not applicable

## 15. REGULATORY INFORMATION

### National regulatory information

Law on the Prevention and Control of Occupational Diseases

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 400 二硫化钼多用途高性能润滑脂

Version 1.8      Revision Date: 2024-07-04      Date of last issue: 2023-02-10  
Date of first issue: 2014-06-10      Print Date: 2024-07-04

### Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : Not applicable

Hazardous Chemicals for Priority Management under SAWS : Not applicable

### Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals (2023) : Not applicable

### International Regulations

Montreal Protocol : Not applicable

Rotterdam Convention (Prior Informed Consent) : Not applicable

Stockholm Convention (Persistent Organic Pollutants) : Not applicable

### The components of this product are reported in the following inventories:

IECSC : On the inventory, or in compliance with the inventory

---

## 16. OTHER INFORMATION

Date format : yyyy/mm/dd

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
CN OEL : Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.

ACGIH / TWA : 8-hour, time-weighted average  
CN OEL / PC-TWA : Permissible concentration - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer;



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 400 二硫化钼多用途高性能润滑脂

Version 1.8      Revision Date: 2024-07-04      Date of last issue: 2023-02-10  
Date of first issue: 2014-06-10      Print Date: 2024-07-04

IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.