

Version	Revision Date:	Date of last issue: 09.02.2023	Print Date:
3.1	17.07.2023	Date of first issue: 11.06.2016	17.07.2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier		
	Product name	:	OKS 410
1.2	Relevant identified uses of th	ne s	substance or mixture and uses advised against
	Use of the Substance/Mixture	:	Grease
	Recommended restrictions on use	:	Restricted to professional users.
1.3	Details of the supplier of the	saf	ety data sheet
	Company	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com
	E-mail address of person responsible for the SDS	:	mcm@oks-germany.com Material Compliance Management
	National contact	:	
1.4	Emergency telephone number	ər	

Emergency telephone	:	+49 8142 3051 517
number		Warszawa: +48 22 619 66 54

# **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 12	72/2008)
Eye irritation, Category 2	H319: Causes serious eye irritation.
Long-term (chronic) aquatic hazard, Category 3	H412: Harmful to aquatic life with long lasting effects.





Version 3.1	Revision Date: 17.07.2023		ate of last issue: 09. ate of first issue: 11.	
2.2 Label	elements			
	Iling (REGULATION ( rd pictograms	EC)	No 1272/2008)	
Signa	l word	:	Warning	
Haza	rd statements	:	H319 H412	Causes serious eye irritation. Harmful to aquatic life with long lasting effects.
Preca	autionary statements	:	<b>Prevention:</b> P264 P273 P280	Wash skin thoroughly after handling. Avoid release to the environment. Wear eye protection/ face protection.
			<b>Response:</b> P305 + P351 + P3 P337 + P313	<ul> <li>IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>If eye irritation persists: Get medical advice/</li> </ul>

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

attention.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature

: lithium soap Mineral oil.





Version	Revision Date:	Date of last issue: 09.02.2023	Print Date:
3.1	17.07.2023	Date of first issue: 11.06.2016	17.07.2023

## Components

Components				
Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
zinc bis[O,O-bis(2- ethylhexyl)] bis(dithiophosphate)	4259-15-8 224-235-5 01-2119493635-27- XXXX	Eye Dam.1; H318 Aquatic Chronic2; H411	> 50 % Eye Dam.1, H318	>= 3 - < 10
Benzenamine, N- phenyl-, reaction products with 2,4,4- trimethylpentene	68411-46-1 270-128-1 01-2119491299-23- XXXX	Repr.2; H361f		>= 0,1 - < 1
Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts	939-603-7 01-2119978241-36- XXXX	Skin Sens.1B; H317	> 10 - 100 % Skin Sens.1B, H317	>= 0,1 - < 1
Substances with a work	l Inlaca avpacura limit :		I	
Substances with a work Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7 265-157-1 649-467-00-8 01-2119484627-25- XXXX	Not classified	Note L	>= 30 - < 50
Residual oils (petroleum), hydrotreated; Baseoil — unspecified	64742-57-0 265-160-8 649-470-00-4 01-2119489287-22- XXXX	Not classified	Note L	>= 20 - < 30





Versio 3.1	on Revision Da 17.07.2023		sue: 09.02.2023 sue: 11.06.2016		t Date: 07.2023
hydro	lates (petroleum), otreated heavy	64742-52-5 265-155-0	Not classified		>= 20 - < 30
	thenic; Baseoil — ecified	649-465-00-7 01-2119467170-45-		Note L	

	xxxx		
molybdenum disulphide	1317-33-5 215-263-9	Not classified	>= 1 - < 10

For explanation of abbreviations see section 16.

# **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

If inhaled	:	Obtain medical attention. Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respiration.
In case of skin contact	:	Take off all contaminated clothing immediately. Get medical attention immediately if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse. Wash off immediately with plenty of water.
In case of eye contact	:	Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. Seek medical advice.
If swallowed	:	Move the victim to fresh air. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. Do not induce vomiting without medical advice. Obtain medical attention. Never give anything by mouth to an unconscious person.





OKS 4	410
-------	-----

Version 3.1	Revision Date: 17.07.2023		e of last issue: 09.02.2023 e of first issue: 11.06.2016	Print Date: 17.07.2023
4.2 Most	important symptoms a	nd e	effects, both acute and delayed	
Sym	ptoms	:	No information available.	
Risks	8	:	None known.	
I.3 Indica	ation of any immediate	med	lical attention and special treatm	ent needed
Treat	tment	:	No information available.	
SECTIO	N 5: Firefighting mea	sur	es	
5.1 Exting	guishing media			
	guishing media Ible extinguishing media	:	Use water spray, alcohol-resistan carbon dioxide.	t foam, dry chemical or
Suita	ible extinguishing media			t foam, dry chemical or
Suita Unsu medi	ible extinguishing media	:	carbon dioxide. High volume water jet	t foam, dry chemical or

# 5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.
Further information	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Evacuate personnel to safe areas.
	Use the indicated respiratory protection if the occupational
	exposure limit is exceeded and/or in case of product release
	(dust).
	Do not breathe vapours, aerosols.
	Refer to protective measures listed in sections 7 and 8.





Version	Revision Date:	Date of last issue: 09.02.2023	Print Date:
3.1	17.07.2023	Date of first issue: 11.06.2016	17.07.2023

## 6.2 Environmental precautions

Environmental precautions

: Do not allow contact with soil, surface or ground water. If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Clean up promptly by sweeping or vacuum. Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling	:	Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not ingest. Do not repack. These safety instructions also apply to empty packaging which may still contain product residues. Keep container closed when not in use.
Hygiene measures	:	Wash face, hands and any exposed skin thoroughly after handling.

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.
---	---	--

## 7.3 Specific end use(s)

Specific use(s)

: Specific instructions for handling, not required.





Version	Revision Date:	Date of last issue: 09.02.2023	Print Date:
3.1	17.07.2023	Date of first issue: 11.06.2016	17.07.2023

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

## **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7	NDSMaximal Admissible Concentration (inhalable fraction)	5 mg/m3	PL OEL (2021-02-19)
Residual oils (petroleum), hydrotreated; Baseoil — unspecified	64742-57-0	NDSMaximal Admissible Concentration (inhalable fraction)	5 mg/m3	PL OEL (2021-02-19)
Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified	64742-52-5	NDSMaximal Admissible Concentration (inhalable fraction)	5 mg/m3	PL OEL (2021-02-19)
molybdenum disulphide	1317-33-5	NDSMaximal Admissible Concentration	4 mg/m3 (Molybdenum)	PL OEL (2018-07-07)
		NDSchMaximal Admissible Temporary Concentration	10 mg/m3 (Molybdenum)	PL OEL (2018-07-07)

## Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

	. ,	0 0	· ·	
Substance name	End Use	Exposure routes	Potential health effects	Value
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	Workers	Inhalation	Long-term local effects	5,58 mg/m3
	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,97 mg/kg
Residual oils (petroleum), hydrotreated; Baseoil — unspecified	Workers	Inhalation	Long-term systemic effects	2,7 mg/m3
	Workers	Inhalation	Acute systemic effects	5,6 mg/m3



## **SAFETY DATA SHEET** according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



# **OKS 410**

Version	Revision Date:
3.1	17.07.2023

Date of last issue: 09.02.2023 Date of first issue: 11.06.2016 Print Date: 17.07.2023

	Workers	Skin contact	Long-term systemic effects	1 mg/kg
Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified	Workers	Inhalation	Long-term local effects	5,58 mg/m3
	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,97 mg/kg
zinc bis[O,O-bis(2- ethylhexyl)] bis(dithiophosphate)	Workers	Inhalation	Long-term systemic effects	6,6 mg/m3
	Workers	Skin contact	Long-term systemic effects	9,6 mg/m3
Benzenamine, N- phenyl-, reaction products with 2,4,4- trimethylpentene	Workers	Skin contact	Long-term systemic effects	0,44 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	0,31 mg/m3
Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts	Workers	Inhalation	Long-term systemic effects	35,26 mg/m3
	Workers	Dermal	Long-term systemic effects	25 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Distillates (petroleum),	Oral	9,33 mg/kg
hydrotreated heavy paraffinic;		
Baseoil — unspecified		
Distillates (petroleum),	Oral	9,33 mg/kg
hydrotreated heavy naphthenic;		
Baseoil — unspecified		
zinc bis[O,O-bis(2-ethylhexyl)]	Fresh water	0,004 mg/l
bis(dithiophosphate)		
	Marine water	0,0046 mg/l
	Sewage treatment plant	3,8 mg/l
	Fresh water sediment	0,322 mg/l
	Marine sediment	0,032 mg/l
	Soil	0,062 mg/l
Benzenamine, N-phenyl-,	Fresh water	0,034 mg/l
reaction products with 2,4,4-		
trimethylpentene		
	Marine water	0,003 mg/l
	Fresh water sediment	0,446 mg/kg
	Marine sediment	0,045 mg/kg
	Soil	1,76 mg/kg





36739 mg/kg

# **OKS 410**

Ver 3.1	rsion Revision Date: 17.07.2023	 of last issue: 09.02.2023 of first issue: 11.06.2016	Print Date: 17.07.2023
		Sewage treatment plant	10 mg/l
		Intermittent use/release	0,51 mg/l
	Benzenesulfonic acid, d alkyl derivs., calcium sa	Fresh water	0,1 mg/l
		Marine water	0,1 mg/l
		Fresh water sediment	45211 mg/kg
		Marine sediment	45211 mg/kg
		Microbiological Activity in Sewage	1000 mg/l

Treatment Systems

## 8.2 Exposure controls

#### Engineering measures

Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Soil

Personal protective equipment	
Eye/face protection :	Safety glasses with side-shields
Break through time :	Nitrile rubber > 10 min Class 1
Remarks :	Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.
Skin and body protection :	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Respiratory protection :	Not required; except in case of aerosol formation.
Filter type :	Filter type P
Protective measures :	The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties



# **SAFETY DATA SHEET** according to Regulation (EC) No. 1907/2006 - PL

(Commission Regulation (EU) 2020/878)



# **OKS 410**

Version 3.1	Revision Date: 17.07.2023		of last issue: 09.02.2023 of first issue: 11.06.2016	Print Date: 17.07.2023
Phys	ical state	:	paste	
Colo	ur	:	black	
Odou	ır	:	characteristic	
Odou	ur Threshold	:	No data available	
Melti	ng point/range	:	No data available	
Boilir	ng point/boiling range	:	No data available	
Flam	mability (solid, gas)	:	Combustible Solids	
	er explosion limit / Upper mability limit	:	No data available	
	er explosion limit / Lower mability limit	:	No data available	
Flash	n point	:	Not applicable	
Auto	-ignition temperature	:	No data available	
Deco	omposition temperature	:	No data available	
рН		:	Not applicable substance/mixture is non-soluble (	in water)
Visco V	osity iscosity, dynamic	:	No data available	
V	iscosity, kinematic	:	Not applicable	
	bility(ies) /ater solubility	:	insoluble	
S	olubility in other solvents	; :	No data available	
	tion coefficient: n- nol/water	:	No data available	
Vapo	our pressure	:	< 0,001 hPa (20 °C)	
Rela	tive density	:	0,92 (20 °C) Reference substance: Water The value is calculated	





Version 3.1	Revision Date: 17.07.2023	Date of last issue: 09.02.2023Print Date:Date of first issue: 11.06.201617.07.2023					
Dens	sity	: 0,92 g/cm3 (20 °C)					
Bulk	density	: No data available					
Relative vapour density		: No data available					
	r <b>information</b> osives	: Not explosive					
Oxid	izing properties	: No data available					
Self-	ignition	: No data available					
Evap	poration rate	: No data available					
Subl	imation point	: No data available					

# **SECTION 10: Stability and reactivity**

<b>10.1 Reactivity</b> No hazards to be spo	ecially mentioned.
10.2 Chemical stability Stable under normal	conditions.
10.3 Possibility of hazar	dous reactions
Hazardous reactions	: No dangerous reaction known under conditions of normal use.
10.4 Conditions to avoid	I
Conditions to avoid	: No conditions to be specially mentioned.
10.5 Incompatible mater	ials
Materials to avoid	: No materials to be especially mentioned.
10.6 Hazardous decomp	osition products

No decomposition if stored and applied as directed.






Version	Revision Date:	Date of last issue: 09.02.2023	Print Date:
3.1	17.07.2023	Date of first issue: 11.06.2016	17.07.2023

## **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity		
Product: Acute inhalation toxicity	:	Remarks: This information is not available.
Acute dermal toxicity	:	Remarks: This information is not available.
Components:		
zinc bis[O,O-bis(2-ethylhexy	1)1	bis(dithiophosphate):
Acute oral toxicity		LD50 (Rat, male): 3.100 mg/kg Method: OECD Test Guideline 401 GLP: no
Acute dermal toxicity	:	LD50 (Rabbit, male): > 5.000 mg/kg Method: OECD Test Guideline 402 GLP: no
Benzenamine, N-phenyl-, rea	act	ion products with 2,4,4-trimethylpentene:
Acute oral toxicity	:	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401
Acute dermal toxicity	:	LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity
Benzenesulfonic acid, di-C1	0-1	4-alkyl derivs., calcium salts:
Acute oral toxicity		LD50 (Rat): $> 5.000 \text{ mg/kg}$
Acute inhalation toxicity	:	LC50 (Rat): > 1,9 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rat): > 2.000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity
Distillates (petroleum), hydro	otr	eated heavy paraffinic; Baseoil — unspecified:
Acute oral toxicity	:	LD50 (Rat): > 5.000 mg/kg





OKS 4	410			
Versior 3.1	n Revision Date: 17.07.2023		e of last issue: 09.02.2023 e of first issue: 11.06.2016	Print Date: 17.07.2023
			GLP: yes	
Ac	ute inhalation toxicity	:	LC50 (Rat): > 5,53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture h inhalation toxicity	nas no acute
Ac	cute dermal toxicity	:	LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 402	
Re	esidual oils (petroleum),	hydr	otreated; Baseoil — unspecified:	
Ac	cute oral toxicity	:	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401	
Ac	cute dermal toxicity	:	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 402	
Di	stillates (petroleum), hy	drotro	eated heavy naphthenic; Baseoil — uns	specified:
	cute oral toxicity		LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 GLP: yes	
Ac	ute inhalation toxicity	:	LC50 (Rat): > 5,53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 GLP: yes Assessment: The substance or mixture h inhalation toxicity	nas no acute
Ac	ute dermal toxicity	:	LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 402 GLP: yes	
m	olybdenum disulphide:			
	cute oral toxicity	:	LD50 (Rat): > 5.000 mg/kg	
Ac	cute dermal toxicity	:	LD50 (Rat): > 16.000 mg/kg	
Sk	in corrosion/irritation			
Pr	oduct:			
	emarks	:	This information is not available.	





Version	Revision Date:	Date of last issue: 09.02.2023	Print Date:
3.1	17.07.2023	Date of first issue: 11.06.2016	17.07.2023

#### **Components:**

#### zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate):

Species	:	Rabbit
Assessment	:	No skin irritation
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
GLP	:	yes

#### Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species	:	Rabbit
Assessment	:	No skin irritation
Result	:	No skin irritation

#### Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:

Assessment	:	No skin irritation
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

#### Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified:

:	Rabbit
:	No skin irritation
:	OECD Test Guideline 404
:	No skin irritation
:	yes
	:

#### Residual oils (petroleum), hydrotreated; Baseoil - unspecified:

Species	: Rabbit
Assessment	: No skin irritation
Method	: OECD Test Guideline 404
Result	: No skin irritation

## Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil - unspecified:

Species	: Rabbit
Assessment	: No skin irritation
Method	: OECD Test Guideline 404
Result	: No skin irritation

#### molybdenum disulphide:

Assessment	:	No skin irritation
Result	:	No skin irritation

#### Serious eye damage/eye irritation

## Product:

Remarks

: Irritating to eyes.





Version	Revision Date:	Date of last issue: 09.02.2023	Print Date:
3.1	17.07.2023	Date of first issue: 11.06.2016	17.07.2023

#### **Components:**

## zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate):

Species Assessment Method Result GLP	:	Rabbit Risk of serious damage to eyes. OECD Test Guideline 405 Risk of serious damage to eyes. yes
GLP	•	yes

## Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species	:	Rabbit
Assessment	:	No eye irritation
Result	:	No eye irritation

#### Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:

Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Result	:	No skin irritation

#### Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Species	:	Rabbit
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Result	:	No eye irritation
GLP	:	yes

#### Residual oils (petroleum), hydrotreated; Baseoil - unspecified:

:	Rabbit
:	No eye irritation
:	OECD Test Guideline 405
:	No eye irritation
	:

#### Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil - unspecified:

Species	:	Rabbit
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Result	:	No eye irritation
GLP	:	yes

#### molybdenum disulphide:

Assessment	:	No eye irritation
Result	:	No eye irritation





Version	Revision Date:	Date of last issue: 09.02.2023	Print Date:
3.1	17.07.2023	Date of first issue: 11.06.2016	17.07.2023

#### Respiratory or skin sensitisation

#### Product:

Remarks

: This information is not available.

#### **Components:**

#### zinc bis[0,0-bis(2-ethylhexyl)] bis(dithiophosphate):

Test Type :	Maximisation Test
Species :	Guinea pig
Assessment :	Did not cause sensitisation on laboratory animals.
Method :	OECD Test Guideline 406
Result :	Did not cause sensitisation on laboratory animals.
GLP :	yes

Benzenamine, N-phenyl-, r	reaction products with 2,4,4-	trimethylpentene:
---------------------------	-------------------------------	-------------------

#### Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:

Assessment	:	Probability or evidence of low to moderate skin sensitisation rate in humans
Result	:	Probability or evidence of low to moderate skin sensitisation rate in humans

#### Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.
GLP	:	yes

#### Residual oils (petroleum), hydrotreated; Baseoil — unspecified:

: Guinea pig	
: Does not cause skin se	sitisation.
: OECD Test Guideline 4	)6
: Does not cause skin se	sitisation.
: Does not cause respira	orv sensitisation.
•	
	nsitisation. ory sensitisation

#### Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil - unspecified:





Version 3.1	Revision Date: 17.07.2023	Date of last issue: 09.02.2023 Date of first issue: 11.06.2016	Print Date: 17.07.2023
Speci Asses Metho Resu	ssment od	<ul> <li>Guinea pig</li> <li>Does not cause skin sensitisa</li> <li>OECD Test Guideline 406</li> <li>Does not cause skin sensitisa</li> </ul>	
-	<b>bdenum disulphide:</b> ssment It	<ul><li>Does not cause skin sensitisa</li><li>Does not cause skin sensitisa</li></ul>	
Germ	n cell mutagenicity		
<u>Prod</u> Geno	uct: otoxicity in vitro	: Remarks: No data available	
Geno	otoxicity in vivo	: Remarks: No data available	
Com	ponents:		
Benz	enesulfonic acid, di	C10-14-alkyl derivs., calcium salts	:
Geno	otoxicity in vitro	: Test Type: Microbial mutager Test system: Salmonella type Metabolic activation: with and Method: OECD Test Guidelin Result: negative	nimurium
Disti	llates (petroleum), h	vdrotreated heavy naphthenic; Bas	seoil — unspecified:
	otoxicity in vitro	: Test Type: In vitro mammalia Test system: Chinese hamste Metabolic activation: with and Method: OECD Test Guidelin Result: negative	n cell gene mutation test er ovary cells d without metabolic activation
Geno	otoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Intraperito Method: OECD Test Guidelin Result: negative	neal injection
	n cell mutagenicity- ssment	: Tests on bacterial or mamma mutagenic effects.	lian cell cultures did not show
•	bdenum disulphide:		
	n cell mutagenicity- ssment	: Animal testing did not show a	any mutagenic effects.





sion	Revision Date: 17.07.2023		e of last issue: 09.02.2023 e of first issue: 11.06.2016	Print Date: 17.07.2023
Carci	nogenicity			
<u>Produ</u>	uct:			
Rema	arks	:	No data available	
<u>Comp</u>	oonents:			
Distil	lates (petroleum), h	nydrotr	eated heavy paraffinic; Baseoil —	unspecified:
	nogenicity - ssment	:	Not classifiable as a human carcin	ogen.
Resid	lual oils (petroleum	n), hydr	otreated; Baseoil — unspecified:	
	nogenicity - ssment	:	Not classifiable as a human carcin	ogen.
Distil	lates (petroleum), h	nydrotr	eated heavy naphthenic; Baseoil ·	— unspecified:
	nogenicity - ssment	:	Not classifiable as a human carcin	ogen.
molyl	bdenum disulphide	:		
	nogenicity - ssment	:	No evidence of carcinogenicity in a	animal studies.
Repro	oductive toxicity			
<u>Produ</u>				
Effect	ts on fertility	:	Remarks: No data available	
	ts on foetal opment	:	Remarks: No data available	
<u>Com</u>	oonents:			
			ion products with 2,4,4-trimethylp	entene:
	oductive toxicity - ssment	:		
			Some evidence of adverse effects fertility, based on animal experime	
Benz	enesulfonic acid, d	i-C10-1	4-alkyl derivs., calcium salts:	
	oductive toxicity -	:	- Fertility -	
A9268	ออเมษาแ		No toxicity to reproduction - Teratogenicity -	
			No toxicity to reproduction	





<b>OKS 41</b>	0			
Version 3.1	Revision Date: 17.07.2023		e of last issue: 09.02.2023 e of first issue: 11.06.2016	Print Date: 17.07.2023
Disti	llates (petroleum), hy	drotr	eated heavy paraffinic; Baseoil ·	— unspecified:
	oductive toxicity -	:	- Fertility -	
ASSE	ssment		No toxicity to reproduction	
Disti	llates (petroleum), hy	drotr	eated heavy naphthenic; Baseoi	I — unspecified:
	ts on foetal lopment	:	Species: Rat Application Route: Dermal General Toxicity Maternal: LOAE Teratogenicity: NOAEL: >= 2.000 Developmental Toxicity: NOAEL: > Method: OECD Test Guideline 4 Result: No effects on fertility and development were detected.	0 mg/kg body weight =>= 2.000 mg/kg body weight == 2.000 mg/kg body weight 14
•	oductive toxicity -	:	- Fertility -	
Asse	ssment		No toxicity to reproduction - Teratogenicity -	
			No toxicity to reproduction	
STO	T - single exposure			
<u>Prod</u> Rema		:	No data available	
Com	ponents:			
Disti	llates (petroleum), hy	ydrotr	eated heavy naphthenic; Baseo	I — unspecified:
Asse	ssment	:	The substance or mixture is not organ toxicant, single exposure.	classified as specific target
moly	bdenum disulphide:			
Asse	ssment	:	The substance or mixture is not organ toxicant, single exposure.	classified as specific target
STO	T - repeated exposur	е		
<u>Prod</u> Rema		:	No data available	
<u>Com</u>	ponents:			
	<b>llates (petroleum), hy</b> ssment	ydrotr :	eated heavy naphthenic; Baseo The substance or mixture is not o organ toxicant, repeated exposu	classified as specific target





/ersion 8.1	Revision Date: 17.07.2023	Date of last issue: 09.02.20 Date of first issue: 11.06.20	
moly	bdenum disulphide		
Asse	essment	: The substance or mixt organ toxicant, repeat	ure is not classified as specific target ed exposure.
Repe	eated dose toxicity		
Prod	luct:		
Rem	arks	: This information is not	available.
Aspi	ration toxicity		
Prod	luct:		
	information is not ava	able.	
Com	ponents:		
zinc	bis[0,0-bis(2-ethylh	exyl)] bis(dithiophosphate):	
	spiration toxicity class	• • • • • •	
	llatos (notroloum) h	drotreated heavy paraffinic	· Basaail — unspecified:
Dicti	nales (pelloleum). n	•••	, Baseon — unspecineu.
		ication	
	spiration toxicity class	ication	
No a <b>Resi</b>	spiration toxicity class	hydrotreated; Baseoil — u	nspecified:

No aspiration toxicity classification

#### 11.2 Information on other hazards

#### Endocrine disrupting properties

## Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **Further information**

## Product:

Remarks

: Information given is based on data on the components and the toxicology of similar products.





Version	Revision Date:	Date of last issue: 09.02.2023	Print Date:
3.1	17.07.2023	Date of first issue: 11.06.2016	17.07.2023

#### **Components:**

#### molybdenum disulphide:

Remarks	:	Information given is based on data on the components and
		the toxicology of similar products.

# **SECTION 12: Ecological information**

## 12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available
Components:		
zinc bis[0,0-bis(2-ethylhexy	I)]	bis(dithiophosphate):
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 4,4 mg/l Exposure time: 96 h Test Type: semi-static test

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 4,4 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 75 mg/l Exposure time: 48 h Test Type: Immobilization Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae/aquatic plants	:	ErC50 (Desmodesmus subspicatus (green algae)): 240 mg/l Exposure time: 72 h Test Type: Growth inhibition Method: OECD Test Guideline 201 GLP: yes
Toxicity to microorganisms	:	EC50 (Pseudomonas putida): 380 mg/l Exposure time: 16 h





OK	OKS 410				
Vers 3.1	ion	Revision Date: 17.07.2023		e of last issue: 09.02.2023 e of first issue: 11.06.2016	Print Date: 17.07.2023
				Test Type: static test GLP: yes	
	aquatio	y to daphnia and other invertebrates ic toxicity)	· :	NOEC: > 0,8 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211 GLP: yes Remarks: Information given is based o similar substances.	
	Benze	namine, N-phenyl-, r	eacti	on products with 2,4,4-trimethylpent	tene:
	Toxicit	y to fish	:	LC50 (Danio rerio (zebra fish)): > 100 Exposure time: 96 h Method: OECD Test Guideline 203	mg/l
		y to daphnia and other invertebrates	• :	EC50 (Daphnia magna (Water flea)): Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202	51 mg/l
	Toxicity plants	y to algae/aquatic	:	EC50 (Desmodesmus subspicatus (gr Exposure time: 72 h Method: OECD Test Guideline 201	reen algae)): > 100 mg/l
	Toxicit	y to microorganisms	:	EC50 (activated sludge): > 100 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209	
	aquatio	y to daphnia and other invertebrates ic toxicity)	• :	EL10: 1,69 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)	
	Benze	nesulfonic acid, di-C	10-1	4-alkyl derivs., calcium salts:	
	Toxicit	y to fish	:	LC50 (Oncorhynchus mykiss (rainbow Exposure time: 96 h Method: OECD Test Guideline 203	/ trout)): > 100 mg/l
		y to daphnia and other invertebrates	• :	(Daphnia magna (Water flea)): > 100 Exposure time: 48 h Method: OECD Test Guideline 202	mg/l
	Toxicity plants	y to algae/aquatic	:	NOELR (Desmodesmus subspicatus Exposure time: 72 h Method: OECD Test Guideline 201	(green algae)): 100 mg/l
				EL50 (Desmodesmus subspicatus (gr Exposure time: 72 h	een algae)): > 100 mg/l





OKS 41	10			
Version 3.1	Revision Date: 17.07.2023		e of last issue: 09.02.2023 e of first issue: 11.06.2016	Print Date: 17.07.2023
			Method: OECD Test Guideline 201	
Тохі	icity to microorganisms	:	EC50 (activated sludge): > 10.000 Exposure time: 3 h Method: OECD Test Guideline 209	
Dist	illates (petroleum), hyd	drotro	eated heavy paraffinic; Baseoil —	unspecified:
	icity to fish	:	LC50 (Pimephales promelas (fathe Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes	ad minnow)): > 100 mg/l
	icity to daphnia and othe atic invertebrates	r :	EC50 (Daphnia magna (Water flea) Exposure time: 48 h Test Type: Immobilization Method: OECD Test Guideline 202 GLP: yes	-
aqua	icity to daphnia and othe atic invertebrates ronic toxicity)	r :	NOEC: 10 mg/l Exposure time: 21 d Species: Daphnia magna (Water fle Test Type: semi-static test Method: OECD Test Guideline 211 GLP: yes	
Res	idual oils (petroleum).	hvdr	otreated; Baseoil — unspecified:	
	icity to fish	:	LC50 (Pimephales promelas (fathe Exposure time: 96 h Test Type: static test	ad minnow)): > 100 mg/l
	icity to daphnia and othe atic invertebrates	r:	EC50 (Daphnia magna (Water flea Exposure time: 48 h Test Type: Immobilization	)): > 10.000 mg/l
Dist	illates (petroleum), hyd	drotro	eated heavy naphthenic; Baseoil -	– unspecified:
	icity to fish	:	LC50 (Pimephales promelas (fathe Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes	ad minnow)): > 100 mg/l
	icity to daphnia and othe atic invertebrates	r :	EC50 (Daphnia magna (Water flea Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202	-
Toxi plan	icity to algae/aquatic its	:	LC50 (Pseudokirchneriella subcapi mg/l	tata (green algae)): > 100
				a brand of





UN3 410				
Version 3.1	Revision Date: 17.07.2023		e of last issue: 09.02.2023 e of first issue: 11.06.2016	Print Date: 17.07.2023
			Exposure time: 72 h Method: OECD Test Guideline 201	
Toxicit toxicity	y to fish (Chronic /)	:	NOELR: >= 1.000 mg/l Exposure time: 28 d Species: Oncorhynchus mykiss (rainb Remarks: The value is calculated	ow trout)
aquatio	y to daphnia and other c invertebrates nic toxicity)	r :	NOELR: 10 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Test Type: Reproduction Test Method: OECD Test Guideline 211	
molvb	denum disulphide:			
-	y to fish	:	LC50 (Pimephales promelas (fathead Exposure time: 96 h	minnow)): > 100 mg/l
	y to daphnia and other c invertebrates	r:	EC50 (Daphnia magna (Water flea)): Exposure time: 48 h	> 100 mg/l
Toxicit plants	y to algae/aquatic	:	EC50 (Pseudokirchneriella subcapitat mg/l Exposure time: 72 h	a (green algae)): > 100

#### 12.2 Persistence and degradability

Product:	
<b>Diodogradability</b>	

Biodegradability	:	Remarks: No data available
Physico-chemical removability	:	Remarks: No data available

#### **Components:**

# zinc bis[0,0-bis(2-ethylhexyl)] bis(dithiophosphate):

Biodegradability :	Result: Not rapidly biodegradable Biodegradation: < 5 % Exposure time: 27 d Method: OECD Test Guideline 301D GLP: no
--------------------	--

## Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Biodegradability	: Test Type: aerobic		
		Inoculum: activated sludge	
		Result: Not rapidly biodegradable	
		Biodegradation: 1 %	
		Exposure time: 28 d	





<b>OKS 41</b>	1		
01341	)		
Version 3.1	Revision Date: 17.07.2023	Date of last issue: 09.02.2023 Date of first issue: 11.06.2016	Print Date: 17.07.2023
		Method: OECD Test Guideline 301 GLP: yes	В
Benz	enesulfonic acid. di	-C10-14-alkyl derivs., calcium salts:	
	gradability	<ul> <li>Result: Not readily biodegradable.</li> <li>Biodegradation: 8 %</li> <li>Exposure time: 28 d</li> <li>Method: OECD Test Guideline 301</li> </ul>	D
Distil	lates (petroleum), h	ydrotreated heavy paraffinic; Baseoil —	unspecified:
	gradability	: Test Type: aerobic Inoculum: activated sludge Result: Not rapidly biodegradable Biodegradation: 3 % Exposure time: 28 d Method: OECD Test Guideline 301 GLP: yes	-
Resid	lual oils (netroleum	), hydrotreated; Baseoil — unspecified:	
	gradability	: Result: Not rapidly biodegradable	
	<b>lates (petroleum), h</b> gradability	ydrotreated heavy naphthenic; Baseoil - : Test Type: aerobic Inoculum: activated sludge Result: Not rapidly biodegradable Biodegradation: 3 % Exposure time: 28 d Method: OECD Test Guideline 301 GLP: yes	
12.3 Bioa	ccumulative potenti	al	
Prod	-		
	cumulation	: Remarks: This mixture contains no be persistent, bioaccumulating and This mixture contains no substance persistent and very bioaccumulating	l toxic (PBT). e considered to be very
<u>Com</u>	oonents:		
zinc l	ois[0,0-bis(2-ethylh	exyl)] bis(dithiophosphate):	
Partiti	ion coefficient: n- ol/water	: log Pow: 3,59 (22 °C) pH: 5 Method: OECD Test Guideline 107 GLP: yes	7





<b>OKS 41</b>	0			
Version 3.1	Revision Date: 17.07.2023		e of last issue: 09.02.2023 e of first issue: 11.06.2016	Print Date: 17.07.2023
Benz	enamine, N-phenyl-	, react	ion products with 2,4,4-trimethy	/lpentene:
Bioad	ccumulation	:	Species: Cyprinus carpio (Carp) Exposure time: 42 d Bioconcentration factor (BCF): 1 Remarks: Due to the distribution accumulation in organisms is po	.730 coefficient n-octanol/water,
	ion coefficient: n- nol/water	:	log Pow: > 6	
Benz	enesulfonic acid, di	i-C10-1	4-alkyl derivs., calcium salts:	
Bioad	ccumulation	:	Bioconcentration factor (BCF): 7	70,8
	ion coefficient: n- nol/water	:	log Pow: 26,22 (20 °C)	
Disti	llates (petroleum), h	vdrotr	eated heavy paraffinic; Baseoil	- unspecified:
Partit	ion coefficient: n- nol/water	:	log Pow: > 2	
12.4 Mob	ility in soil			
<u>Prod</u> Mobi		:	Remarks: No data available	
	bution among onmental compartme	: ents	Remarks: No data available	
12.5 Resu	ults of PBT and vPvI	B asse	ssment	
Prod	uct:			
Asse	ssment	:	This substance/mixture contains to be either persistent, bioaccur very persistent and very bioaccu 0.1% or higher.	nulative and toxic (PBT), or
<u>Com</u>	ponents:			
zinc	bis[O,O-bis(2-ethylh	nexyl)]	bis(dithiophosphate):	
Asse	ssment	:	Non-classified PBT substance.	Non-classified vPvB substance
Benz	enamine, N-phenyl-	, react	ion products with 2,4,4-trimethy	/lpentene:
	ssment	:		•
Disti	llates (petroleum), h	ydrotr	eated heavy paraffinic; Baseoil	— unspecified:
	ssment	:	Non-classified vPvB substance.	•
			26 / 32	a brand of





Version	Revision Date:	Date of last issue: 09.02.2023	Print Date:
3.1	17.07.2023	Date of first issue: 11.06.2016	17.07.2023

## Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified:

• ·			
Assessment	•	Non-classified PBT substance	. Non-classified vPvB substance

#### 12.6 Endocrine disrupting properties

Product:	
Assessment	: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7 Other adverse effects	
Product:	
Additional ecological information	: Harmful to aquatic life with long lasting effects.

# **SECTION 13: Disposal considerations**

13.1 Waste treatment methods	
Product :	The product should not be allowed to enter drains, water courses or the soil. Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
	Waste codes should be assigned by the user based on the application for which the product was used.
Contaminated packaging :	Packaging that is not properly emptied must be disposed of as the unused product. Dispose of waste product or used containers according to local regulations.
	The following Waste Codes are only suggestions:
Waste Code :	used product, unused product 12 01 12*, spent waxes and fats
	uncleaned packagings 15 01 10*, packaging containing residues of or contaminated by hazardous substances





Version	Revision Date:	Date of last issue: 09.02.2023	Print Date:
3.1	17.07.2023	Date of first issue: 11.06.2016	17.07.2023

#### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

	ADN	:	Not regulated as a dangerous good
	ADR	:	Not regulated as a dangerous good
	RID	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.2	2 UN proper shipping name		
	ADN	:	Not regulated as a dangerous good
	ADR	:	Not regulated as a dangerous good
	RID	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.:	3 Transport hazard class(es)		
	ADN	:	Not regulated as a dangerous good
	ADR	:	Not regulated as a dangerous good
	RID	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.4	4 Packing group		
	ADN	:	Not regulated as a dangerous good
	ADR	:	Not regulated as a dangerous good
	RID	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	IATA (Cargo)	:	Not regulated as a dangerous good
	IATA (Passenger)	:	Not regulated as a dangerous good
14.	5 Environmental hazards		
	ADN	:	Not regulated as a dangerous good
	ADR	:	Not regulated as a dangerous good
	RID	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good





Version	Revision Date:	Date of last issue: 09.02.2023	Print Date:
3.1	17.07.2023	Date of first issue: 11.06.2016	17.07.2023

## 14.6 Special precautions for user

Not applicable

#### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: Number on list 75 This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).	
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)	:		
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009)	:	Not applicable	
Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP)	:	Not applicable	
Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals (EU PIC)	:	Not applicable	
Regulation (EU) 2019/1148 on the marketing and use of explosives precursors	:	Not applicable	
Seveso III: Directive 2012/18/EU of the European 34 Parliament and of the Council on the control of major-accident hazards involving dangerous substances.		Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and	





Version	Revision Date:	Date of last issue: 09.02.2023	Print Date:
3.1	17.07.2023	Date of first issue: 11.06.2016	17.07.2023
			environmental hazards as the products referred to in points (a) to (d)

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable

#### Other regulations:

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments). Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (consolidated text, Journal of Laws 2016 no. 0 item 1488) Act of 14 December 2012, on Waste (Journal of Laws of 2013, pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of February 15, 2021 on the entry into force of amendments to Annexes A and B to Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), drawn up in Geneva on September 30, 1957 (Journal of Laws 202 poz.874 as amended)

Act of July 29, 2005 on drug addiction prevention (Journal of Laws of 2005, No. 179, item 1485, with later amendments)





Version	Revision Date:	Date of last issue: 09.02.2023	Print Date:
3.1	17.07.2023	Date of first issue: 11.06.2016	17.07.2023

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

#### 15.2 Chemical safety assessment

This information is not available.

## **SECTION 16: Other information**

#### Full text of H-Statements

H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H361f	:	Suspected of damaging fertility.
H411	:	Toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

Note L :		The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method"Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.
PL OEL	:	Poland. Occupational exposure limits for airborne toxic substances
PL OEL / NDS PL OEL / NDSch		Maximal Admissible Concentration Maximal Admissible Temporary Concentration

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -





Version	Revision Date:	Date of last issue: 09.02.2023	Print Date:
3.1	17.07.2023	Date of first issue: 11.06.2016	17.07.2023

International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

## Further information

Classification of the mixtu	Classification procedure:	
Eye Irrit. 2	H319	Calculation method
Aquatic Chronic 3	H412	Calculation method

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

