according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



### **OKS 420**

Version	Revision Date:	Date of last issue: 03.12.2021	Print Date:
4.0	08.12.2022	Date of first issue: 06.07.2016	08.12.2022

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Product name	:	OKS 420
1.2 Relevant identified uses of t	the s	substance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	Grease
Recommended restrictions on use	:	Restricted to professional users.
1.3 Details of the supplier of the	e saf	ety data sheet
Company	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com
E-mail address of person responsible for the SDS	:	mcm@oks-germany.com Material Compliance Management
National contact	:	
1.4 Emergency telephone numb	ber	
Emergency telephone num- ber		+33 1 45 42 59 59
SECTION 2: Hazards identified	catio	on

## 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

### **Additional Labelling**

EUH210 Safety data sheet available on request.



according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



### **OKS 420**

Version	Revision Date:	Date of last issue: 03.12.2021	Print Date:
4.0	08.12.2022	Date of first issue: 06.07.2016	08.12.2022

EUH208 Contains Condensation products of fatty acids, tall oil with 2-amino-2ethylpropanediol; Molybdenum trioxide, reaction products with bis[O,O-bis(2ethylhexyl)] hydrogen dithiophosphate. May produce an allergic reaction.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

5

#### 3.2 Mixtures

Chemical nature

Mineral oil. polyurea

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concen- tration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
reaction product of diphenylme- thanediisocyanate, octylamine and oleylamine (molar ratio1:1.86:0.14)	430-930-6 01-0000017717-62- 0001 01-0000017717-62- 0000 01-0000017717-62- 0002	Aquatic Chronic4; H413		>= 10 - < 20
Condensation prod- ucts of fatty acids, tall oil with 2-amino-2- ethylpropanediol	946-010-7	Skin Sens.1; H317		>= 0,1 - < 1



according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



### **OKS 420**

Version 4.0	Revision Da 08.12.2022		issue: 03.12.2021 issue: 06.07.2016	Print I 08.12	
		01-2120770934-44- XXXX			
reaction p bis[0,0-b	num trioxide, products with pis(2- d)] hydrogen	947-946-9	Skin Irrit.2; H315 Skin Sens.1B; H317 Aquatic Chronic4;		>= 0,25 - < 1
dithiopho		01-2120772600-59- XXXX	H413		

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respiration. In case of skin contact Take off all contaminated clothing immediately. Wash off immediately with soap and plenty of water. Get medical attention immediately if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse. In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. If eye irritation persists, consult a specialist. If swallowed Move the victim to fresh air. : If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. 4.2 Most important symptoms and effects, both acute and delayed Symptoms : Allergic appearance

Risks : May cause an allergic skin reaction.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment	:	The first aid procedure should be established in consultation
-----------	---	---

according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



### **OKS 420**

5.2

Version	Revision Date:	Date of last issue: 03.12.2021	Print Date:
4.0	08.12.2022	Date of first issue: 06.07.2016	08.12.2022

with the doctor responsible for industrial medicine.

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide.
Unsuitable extinguishing media	:	High volume water jet
Special hazards arising from	the	e substance or mixture
Hazardous combustion prod- ucts	:	Carbon oxides Nitrogen oxides (NOx) Oxides of phosphorus Metal oxides

### 5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposi- tion products may be a hazard to health.
Further information	:	Standard procedure for chemical fires.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	<ul> <li>Evacuate personnel to safe areas.</li> <li>Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust).</li> <li>Do not breathe vapours, aerosols.</li> <li>Refer to protective measures listed in sections 7 and 8.</li> </ul>
6.2 Environmental precautions	
Environmental precautions	<ul> <li>Try to prevent the material from entering drains or water courses.</li> <li>Local authorities should be advised if significant spillages cannot be contained.</li> </ul>

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Clean up promptly by sweeping or vacuum.
		Keep in suitable, closed containers for disposal.



according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



### **OKS 420**

Version	Revision Date:	Date of last issue: 03.12.2021	Print Date:
4.0	08.12.2022	Date of first issue: 06.07.2016	08.12.2022

### 6.4 Reference to other sections

For personal protection see section 8.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Advice on safe handling	<ul> <li>Avoid contact with skin and eyes.</li> <li>For personal protection see section 8.</li> <li>Persons with a history of skin sensitisation problems or asth-</li> </ul>
	ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
	Smoking, eating and drinking should be prohibited in the ap- plication area.
	Wash hands and face before breaks and immediately after handling the product.
	Do not get in eyes or mouth or on skin.
	Do not get on skin or clothing.
	Do not ingest.
	Do not repack.
	These safety instructions also apply to empty packaging which may still contain product residues.
	Keep container closed when not in use.
Hygiene measures	: Wash face, hands and any exposed skin thoroughly after handling.
7.2 Conditions for safe storage, in	ncluding any incompatibilities
•	: Store in original container. Keep container closed when not in

Requirements for storage	Store in original container. Keep container closed when not in
areas and containers	use. Keep in a dry, cool and well-ventilated place. Containers
	which are opened must be carefully resealed and kept upright
	to prevent leakage. Store in accordance with the particular
	national regulations. Keep in properly labelled containers.

### 7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
residual oils (petrole- um), hydrotreated	Workers	Inhalation	Long-term systemic effects	2,7 mg/m3



according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



### **OKS 420**

Version	
4.0	

Revision Date: 08.12.2022

Date of last issue: 03.12.2021 Date of first issue: 06.07.2016 Print Date: 08.12.2022

	Workers	Inhalation	Acute systemic ef- fects	5,6 mg/m3
	Workers	Skin contact	Long-term systemic effects	1 mg/kg
Condensation prod- ucts of fatty acids, tall oil with 2-amino-2- ethylpropanediol	Workers	Dermal	Long-term systemic effects	8,33 mg/kg bw/day
Molybdenum trioxide, reaction products with bis[O,O-bis(2- ethylhexyl)] hydrogen dithiophosphate	Workers	Inhalation	Long-term systemic effects	4,93 mg/m3
	Workers	Dermal	Long-term systemic effects	1,4 mg/kg bw/day

### 8.2 Exposure controls

### Engineering measures

none

# Personal protective equipment

i eisonai protective equipment				
Eye protection :	Safety glasses with side-shields			
Hand protection Material : Break through time : Protective index :	Nitrile rubber > 10 min Class 1			
Remarks :	Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. The selected protective gloves have to satisfy the specifica- tions of Regulation (EU) 2016/425 and the standard EN 374 derived from it.			
Skin and body protection :	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.			
Respiratory protection :	Not required; except in case of aerosol formation.			
Filter type :	Filter type P			
Protective measures :	The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.			



according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



### **OKS 420**

Version	Revision Date:	Date of last issue: 03.12.2021	Print Date:
4.0	08.12.2022	Date of first issue: 06.07.2016	08.12.2022

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

-	Physical state	:	paste
	Colour	:	beige
	Odour	:	characteristic
	Odour Threshold	:	No data available
	Melting point/range	:	No data available
	Boiling point/boiling range	:	No data available
	Flammability (solid, gas)	:	Combustible Solids
	Upper explosion limit / Upper flammability limit	:	No data available
	Lower explosion limit / Lower flammability limit	:	No data available
	Flash point	:	Not applicable
	Auto-ignition temperature	:	No data available
	Decomposition temperature	:	No data available
	рН	:	Not applicable substance/mixture is non-soluble (in water)
	Viscosity Viscosity, dynamic	:	No data available
	Viscosity, kinematic	:	Not applicable
	Solubility(ies) Water solubility	:	insoluble
	Solubility in other solvents	:	No data available
	Partition coefficient: n- octanol/water	:	No data available
	Vapour pressure	:	< 0,001 hPa (20 °C)
	Relative density	:	0,900 (20 °C)
			- h



according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



### **OKS 420**

Version 4.0	Revision Date: 08.12.2022	Date of last issue: 03.12.2021 Date of first issue: 06.07.2016	Print Date: 08.12.2022
		Reference substance: Water The value is calculated	
Der	nsity	: 0,90 g/cm3 (20 °C)	
Bull	< density	: No data available	
Rela	ative vapour density	: No data available	
9.2 Other information			
Exp	losives	: Not explosive	
Oxi	dizing properties	: No data available	
Self	-ignition	: No data available	
Eva	poration rate	: No data available	
Sub	limation point	: No data available	

### **SECTION 10: Stability and reactivity**

<b>10.1 Reactivity</b> No hazards to be specially mentioned.
10.2 Chemical stability
Stable under normal conditions.
10.3 Possibility of hazardous reactions
Hazardous reactions : No dangerous reaction known under conditions of normal use.
10.4 Conditions to avoid
Conditions to avoid : No conditions to be specially mentioned.
10.5 Incompatible materials
Materials to avoid : No materials to be especially mentioned.
10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.



according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



### **OKS 420**

Version	Revision Date:	Date of last issue: 03.12.2021	Print Date:
4.0	08.12.2022	Date of first issue: 06.07.2016	08.12.2022

### **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008				
Acute toxicity				
Product:				
Acute inhalation toxicity	:	Remarks: This information is not available.		
Acute dermal toxicity	:	Symptoms: Redness, Local irritation		
Components:				
reaction product of dipheny tio1:1.86:0.14):	Ime	ethanediisocyanate, octylamine and oleylamine (molar ra-		
Acute oral toxicity	:	LD50 (Rat): > 2.000 mg/kg Method: Directive 67/548/EEC, Annex V, B.1. GLP: yes		
Acute dermal toxicity	:	LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402 GLP: yes		
Condensation products of f	att.	y acids, tall oil with 2-amino-2-ethylpropanediol:		
Acute oral toxicity	:	LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 425 Assessment: The substance or mixture has no acute oral tox- icity		
Acute dermal toxicity	:	LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity		
Molybdenum trioxide, reacti phosphate:	ion	products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithio-		
Acute dermal toxicity	:	Symptoms: Redness, Local irritation		
Skin corrosion/irritation				
Product:				
Remarks	:	This information is not available.		
Components:				
reaction product of dipheny tio1:1.86:0.14):	Ime	ethanediisocyanate, octylamine and oleylamine (molar ra-		
Species	:	Rabbit		
Assessment	:	No skin irritation		



according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



### **OKS 420**

sion	Revision Date: 08.12.2022	Date of last issue: 03.12.2021 Date of first issue: 06.07.2016	Print Date: 08.12.2022
Meth Resu GLP		<ul> <li>OECD Test Guideline 404</li> <li>No skin irritation</li> <li>yes</li> </ul>	
Conc	lensation products	of fatty acids, tall oil with 2-amino-2-e	thylpropanediol:
Spec		: reconstructed human epidermis	s (RhE)
Asse: Resu	ssment It	<ul><li>No skin irritation</li><li>No skin irritation</li></ul>	
	bdenum trioxide, re phate:	eaction products with bis[O,O-bis(2-et	hylhexyl)] hydrogen dithi
-	ssment	<ul><li>Irritating to skin.</li><li>Irritating to skin.</li></ul>	
Rema	arks	: Irritating to skin.	
Serio	ous eye damage/eye	irritation	
Prod	uct:		
Rema	arks	: This information is not available	
Rema	arks ponents:	: I his information is not available	
Rema <u>Com</u> react	ponents:	: This information is not available enylmethanediisocyanate, octylamine	
Rema Com react tio1:	ponents: ion product of diph 1.86:0.14): ies	<b>enylmethanediisocyanate, octylamine</b> : Rabbit	
Rema Com react tio1: Spec Asses	ponents: ion product of diph 1.86:0.14): ies ssment	enylmethanediisocyanate, octylamine : Rabbit : No eye irritation	
Rema Com react tio1: Spec Asses Metho	ponents: ion product of diph 1.86:0.14): ies ssment od	enylmethanediisocyanate, octylamine : Rabbit : No eye irritation : OECD Test Guideline 405	
Rema Com react tio1: Spec Asses	ponents: ion product of diph 1.86:0.14): ies ssment od	enylmethanediisocyanate, octylamine : Rabbit : No eye irritation	
Rema Com react tio1: Spec Asses Metho Resu GLP	ponents: ion product of diph 1.86:0.14): ies ssment od It	enylmethanediisocyanate, octylamine : Rabbit : No eye irritation : OECD Test Guideline 405 : No eye irritation	e and oleylamine (molar ra
Rema Com react tio1: Spec Asses Metho Resu GLP	ponents: ion product of diph 1.86:0.14): ies ssment od It <b>lensation products</b>	enylmethanediisocyanate, octylamine : Rabbit : No eye irritation : OECD Test Guideline 405 : No eye irritation : yes	e and oleylamine (molar ra
Rema Com react tio1: Spec Asses Methor Resu GLP Conc Spec Asses	ponents: ion product of diph 1.86:0.14): ies ssment od It <b>lensation products</b> ies ssment	enylmethanediisocyanate, octylamine : Rabbit : No eye irritation : OECD Test Guideline 405 : No eye irritation : yes of fatty acids, tall oil with 2-amino-2-e : Rabbit : No eye irritation	e and oleylamine (molar ra
Rema Com react tio1: Spec Asses Methor Resu GLP Conc Spec	ponents: ion product of diph 1.86:0.14): ies ssment od It <b>lensation products</b> ies ssment	enylmethanediisocyanate, octylamine Rabbit No eye irritation OECD Test Guideline 405 No eye irritation yes of fatty acids, tall oil with 2-amino-2-e Rabbit	e and oleylamine (molar ra
Rema Rema react tio1: Spec Asses Methor Resu GLP Conc Spec Asses Resu Moly	ponents: ion product of diph 1.86:0.14): ies ssment od It densation products ies ssment It	enylmethanediisocyanate, octylamine : Rabbit : No eye irritation : OECD Test Guideline 405 : No eye irritation : yes of fatty acids, tall oil with 2-amino-2-e : Rabbit : No eye irritation	e and oleylamine (molar ra
Rema Rema react tio1:' Spec Asses Methor Resu GLP Conc Spec Asses Resu Moly phos	ponents: ion product of diph 1.86:0.14): ies ssment od It densation products ies ssment It bdenum trioxide, re	enylmethanediisocyanate, octylamine Rabbit No eye irritation OECD Test Guideline 405 No eye irritation yes of fatty acids, tall oil with 2-amino-2-e Rabbit No eye irritation No eye irritation No eye irritation	e and oleylamine (molar ra
Rema Rema react tio1:' Spec Asses Methor Resu GLP Conc Spec Asses Resu Moly phos	ponents: ion product of diph 1.86:0.14): ies ssment od It densation products ies ssment It bdenum trioxide, re phate: ssment	enylmethanediisocyanate, octylamine Rabbit No eye irritation OECD Test Guideline 405 No eye irritation yes of fatty acids, tall oil with 2-amino-2-e Rabbit No eye irritation No eye irritation No eye irritation No eye irritation	e and oleylamine (molar ra
Rema Rema react tio1: Spec Asses Methor Resu GLP Conce Spec Asses Resu Moly phos Asses Resu	ponents: ion product of diph 1.86:0.14): ies ssment od It densation products ies ssment It bdenum trioxide, re phate: ssment	<ul> <li>enylmethanediisocyanate, octylamine</li> <li>Rabbit</li> <li>No eye irritation</li> <li>OECD Test Guideline 405</li> <li>No eye irritation</li> <li>yes</li> <li>of fatty acids, tall oil with 2-amino-2-ee</li> <li>Rabbit</li> <li>No eye irritation</li> </ul>	e and oleylamine (molar ra
Rema Rema react tio1: Spec Asses Methor Resu GLP Conce Spec Asses Resu Moly phos Asses Resu	ponents: ion product of diph 1.86:0.14): ies ssment od It densation products ies ssment It bdenum trioxide, re phate: ssment It iratory or skin sens uct:	<ul> <li>enylmethanediisocyanate, octylamine</li> <li>Rabbit</li> <li>No eye irritation</li> <li>OECD Test Guideline 405</li> <li>No eye irritation</li> <li>yes</li> <li>of fatty acids, tall oil with 2-amino-2-ee</li> <li>Rabbit</li> <li>No eye irritation</li> </ul>	e and oleylamine (molar ra ethylpropanediol: hylhexyl)] hydrogen dithi



according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



### **OKS 420**

Version	Revision Date:	Date of last issue: 03.12.2021	Print Date:
4.0	08.12.2022	Date of first issue: 06.07.2016	08.12.2022

#### **Components:**

reaction product of diphenylmethanediisocyanate, octylamine and oleylamine (molar ratio1:1.86:0.14):

:	Maximisation Test Guinea pig OECD Test Guideline 406 Does not cause skin sensitisation.
	yes
	:

#### Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Assessment	:	May cause sensitisation by skin contact.
Result	:	May cause sensitisation by skin contact.

### Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate:

Assessment	:	The product is a skin sensitiser, sub-category 1B.
Result	:	The product is a skin sensitiser, sub-category 1B.

### Germ cell mutagenicity

#### Product:

Genotoxicity in vitro	:	Remarks: No data available
Genotoxicity in vivo	:	Remarks: No data available

#### **Components:**

reaction product of dipheny tio1:1.86:0.14):	/lme	ethanediisocyanate, octylamine and oleylamine (molar ra-
Genotoxicity in vitro	:	Test Type: Chromosome aberration test in vitro Result: negative

### Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

· · · · ·	-	
Genotoxicity in vitro	:	Remarks: In vitro tests did not show mutagenic effects

### Carcinogenicity

Product:

Remarks

: No data available

### **Reproductive toxicity**

#### Product:

Effects on fertility	:	Remarks: No data available
Effects on foetal develop-	:	Remarks: No data available



according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



### **OKS 420**

Version	Revision Date:	Date of last issue: 03.12.2021	Print Date:
4.0	08.12.2022	Date of first issue: 06.07.2016	08.12.2022

ment

#### **Components:**

Condensation products of	fatty acids, tall oil with 2-amino-2-ethylpropanediol:
Reproductive toxicity - As-	: - Fertility -
sessment	Animal testing did not show any effects on fertility.

#### Repeated dose toxicity

### Product:

Remarks

: This information is not available.

#### Aspiration toxicity

### Product:

This information is not available.

### 11.2 Information on other hazards

#### Endocrine disrupting properties

### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **Further information**

#### Product:

Remarks

: Information given is based on data on the components and the toxicology of similar products.

### Components:

Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate: Remarks : Ingestion causes irritation of upper respiratory system and

: Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance.



according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



### **OKS 420**

Version	Revision Date:	Date of last issue: 03.12.2021	Print Date:
4.0	08.12.2022	Date of first issue: 06.07.2016	08.12.2022

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available

#### **Components:**

reaction product of diphenyle tio1:1.86:0.14):	me	ethanediisocyanate, octylamine and oleylamine (molar ra-	
Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes	
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Test Type: Immobilization Method: OECD Test Guideline 202 GLP: yes	
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Test Type: Growth inhibition Method: OECD Test Guideline 201 GLP: yes	
Toxicity to microorganisms	:	EC50 (Bacteria): > 1.000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209 GLP: yes	
Molybdenum trioxide, reaction phosphate:	on	products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithio-	
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h	



GLP: yes

Test Type: semi-static test

Method: OECD Test Guideline 203

according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



# 01/0 400

<b>OKS 420</b>	)				
Version 4.0	Revision Date: 08.12.2022		e of last issue: 03.12.2021 e of first issue: 06.07.2016	Print Date: 08.12.2022	
			Remarks: May cause long-term a environment.	adverse effects in the aquatic	
	ity to daphnia and other ic invertebrates	• :	EC50 (Daphnia magna (Water fle Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 20 GLP: yes		
	Toxicity to algae/aquatic : plants		EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes		
12.2 Persi	stence and degradabi	ility			
<u>Produ</u> Biode	<u>uct:</u> gradability	:	Remarks: No data available		
Physi ity	co-chemical removabil-	:	Remarks: No data available		
<u>Comp</u>	oonents:				
	ion product of diphen .86:0.14):	ylme	ethanediisocyanate, octylamine a	and oleylamine (molar ra-	
Biode	gradability	:	Test Type: Primary biodegradatic Inoculum: activated sludge Result: Not rapidly biodegradable Biodegradation: 10 % Exposure time: 28 d Method: OECD Test Guideline 30 GLP: yes	9	

### Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Biodegradability	:	Result: Not rapidly	v biodegradable
Diodogradability	•	riouan. riot rapiar	y bioacgraaabic

### Molybdenum trioxide, reaction products with bis[0,0-bis(2-ethylhexyl)] hydrogen dithiophosphate:

Biodegradability	:	Result: Not rapidly biodegradable
		Biodegradation: 11 %
		Exposure time: 28 d
		Method: OECD Test Guideline 301B



according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



### **OKS 420**

Version	Revision Date:	Date of last issue: 03.12.2021	Print Date:
4.0	08.12.2022	Date of first issue: 06.07.2016	08.12.2022

#### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation	: Remarks: This mixture contains no substance considered to
	be persistent, bioaccumulating and toxic (PBT).
	This mixture contains no substance considered to be very
	persistent and very bioaccumulating (vPvB).

#### **Components:**

#### reaction product of diphenylmethanediisocyanate, octylamine and oleylamine (molar ratio1:1.86:0.14):

Partition coefficient: n-	:	log Pow: > 6
octanol/water		

#### Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Bioaccumulation	:	Bioconcentration factor (BCF): < 100
Partition coefficient: n- octanol/water	:	log Pow: 9,01

### Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate:

Partition coefficient: n-	:	log Pow: > 4
octanol/water		

### 12.4 Mobility in soil

#### Product:

Mobility	:	Remarks: No data available
Distribution among environ- mental compartments	:	Remarks: No data available

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment	: This substance/mixture contains no components considered
	to be either persistent, bioaccumulative and toxic (PBT), or
	very persistent and very bioaccumulative (vPvB) at levels of
	0.1% or higher.

#### **12.6 Endocrine disrupting properties**

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at



according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



### **OKS 420**

Versio 4.0	n Revision Date: 08.12.2022	Date of last issue: 03.12.2021 Date of first issue: 06.07.2016	Print Date: 08.12.2022	
		levels of 0.1% or higher.		
12.7 0	ther adverse effects			
A	Product: Additional ecological infor- : No information on ecology is available. mation			
<u>c</u>	omponents:			
	Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithio- phosphate:			
	dditional ecological infor- ation	: May cause long lasting harmful effects	o aquatic life.	

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

• •	waste treatment methods	
	Product :	The product should not be allowed to enter drains, water courses or the soil. Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
		Waste codes should be assigned by the user based on the application for which the product was used.
	Contaminated packaging :	Packaging that is not properly emptied must be disposed of as the unused product. Dispose of waste product or used containers according to local regulations.
		The following Waste Codes are only suggestions:
	Waste Code :	used product, unused product 12 01 12*, spent waxes and fats
		uncleaned packagings 15 01 10*, packaging containing residues of or contaminated by hazardous substances

### **SECTION 14: Transport information**

### 14.1 UN number or ID number

ADN

: Not regulated as a dangerous good



according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



### **OKS 420**

Version 4.0	Revision Date: 08.12.2022	Date of last issue: 03.12.2021 Date of first issue: 06.07.2016	Print Date: 08.12.2022
ADR		: Not regulated as a dangerous goo	d
RID		: Not regulated as a dangerous goo	
IMDG	ì	: Not regulated as a dangerous goo	
ΙΑΤΑ		: Not regulated as a dangerous goo	
14.2 UN p	roper shipping nam		
ADN		: Not regulated as a dangerous goo	d
ADR		: Not regulated as a dangerous goo	d
RID		: Not regulated as a dangerous goo	d
IMDG	ì	: Not regulated as a dangerous goo	d
ΙΑΤΑ		: Not regulated as a dangerous goo	d
14.3 Trans	sport hazard class(e	s)	
ADN		: Not regulated as a dangerous goo	d
ADR		: Not regulated as a dangerous goo	d
RID		: Not regulated as a dangerous goo	d
IMDG	ì	: Not regulated as a dangerous goo	d
ΙΑΤΑ		: Not regulated as a dangerous goo	d
14.4 Pack	ing group		
ADN		: Not regulated as a dangerous goo	d
ADR		: Not regulated as a dangerous goo	d
RID		: Not regulated as a dangerous goo	d
IMDG	ì	: Not regulated as a dangerous goo	d
ΙΑΤΑ	(Cargo)	: Not regulated as a dangerous goo	d
ΙΑΤΑ	(Passenger)	: Not regulated as a dangerous goo	d
14.5 Envir	onmental hazards		
ADN		: Not regulated as a dangerous goo	d
ADR		: Not regulated as a dangerous goo	d
RID		: Not regulated as a dangerous goo	d
IMDG	ì	: Not regulated as a dangerous goo	d
-	<b>ial precautions for ι</b> pplicable	iser	
	-	k according to IMO instruments	
Rema	arks	: Not applicable for product as supp	lied.



according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



### **OKS 420**

Version	Revision Date:	Date of last issue: 03.12.2021	Print Date:
4.0	08.12.2022	Date of first issue: 06.07.2016	08.12.2022

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the the market and use of certain mixtures and articles (Annex 2	dangerous substances,	: Not applicable		
REACH - Candidate List of Se Concern for Authorisation (Ar (EU SVHC)	, ,	: This product does not contain sub- stances of very high concern (Regu- lation (EC) No 1907/2006 (REACH), Article 57).		
REACH - List of substances s (Annex XIV) (EU. REACH-Annex XIV)	ubject to authorisation	: Not applicable		
Regulation (EC) No 1005/200 plete the ozone layer (EC 1005/2009)	9 on substances that de-	: Not applicable		
Regulation (EU) 2019/1021 o tants (recast) (EU POP)	n persistent organic pollu-	: Not applicable		
Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals (EU PIC)				
Seveso III: Directive 2012/18/EU of the European : Not applicable Parliament and of the Council on the control of major-accident hazards involving dangerous sub- stances.				
Occupational Illnesses (R- 461-3, France)	: 36, 34, 15, 15 bis			
Reinforced medical supervi- sion (R4624-18)	: The product has no C	MR properties		
Volatile organic compounds	emissions (integrated	of 24 November 2010 on industrial pollution prevention and control) ounds (VOC) content: 0,48 %		

### 15.2 Chemical safety assessment

This information is not available.



according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



### **OKS 420**

Version	Revision Date:	Date of last issue: 03.12.2021	Print Date:
4.0	08.12.2022	Date of first issue: 06.07.2016	08.12.2022

### **SECTION 16: Other information**

#### Full text of H-Statements

H315 :	Causes skin irritation.
H317 :	May cause an allergic skin reaction.
H413 :	May cause long lasting harmful effects to aquatic life.

### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level: NOELR - No Observable Effect Loading Rate: NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### **Further information**

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with



according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



### **OKS 420**

Version	Revision Date:	Date of last issue: 03.12.2021	Print Date:
4.0	08.12.2022	Date of first issue: 06.07.2016	08.12.2022

amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

