according to GB/T 16483 and GB/T 17519



# OKS 422 用于长效润滑的通用型润滑脂

Version Revision Date: Date of last issue: 2023-01-13

3.0 2023-11-13 Date of first issue: 2014-07-31 Print Date: 2023-11-13

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : OKS 422 用于长效润滑的通用型润滑脂

Chemical nature : Synthetic hydrocarbon oil

barium complex soap

Manufacturer or supplier's details

Company name of supplier : OKS Spezialschmierstoffe GmbH

Ganghoferstr. 47

D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com

E-mail address of person

responsible for the SDS

: mcm@oks-germany.com

Material Compliance Management

National contact :

Emergency telephone number : +86 532 8388 9090 (NRCC, only for hazardous chemicals)

+86 21 69225521

Recommended use of the chemical and restrictions on use

Recommended use : Grease

Restrictions on use : Restricted to professional users.

### 2. HAZARDS IDENTIFICATION

#### **Emergency Overview**

Appearance: pasteColour: beige

Odour : characteristic

Harmful if swallowed or if inhaled.

**GHS Classification** 

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

**GHS** label elements



1 / 16

according to GB/T 16483 and GB/T 17519 CN



# OKS 422 用于长效润滑的通用型润滑脂

Version Revision Date: Date of last issue: 2023-01-13

3.0 2023-11-13 Date of first issue: 2014-07-31 Print Date: 2023-11-13

Hazard pictograms :

**!**>

Signal word : Warning

Hazard statements : H302 + H332 Harmful if swallowed or if inhaled.

Precautionary statements : Prevention:

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON

CENTER/ doctor if you feel unwell. Rinse mouth.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/

doctor if you feel unwell.

Disposal:

P501 Dispose of contents/containers according the local

government requirements.

## Physical and chemical hazards

Not classified based on available information.

#### **Health hazards**

Harmful if swallowed. Harmful if inhaled.

#### **Environmental hazards**

Not classified based on available information.

## Other hazards which do not result in classification

None known.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Reaction mixture of hydrogenated tallow alkyl	1282612-27-4	>= 30 -< 50
amines with sebacic acid and barium hydroxide		



according to GB/T 16483 and GB/T 17519



# OKS 422 用于长效润滑的通用型润滑脂

Version Revision Date: Date of last issue: 2023-01-13

3.0 2023-11-13 Date of first issue: 2014-07-31 Print Date: 2023-11-13

#### 4. FIRST AID MEASURES

If inhaled : Remove person to fresh air. If signs/symptoms continue, get

medical attention.

Keep patient warm and at rest.

If unconscious, place in recovery position and seek medical

advice

Keep respiratory tract clear.

If breathing is irregular or stopped, administer artificial

respiration.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with soap and plenty of water. Get medical attention immediately if irritation develops and

persists.

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 10 minutes. Seek medical advice.

If swallowed : Move the victim to fresh air.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

Do not induce vomiting without medical advice.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

delayed

None known.

Inhalation may provoke the following symptoms:

Headache Nausea

Notes to physician : Treat symptomatically.

## 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Unsuitable extinguishing

media

High volume water jet

Hazardous combustion

products

Carbon oxides

Nitrogen oxides (NOx)

Metal oxides

Specific extinguishing : Standard procedure for chemical fires.

according to GB/T 16483 and GB/T 17519



# OKS 422 用于长效润滑的通用型润滑脂

Version Revision Date: Date of last issue: 2023-01-13

3.0 2023-11-13 Date of first issue: 2014-07-31 Print Date: 2023-11-13

methods

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Exposure to decomposition products may be a hazard to

health.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Evacuate personnel to safe areas.

Ensure adequate ventilation.

Do not breathe vapours, aerosols.

Refer to protective measures listed in sections 7 and 8.

Environmental precautions

Try to prevent the material from entering drains or water

courses.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Pick up and transfer to properly labelled containers.

#### 7. HANDLING AND STORAGE

#### Handling

Advice on safe handling : Avoid contact with skin and eyes.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Wash hands and face before breaks and immediately after

handling the product.

Do not get in eyes or mouth or on skin.

Do not get on skin or clothing.

Do not ingest. Do not repack.

These safety instructions also apply to empty packaging which

may still contain product residues. Keep container closed when not in use.

Avoidance of contact : No materials to be especially mentioned.

Storage

Conditions for safe storage : Store in original container.

Keep container closed when not in use. Keep in a dry, cool and well-ventilated place.



according to GB/T 16483 and GB/T 17519



## OKS 422 用于长效润滑的通用型润滑脂

Version Revision Date: Date of last issue: 2023-01-13

3.0 2023-11-13 Date of first issue: 2014-07-31 Print Date: 2023-11-13

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Store in accordance with the particular national regulations.

Keep in properly labelled containers.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Handle only in a place equipped with local exhaust (or other

appropriate exhaust).

Personal protective equipment

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type P

Eye/face protection : Safety glasses

Skin and body protection : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Hand protection

Material : Nitrile rubber
Break through time : > 10 min
Protective index : Class 1

Remarks : For prolonged or repeated contact use protective gloves. The

break through time depends amongst other things on the material, the thickness and the type of glove and therefore

has to be measured for each case.

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after

handling.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : paste



according to GB/T 16483 and GB/T 17519



# OKS 422 用于长效润滑的通用型润滑脂

Version Revision Date: Date of last issue: 2023-01-13

3.0 2023-11-13 Date of first issue: 2014-07-31 Print Date: 2023-11-13

Colour : beige

Odour : characteristic

Odour Threshold : No data available

pH : Not applicable

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : Combustible Solids

Self-ignition : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : < 0.001 hPa (20 °C)

Relative vapour density : No data available

Relative density : 0.95 (20 °C)

Reference substance: Water The value is calculated

Density : 0.95 g/cm3 (20 °C)

Bulk density : No data available

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available



according to GB/T 16483 and GB/T 17519 CN



# OKS 422 用于长效润滑的通用型润滑脂

Version Revision Date: Date of last issue: 2023-01-13

3.0 2023-11-13 Date of first issue: 2014-07-31 Print Date: 2023-11-13

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : No data available

Sublimation point : No data available

Particle size : Not applicable

## 10. STABILITY AND REACTIVITY

Reactivity : No hazards to be specially mentioned.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid : No conditions to be specially mentioned.

Incompatible materials : No materials to be especially mentioned.

Hazardous decomposition

products

No decomposition if stored and applied as directed.

### 11. TOXICOLOGICAL INFORMATION

#### **Acute toxicity**

**Product:** 

Acute oral toxicity : Acute toxicity estimate: 1,480 mg/kg

Method: Calculation method

Remarks: Harmful if swallowed.



according to GB/T 16483 and GB/T 17519



# OKS 422 用于长效润滑的通用型润滑脂

Version Revision Date: Date of last issue: 2023-01-13

3.0 2023-11-13 Date of first issue: 2014-07-31 Print Date: 2023-11-13

Acute inhalation toxicity : Acute toxicity estimate: 4.44 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Remarks: Harmful by inhalation.

Acute dermal toxicity : Remarks: This information is not available.

## **Components:**

Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and barium hydroxide:

Acute oral toxicity : LD50 (Rat): Assessment: The component/mixture is

moderately toxic after single ingestion.

Acute inhalation toxicity : Assessment: The component/mixture is moderately toxic after

short term inhalation.

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Assessment: The substance or mixture has no acute dermal

toxicity

# Skin corrosion/irritation

**Product:** 

Remarks : This information is not available.

# **Components:**

Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and barium hydroxide:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes



according to GB/T 16483 and GB/T 17519



## OKS 422 用于长效润滑的通用型润滑脂

Version Revision Date: Date of last issue: 2023-01-13

3.0 2023-11-13 Date of first issue: 2014-07-31 Print Date: 2023-11-13

#### Serious eye damage/eye irritation

**Product:** 

Remarks : This information is not available.

## **Components:**

Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and barium hydroxide:

Species : Rabbit

Result : No eye irritation
Assessment : No eye irritation

Method : OECD Test Guideline 405

GLP : yes

#### Respiratory or skin sensitisation

**Product:** 

Remarks : This information is not available.

## **Components:**

Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and barium hydroxide:

Test Type : Maximisation Test

Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

GLP : yes

# Germ cell mutagenicity

**Product:** 

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

#### **Components:**

Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and barium hydroxide:



according to GB/T 16483 and GB/T 17519



# OKS 422 用于长效润滑的通用型润滑脂

Version Revision Date: Date of last issue: 2023-01-13

3.0 2023-11-13 Date of first issue: 2014-07-31 Print Date: 2023-11-13

Genotoxicity in vitro : Test Type: Ames test

Method: OECD Test Guideline 471

Result: negative GLP: yes

Carcinogenicity

**Product:** 

Remarks : No data available

Reproductive toxicity

**Product:** 

Effects on fertility : Remarks: No data available

Effects on foetal : Remarks: No data available

development

STOT - single exposure

**Product:** 

Remarks : No data available

STOT - repeated exposure

**Product:** 

Remarks : No data available

Repeated dose toxicity

**Product:** 

Remarks : This information is not available.

**Components:** 

Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and barium

hydroxide:

NOAEL : 150 mg/kg

according to GB/T 16483 and GB/T 17519



# OKS 422 用于长效润滑的通用型润滑脂

Version Revision Date: Date of last issue: 2023-01-13

3.0 2023-11-13 Date of first issue: 2014-07-31 Print Date: 2023-11-13

#### **Aspiration toxicity**

#### **Product:**

This information is not available.

#### **Further information**

Product:

Remarks : Information given is based on data on the components and

the toxicology of similar products.

#### 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

**Product:** 

Toxicity to fish

Remarks: No data available

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: No data available

Toxicity to algae/aquatic

plants

Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

#### Components:

Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and barium hydroxide:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h Test Type: Immobilization



according to GB/T 16483 and GB/T 17519



# OKS 422 用于长效润滑的通用型润滑脂

Version Revision Date: Date of last issue: 2023-01-13

3.0 2023-11-13 Date of first issue: 2014-07-31 Print Date: 2023-11-13

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

: ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Test Type: Growth inhibition Method: OECD Test Guideline 201

GLP: ves

Toxicity to microorganisms : EC50 (Bacteria): > 1,000 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

GLP: yes

#### Persistence and degradability

**Product:** 

Biodegradability : Remarks: No data available

Physico-chemical

removability

Remarks: No data available

## **Components:**

# Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and barium hydroxide:

Biodegradability : Primary biodegradation

Inoculum: activated sludge Result: Not rapidly biodegradable

Biodegradation: 16.8 % Exposure time: 28 d

Method: OECD Test Guideline 301F

GLP: yes

#### Bioaccumulative potential

#### **Product:**

Bioaccumulation : Remarks: This mixture contains no substance considered to

be persistent, bioaccumulating and toxic (PBT).

This mixture contains no substance considered to be very

persistent and very bioaccumulating (vPvB).

according to GB/T 16483 and GB/T 17519



# OKS 422 用于长效润滑的通用型润滑脂

Version Revision Date: Date of last issue: 2023-01-13

3.0 2023-11-13 Date of first issue: 2014-07-31 Print Date: 2023-11-13

#### **Components:**

Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and barium hydroxide:

Partition coefficient: n-

octanol/water

log Pow: 0.9 - 18

## Mobility in soil

**Product:** 

Mobility : Remarks: No data available

Distribution among

environmental compartments

Remarks: No data available

#### Other adverse effects

**Product:** 

Additional ecological

information

No information on ecology is available.

#### 13. DISPOSAL CONSIDERATIONS

**Disposal methods** 

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not dispose of with domestic refuse.

Dispose of as hazardous waste in compliance with local and

national regulations.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as

the unused product.

Dispose of waste product or used containers according to

local regulations.

#### 14. TRANSPORT INFORMATION

## **International Regulations**

**UNRTDG** 

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable



according to GB/T 16483 and GB/T 17519 CN



# OKS 422 用于长效润滑的通用型润滑脂

Version Revision Date: Date of last issue: 2023-01-13

3.0 2023-11-13 Date of first issue: 2014-07-31 Print Date: 2023-11-13

Labels : Not applicable

**IATA-DGR** 

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo : Not applicable

aircraft)

Packing instruction : Not applicable

(passenger aircraft)

**IMDG-Code** 

**UN** number Not applicable Proper shipping name Not applicable Not applicable Class Subsidiary risk Not applicable Packing group Not applicable Labels Not applicable **EmS Code** Not applicable Marine pollutant Not applicable

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **National Regulations**

GB 6944/12268

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

Special precautions for user

Not applicable

#### 15. REGULATORY INFORMATION

#### **National regulatory information**

# Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : Not applicable

Hazardous Chemicals for Priority Management under : Not applicable

**SAWS** 



according to GB/T 16483 and GB/T 17519 CN



## OKS 422 用于长效润滑的通用型润滑脂

Version Revision Date: Date of last issue: 2023-01-13

3.0 2023-11-13 Date of first issue: 2014-07-31 Print Date: 2023-11-13

# Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import : Not applicable

and Export

International Regulations

Montreal Protocol : Not applicable

Rotterdam Convention (Prior Informed Consent) : Not applicable

Stockholm Convention (Persistent Organic Pollutants) : Not applicable

The components of this product are reported in the following inventories:

IECSC : On the inventory, or in compliance with the inventory

## **16. OTHER INFORMATION**

Date format : yyyy/mm/dd

#### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution

according to GB/T 16483 and GB/T 17519 CN



## OKS 422 用于长效润滑的通用型润滑脂

Version Revision Date: Date of last issue: 2023-01-13

3.0 2023-11-13 Date of first issue: 2014-07-31 Print Date: 2023-11-13

Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

#### **Disclaimer**

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

