according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 427

Version	Revision Date:	Date of last issue: 29.10.2018	Print Date:
2.0	31.08.2022	Date of first issue: 04.07.2016	31.08.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier Product name		OKS 427
	Floddet hame	•	010 427
1.2	Relevant identified uses of th	e s	ubstance or mixture and uses advised against
	Use of the Sub- stance/Mixture	:	Lubricant
	Recommended restrictions on use	:	Restricted to professional users.
1.3	Details of the supplier of the	saf	ety data sheet
	Company	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com
	E-mail address of person responsible for the SDS	:	mcm@oks-germany.com Material Compliance Management
	National contact	:	
1.4	Emergency telephone numbe	er	
	Emergency telephone num- ber	:	+34 91 562 04 20

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

	-		TION (EC	5) No 1272/2008)		
• • •	 	<u> </u>			 	

Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
--------------------------------	--

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 427

Version 2.0	Revision Date: 31.08.2022		ate of last issue: 29. ate of first issue: 04.		Print Date: 31.08.2022
Signa	l word	:	Warning		
Hazar	d statements	:	H317	May cause an allergic	skin reaction.
Preca	utionary statements	:	Prevention: P272 P280	Contaminated work clo allowed out of the worl Wear protective gloves	kplace.
			Response: P302 + P352 P333 + P313 P362 + P364	IF ON SKIN: Wash wit If skin irritation or rash advice/ attention. Take off contaminated before reuse.	occurs: Get medical

Hazardous components which must be listed on the label:

Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate

4-ethyl-2-(8-heptadecenyl)-2-oxazoline-4-methanol

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

Mineral oil. Synthetic hydrocarbon oil polyurea

Components

Chemical name	CAS-No. EC-No.	Classification	specific concen- tration limit	Concentration (% w/w)
			M-Factor	



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 427

Version	
2.0	

Revision Date: 31.08.2022

Date of last issue: 29.10.2018 Date of first issue: 04.07.2016 Print Date: 31.08.2022

	Index-No.		Notes	
	Registration number		Acute toxicity	
			estimate	
reaction product of diphenylme- thanediisocyanate, octylamine and	430-930-6	Aquatic Chronic4; H413		>= 2,5 - < 10
oleylamine (molar ratio1:1.86:0.14)	01-0000017717-62- 0001			
	01-0000017717-62- 0000 01-0000017717-62- 0002			
Molybdenum trioxide, reaction products with bis[0,0-bis(2-	947-946-9	Skin Irrit.2; H315 Skin Sens.1B; H317		>= 0,25 - < 1
ethylhexyl)] hydrogen dithiophosphate	01-2120772600-59- XXXX	Aquatic Chronic4; H413		
4-ethyl-2-(8- heptadecenyl)-2- oxazoline-4-methanol	68140-98-7 268-820-3	Skin Sens.1A; H317 Aquatic Chronic3;		>= 0,1 - < 0,25
	01-2120795751-43- XXXX	H412		
Substances with a work	place exposure limit :	1	1	
residual oils (petrole-	64742-57-0	Not classified		>= 30 - < 50
um), hydrotreated	265-160-8			
			Note L	
	649-470-00-4			
	01-2119489287-22- XXXX			

For explanation of abbreviations see section 16.

:

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled

Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respiration.



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 427

Version 2.0	Revision Date: 31.08.2022		e of last issue: 29.10.2018 e of first issue: 04.07.2016	Print Date: 31.08.2022
In ca	se of skin contact	:	Take off all contaminated clothing Wash off immediately with soap an Get medical attention immediately persists. Wash clothing before reuse. Thoroughly clean shoes before reuse	nd plenty of water. if irritation develops and
In ca	se of eye contact	:	Rinse immediately with plenty of w for at least 10 minutes. If eye irritation persists, consult a s	
If swallowed		:	Move the victim to fresh air. If unconscious, place in recovery p advice. Keep respiratory tract clear. Do not induce vomiting without me Never give anything by mouth to a	edical advice.
4.2 Most i	important symptom	s and	effects, both acute and delayed	
Symp	otoms	:	Allergic appearance	
Risks	3	:	May cause an allergic skin reactio	n.
4.3 Indica	ation of any immedia	ate me	dical attention and special treatm	ent needed
Treat	tment	:	The first aid procedure should be with the doctor responsible for ind	
SECTION	N 5: Firefighting m	neasui	es	
5.1 Extind	guishing media			
-	ble extinguishing me	dia :	Use water spray, alcohol-resistant	foam dry chemical or car-

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide.
Unsuitable extinguishing media	:	High volume water jet
5.2 Special hazards arising from		

Hazardous combustion prod-	:	Carbon oxides
ucts		Nitrogen oxides (NOx)
		Metal oxides

5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposi- tion products may be a hazard to health.
Further information	:	Standard procedure for chemical fires.



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 427

Version	Revision Date:	Date of last issue: 29.10.2018	Print Date:
2.0	31.08.2022	Date of first issue: 04.07.2016	31.08.2022

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	 Evacuate personnel to safe areas. Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust). Avoid breathing dust. Refer to protective measures listed in sections 7 and 8.
	(dust). Avoid breathing dust.

6.2 Environmental precautions

Environmental precautions	 Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.
---------------------------	---

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Clean up promptly by sweeping or vacuum.	
		Keep in suitable, closed containers for disposal.	

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling :	Avoid contact with skin and eyes. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Wash hands and face before breaks and immediately after handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not ingest. Do not repack. These safety instructions also apply to empty packaging which may still contain product residues. Keep container closed when not in use.
Hygiene measures :	Wash face, hands and any exposed skin thoroughly after handling.



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 427

Version	Revision Date:	Date of last issue: 29.10.2018	Print Date:
2.0	31.08.2022	Date of first issue: 04.07.2016	31.08.2022

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.
7.3 Specific end use(s) Specific use(s)	:	Specific instructions for handling, not required.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
residual oils (petro- leum), hydrotreat- ed	64742-57-0	VLA-ED (Mist)	5 mg/m3	ES VLA (2019-02-20)
		VLA-EC (Mist)	10 mg/m3	ES VLA (2019-02-20)

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
residual oils (petrole- um), hydrotreated	Workers	Inhalation	Long-term systemic effects	2,7 mg/m3
	Workers	Inhalation	Acute systemic ef- fects	5,6 mg/m3
	Workers	Skin contact	Long-term systemic effects	1 mg/kg
Molybdenum trioxide, reaction products with bis[O,O-bis(2- ethylhexyl)] hydrogen dithiophosphate	Workers	Inhalation	Long-term systemic effects	4,93 mg/m3
	Workers	Dermal	Long-term systemic effects	1,4 mg/kg bw/day

8.2 Exposure controls

Engineering measures

It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment.

Personal protective equipment



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 427

Version 2.0	Revision Date: 31.08.2022	Date of last issue: 29.10.2018Print Date:Date of first issue: 04.07.201631.08.2022	
Eye protection		: Safety glasses with side-shields	
Hand protection Material Break through time Protective index		: butyl-rubber : > 10 min : Class 1	
Remarks		 For prolonged or repeated contact use protective gloves. break through time depends amongst other things on the material, the thickness and the type of glove and therefor has to be measured for each case. The selected protective gloves have to satisfy the specific tions of Regulation (EU) 2016/425 and the standard EN 3 derived from it. 	re ca-
Skin and body protection		: Choose body protection in relation to its type, to the conc tration and amount of dangerous substances, and to the cific work-place.	
Resp	iratory protection	: Not required; except in case of aerosol formation.	
Filter type Protective measures		: Filter type P	
		: The type of protective equipment must be selected accor to the concentration and amount of the dangerous substa at the specific workplace.	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	solid
Colour	:	yellow, brown
Odour	:	characteristic
Odour Threshold	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	Combustible Solids
Upper explosion limit / Upper flammability limit	:	No data available



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



Versio 2.0		Revision Date: 31.08.2022		of last issue: 29.10.2018 of first issue: 04.07.2016	Print Date: 31.08.2022
		explosion limit / Lower bility limit	:	No data available	
FI	lash p	oint	:	Not applicable	
A	uto-igr	nition temperature	:	No data available	
D	ecom	position temperature	:	No data available	
pł	Η		:	Not applicable substance/mixture is non-soluble	e (in water)
Vi	iscosit Visc	y osity, dynamic	:	No data available	
	Visc	osity, kinematic	:	Not applicable	
S	olubilit Wate	ty(ies) er solubility	:	insoluble	
	Solu	bility in other solvents	s :	No data available	
	artitior ctanol/	n coefficient: n- /water	:	No data available	
Va	apour	pressure	:	< 0,001 hPa (20 °C)	
R	elative	e density	:	0,88 (20 °C) Reference substance: Water The value is calculated	
D	ensity		:	0,88 g/cm3 (20 °C)	
В	ulk de	nsity	:	No data available	
R	elative	e vapour density	:	No data available	
9.2 Otl	her in	formation			
E	xplosiv	ves	:	Not explosive	
0	xidizin	ng properties	:	No data available	
S	elf-ign	ition	:	not auto-flammable	
М	letal co	orrosion rate	:	Not corrosive to metals	
E	vapora	ation rate	:	No data available	
S	ublima	ation point	:	No data available	
					a brand of



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 427

Version	Revision Date:	Date of last issue: 29.10.2018	Print Date:
2.0	31.08.2022	Date of first issue: 04.07.2016	31.08.2022

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid	: No conditions to be specially mentioned.
---------------------	--

10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:

Acute inhalation toxicity	:	Remarks: This information is not available.
Acute dermal toxicity	:	Symptoms: Redness, Local irritation

Components:

 reaction product of diphenylmethanediisocyanate, octylamine and oleylamine (molar ratio1:1.86:0.14):

 Acute oral toxicity
 : LD50 (Rat): > 2.000 mg/kg Method: Directive 67/548/EEC, Annex V, B.1. GLP: yes

 Acute dermal toxicity
 : LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402 GLP: yes

Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate:



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



13 4Z1	Devision Dates	Dete of last issues 00.40.0040	Drint Data:
sion	Revision Date: 31.08.2022	Date of last issue: 29.10.2018 Date of first issue: 04.07.2016	Print Date: 31.08.2022
Acute	dermal toxicity	: Symptoms: Redness, Local irri	tation
4-ethy	/I-2-(8-heptadecen	/I)-2-oxazoline-4-methanol:	
Acute	oral toxicity	 LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline GLP: yes Assessment: The substance or icity 	
residu	ual oils (petroleum)	, hydrotreated:	
Acute	oral toxicity	: LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline	401
Acute	dermal toxicity	: LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline	402
Skin o	corrosion/irritation		
Produ	<u>ict:</u>		
Rema	rks	: This information is not available	9.
<u>Comp</u>	onents:		
	on product of diph .86:0.14):	enylmethanediisocyanate, octylamin	e and oleylamine (molar ra-
Specie		: Rabbit	
	sment	: No skin irritation	
Metho		: OECD Test Guideline 404	
Result GLP	t	: No skin irritation : yes	
-		action products with bis[O,O-bis(2-e	thylhexyl)] hydrogen dithio-
	ohate: sment	: Irritating to skin.	
Result		: Irritating to skin.	
Rema	rks	: Irritating to skin.	
4-ethy	/I-2-(8-heptadecen	/I)-2-oxazoline-4-methanol:	
Specie	es	: human skin	
	sment	: No skin irritation	
Result	t	: No skin irritation	
residu	ual oils (petroleum)	, hydrotreated:	
Specie	es	: Rabbit	
•	sment	: No skin irritation	
Metho		: OECD Test Guideline 404	
Result	t	: No skin irritation	
			a brand of



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 427

Version	Revision Date:	Date of last issue: 29.10.2018	Print Date:
2.0	31.08.2022	Date of first issue: 04.07.2016	31.08.2022

Serious eye damage/eye irritation

Product:

Remarks

: This information is not available.

Components:

reaction product of diphenylmethanediisocyanate, octylamine and oleylamine (molar ratio1:1.86:0.14):

Species	: Rabbit
Assessment	: No eye irritation
Method	: OECD Test Guideline 405
Result	: No eye irritation
GLP	: yes

Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate:

-							
Λ	~~	-	~ ~	-	-	-	

Assessment	:	No eye irritation
Result	:	No eye irritation

4-ethyl-2-(8-heptadecenyl)-2-oxazoline-4-methanol:

-		-	-			
Asses	sme	ent			:	No eye irritation
Resul	t				:	No eye irritation

residual oils (petroleum), hydrotreated:

Species	:	Rabbit
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Result	:	No eye irritation

Respiratory or skin sensitisation

Product:

Remarks

: This information is not available.

Components:

reaction product of diphenylmethanediisocyanate, octylamine and oleylamine (molar ratio1:1.86:0.14):

Test Type :	Maximisation Test
Species :	Guinea pig
Method :	OECD Test Guideline 406
Result :	Does not cause skin sensitisation.
GLP :	yes



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



rsion	Revision Date: 31.08.2022		of last issue: 29.10.2018 of first issue: 04.07.2016	Print Date: 31.08.2022
	31.00.2022	Date (n nist issue. 04.07.2010	51.00.2022
Molyb phosp		action pr	oducts with bis[O,O-bis(2-eth	ylhexyl)] hydrogen dithio-
Asses Result	sment t		he product is a skin sensitiser, s he product is a skin sensitiser, s	
4-ethy	/I-2-(8-heptadeceny	/l)-2-oxaz	oline-4-methanol:	
Asses Result	sment t		he product is a skin sensitiser, s he product is a skin sensitiser, s	
residu	ual oils (petroleum)	, hydrotr	eated:	
Specie Asses Metho Result	sment od	: C : C	Guinea pig Does not cause skin sensitisation DECD Test Guideline 406 Does not cause skin sensitisation	
Asses Result	sment t		ooes not cause respiratory sensi ooes not cause respiratory sensi	
Germ	cell mutagenicity			
<u>Produ</u>	<u>ict:</u>			
Genot	oxicity in vitro	: F	Remarks: No data available	
Genot	oxicity in vivo	: F	emarks: No data available	
<u>Comp</u>	oonents:			
	on product of diph .86:0.14):	enylmeth	anediisocyanate, octylamine a	and oleylamine (molar ra-
	oxicity in vitro		est Type: Chromosome aberrati Result: negative	ion test in vitro
Carciı	nogenicity			
<u>Produ</u> Rema		: N	lo data available	
<u>Comp</u>	oonents:			
residu	ual oils (petroleum)	, hydrotr	eated:	
Carcin ment	nogenicity - Assess-	: N	lot classifiable as a human carci	nogen.
Repro	oductive toxicity			
<u>Produ</u>			emarks: No data available	
	s on fertility			



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



Un	5 427				
Ver 2.0	sion	Revision Date: 31.08.2022		e of last issue: 29.10.2018 e of first issue: 04.07.2016	Print Date: 31.08.2022
	Effect: ment	s on foetal develop-	:	Remarks: No data available	
	Repea	ated dose toxicity			
	<u>Product:</u> Remarks		:	This information is not available.	
	Aspira	ation toxicity			
	Produ This ir	i <u>ct:</u> iformation is not avail	able.		
	<u>Comp</u>	onents:			
		ual oils (petroleum), piration toxicity classif	-		
11.2	2 Inforr	nation on other haza	rds		
	Endocrine disrupting prop		oertie	S	
	<u>Produ</u> Asses	<u>ıct:</u> sment	:	The substance/mixture does not contain ered to have endocrine disrupting prope REACH Article 57(f) or Commission Del (EU) 2017/2100 or Commission Regulat levels of 0.1% or higher.	rties according to egated regulation
	Furth	er information			
	<u>Produ</u> Rema		:	Information given is based on data on th the toxicology of similar products.	e components and
	<u>Comp</u>	onents:			
	Molyb phosp		ction	products with bis[O,O-bis(2-ethylhexy	I)] hydrogen dithio-
	Rema	rks	:	Ingestion causes irritation of upper respi gastrointestinal disturbance.	ratory system and



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 427

Version	Revision Date:	Date of last issue: 29.10.2018	Print Date:
2.0	31.08.2022	Date of first issue: 04.07.2016	31.08.2022

SECTION 12: Ecological information

12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available

Components:

reaction product of diphenylmethanediisocyanate, octylamine and oleylamine (molar ra-				
tio1:1.86:0.14): Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 96 h		
		Test Type: static test Method: OECD Test Guideline 203 GLP: yes		
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Test Type: Immobilization Method: OECD Test Guideline 202 GLP: yes		
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Test Type: Growth inhibition Method: OECD Test Guideline 201 GLP: yes		
Toxicity to microorganisms	:	EC50 (Bacteria): > 1.000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209 GLP: yes		
Molybdenum trioxide, reaction phosphate:	on	products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithio-		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h		

GLP: yes

Test Type: semi-static test

Method: OECD Test Guideline 203

according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 427

	UN3 421	1			
environment. Toxicity to daphnia and other aquatic invertebrates EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: yes Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes 4-ethyl-2-(8-heptadecenyl)-2-oxazoline-4-methanol: : Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 69,17 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 Toxicity to dapae/aquatic plants : EC50 (Daphnia magna (Water flea)): 69,17 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 65,6 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes residual oils (petroleum), hydrotreated: : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Test Type: static test Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l Exposure time: 48 h Test Type: Immobilization t22 Persistence and degradability : Remarks: No data available Physico-chemical removabil- : Remarks: No data available	Version 2.0				
aquatic invertebrates Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: yes Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes 4-ethyl-2-(8-heptadecenyl)-2-oxazoline-4-methanol: Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 69,17 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 65,6 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes residual oils (petroleum), hydrotreated: Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Test Type: static test Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l Exposure time: 48 h Test Type: Immobilization 12.2 Persistence and degradability : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l Exposure time: 48 h Test Type: Immobilization 12.2 Persistence and degradability : Remarks: No data available Physico-chemical removabil- : Remarks: No data available					erse effects in the aquatic
plants mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes 4-ethyl-2-(8-heptadecenyl)-2-oxazoline-4-methanol: Toxicity to daphnia and other : aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 69,17 mg/l aquatic invertebrates : Toxicity to algae/aquatic : plants : Coxicity to algae/aquatic : EC50 (Desmodesmus subspicatus (green algae)): 65,6 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes residual oils (petroleum), hydrotreated: Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Test Type: static test Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l Exposure time: 48 h Test Type: static test Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l Exposure time: 48 h Te			• :	Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202): > 100 mg/l
Toxicity to daphnia and other aquatic invertebratesEC50 (Daphnia magna (Water flea)): 69,17 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202Toxicity to algae/aquatic plants:EC50 (Desmodesmus subspicatus (green algae)): 65,6 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 GLP: yesresidual oils (petroleum), hydrotreated: Toxicity to fish:LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Test Type: static testToxicity to daphnia and other aquatic invertebrates:EC50 (Daphnia magna (Water flea)): > 10.000 mg/l Exposure time: 48 h Test Type: Immobilization12.2 Persistence and degradability:Remarks: No data availablePhysico-chemical removabil-:Remarks: No data available			:	mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201	tata (green algae)): > 100
aquatic invertebrates Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 65,6 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes residual oils (petroleum), hydrotreated: : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Test Type: static test Toxicity to fish : LC50 (Daphnia magna (Water flea)): > 10.000 mg/l Exposure time: 48 h Test Type: Immobilization 12.2 Persistence and degradability : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l Exposure time: 48 h Test Type: Immobilization 12.2 Persistence and degradability : Remarks: No data available Physico-chemical removabil- : Remarks: No data available	4-eth	yl-2-(8-heptadecenyl)-	2-ox	azoline-4-methanol:	
plants Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes residual oils (petroleum), hydrotreated: Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Test Type: static test Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l Exposure time: 48 h Test Type: Immobilization 12.2 Persistence and degradability : Ecso (compare time: 48 h Test Type: Immobilization 13.2 Persistence and degradability : Remarks: No data available Physico-chemical removabil- : Remarks: No data available	Toxic	ity to daphnia and other		EC50 (Daphnia magna (Water flea) Exposure time: 48 h Test Type: static test): 69,17 mg/l
Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Test Type: static test Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l Exposure time: 48 h Test Type: Immobilization 12.2 Persistence and degradability : Product: Biodegradability Physico-chemical removabil- : Remarks: No data available			:	Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201	(green algae)): 65,6 mg/l
Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Test Type: static test Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l Exposure time: 48 h Test Type: Immobilization 12.2 Persistence and degradability : Product: Biodegradability Physico-chemical removabil- : Remarks: No data available	resid	ual oils (petroleum). h	vdro	otreated:	
aquatic invertebrates Exposure time: 48 h Test Type: Immobilization 12.2 Persistence and degradability Product: Biodegradability : Physico-chemical removabil- : Remarks: No data available			:	LC50 (Pimephales promelas (fathea Exposure time: 96 h	ad minnow)): > 100 mg/l
Product: Biodegradability : Remarks: No data available Physico-chemical removabil- : Remarks: No data available			:	Exposure time: 48 h): > 10.000 mg/l
Product: Biodegradability : Remarks: No data available Physico-chemical removabil- : Remarks: No data available	12.2 Persi	stence and degradabi	lity		
Biodegradability : Remarks: No data available Physico-chemical removabil- : Remarks: No data available		-	-		
			:	Remarks: No data available	
		co-chemical removabil-	:	Remarks: No data available	

Components:

reaction product of diphenylmethanediisocyanate, octylamine and oleylamine (molar ratio1:1.86:0.14):



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



ersion)	Revision Date: 31.08.2022		last issue: 29.10.2018 first issue: 04.07.2016	Print Date: 31.08.2022
Biode	gradability	Inc Re Bio Ex Me	st Type: Primary biodegradation oculum: activated sludge sult: Not rapidly biodegradable odegradation: 10 % posure time: 28 d ethod: OECD Test Guideline 30° .P: yes	
	odenum trioxide, re ohate:	action pro	ducts with bis[O,O-bis(2-ethy	lhexyl)] hydrogen dithio-
Biode	gradability	Bio Ex	esult: Not rapidly biodegradable odegradation: 11 % posure time: 28 d ethod: OECD Test Guideline 307	1B
4-ethy	/I-2-(8-heptadecen	/l)-2-oxazo	line-4-methanol:	
-	gradability	: Re Bio	esult: Not rapidly biodegradable odegradation: 34,73 % ethod: OECD Test Guideline 307	1B
	ual oils (petroleum)			
	u al oils (petroleum) gradability		ated: esult: Not rapidly biodegradable	
Biode		: Re		
Biode	gradability	: Re		
Biode .3 Bioac <u>Produ</u>	gradability	: Re ial : Re be Th		d toxic (PBT). e considered to be very
Biode .3 Bioac <u>Produ</u> Bioace	gradability cumulative potent	: Re ial : Re be Th	esult: Not rapidly biodegradable emarks: This mixture contains no persistent, bioaccumulating and is mixture contains no substanc	d toxic (PBT). e considered to be very
Biode .3 Bioac Produ Bioac <u>Comp</u> reacti	gradability cumulative potent <u>ict:</u> cumulation	: Re ial : Re be Th pe	esult: Not rapidly biodegradable emarks: This mixture contains no persistent, bioaccumulating and is mixture contains no substanc	d toxic (PBT). e considered to be very ng (vPvB).
Biode .3 Bioac Produ Bioac Bioac Dartition Partition	gradability cumulative potent <u>ict:</u> cumulation <u>conents:</u> on product of diph	: Re ial : Re be Th pe enylmetha	esult: Not rapidly biodegradable emarks: This mixture contains no persistent, bioaccumulating and is mixture contains no substanc rsistent and very bioaccumulatir	d toxic (PBT). e considered to be very ng (vPvB).
Biode .3 Bioac Produ Bioac Bioac Comp reacti tio1:1 Partition octance Molyte	gradability cumulative potent <u>ict:</u> cumulation <u>ponents:</u> on product of diph .86:0.14): on coefficient: n- ol/water	: Re ial : Re be Th pe enylmetha : loç	esult: Not rapidly biodegradable emarks: This mixture contains no persistent, bioaccumulating and is mixture contains no substanc rsistent and very bioaccumulatir nediisocyanate, octylamine a	d toxic (PBT). e considered to be very ng (vPvB). nd oleylamine (molar ra-
Biode .3 Bioaco Produ Bioaco Bioaco Comp reacti tio1:1 Partitio octano Molyk phosp Partitio	gradability cumulative potent <u>ict:</u> cumulation <u>ponents:</u> on product of diph .86:0.14): on coefficient: n- ol/water	: Re ial : Re be Th pe enylmetha : log	emarks: This mixture contains no persistent, bioaccumulating and is mixture contains no substanc rsistent and very bioaccumulatir nediisocyanate, octylamine a g Pow: > 6	d toxic (PBT). e considered to be very ng (vPvB). nd oleylamine (molar ra-
Biodea .3 Bioaco Produ Bioaco Bioaco Comp reacti tio1:1 Partitio octano Molyk phosp Partitio octano	gradability cumulative potent <u>ict:</u> cumulation <u>ponents:</u> on product of diph .86:0.14): on coefficient: n- ol/water odenum trioxide, re ohate: on coefficient: n-	: Re ial : Re be Th pe enylmetha : log paction pro	emarks: This mixture contains no persistent, bioaccumulating and is mixture contains no substanc rsistent and very bioaccumulatir nediisocyanate, octylamine a p Pow: > 6 ducts with bis[O,O-bis(2-ethy g Pow: > 4	d toxic (PBT). e considered to be very ng (vPvB). nd oleylamine (molar ra-



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 427

Version	Revision Date:	Date of last issue: 29.10.2018	Print Date:
2.0	31.08.2022	Date of first issue: 04.07.2016	31.08.2022

12.4 Mobility in soil

Product:	
Mobility	: Remarks: No data available
Distribution among environ- mental compartments	: Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:	
Assessment	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

4-ethyl-2-(8-heptadecenyl)-2-oxazoline-4-methanol:				
Assessment	:	Non-classified vPvB substance. Non-classified PBT substance		

12.6 Endocrine disrupting properties

Product:

Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
	(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

12.7 Other adverse effects

Product:

Additional ecological infor-	:	No information on ecology is available.
mation		

Components:

Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate:

Additional ecological infor- : May cause long lasting harmful effects to aquatic life. mation

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 427

Version 2.0	Revision Date: 31.08.2022	Date of last issue: 29.10.2018 Date of first issue: 04.07.2016	Print Date: 31.08.2022		
		courses or the soil. Do not dispose of with domestic Dispose of as hazardous waste national regulations.			
			Waste codes should be assigned by the user based on the application for which the product was used.		
Contaminated packaging		 Packaging that is not properly emptied must be disposed of the unused product. Dispose of waste product or used containers according to local regulations. 			
		The following Waste Codes are	only suggestions:		
Waste Code		: used product, unused product 12 01 12*, spent waxes and fats	3		
		uncleaned packagings 15 01 10, packaging containing by hazardous substances	residues of or contaminated		

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good	
RID	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.2 UN proper shipping name			
ADR	:	Not regulated as a dangerous good	
RID	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.3 Transport hazard class(es)			
ADR	:	Not regulated as a dangerous good	
RID	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.4 Packing group			
ADR	:	Not regulated as a dangerous good	



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 427

Version 2.0	Revision Date: 31.08.2022	Date of last issue: 29.10.2018Print Date:Date of first issue: 04.07.201631.08.2022			
RID		:	Not regulated as a dangerous good		
IMDG		:	Not regulated as a dangerous good		
IATA (Cargo) IATA (Passenger)		:	Not regulated as a dangerous goodNot regulated as a dangerous good		
		:			
14.5 Environmental hazards					
ADR		:	Not regulated as a dangerous good		
RID		:	Not regulated as a dangerous good		
IMDG		:	Not regulated as a dangerous good		
14.6 Special precautions for user					
Not ap	plicable				
14.7 Maritime transport in bulk according to IMO instruments					
Rema	rks	:	Not applicable for product as supplied.		

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)	:	This product does not contain sub- stances of very high concern (Regu- lation (EC) No 1907/2006 (REACH), Article 57).
REACH - List of substances subject to authorisation (Annex XIV) (EU. REACH-Annex XIV)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that de- plete the ozone layer (EC 1005/2009)	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast) (EU POP)	:	Not applicable
Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals (EU PIC)	:	Not applicable
Seveso III: Directive 2012/18/EU of the European : Parliament and of the Council on the control of		Not applicable



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 427

Version	Revision Date:	Date of last issue: 29.10.2018	Print Date:
2.0	31.08.2022	Date of first issue: 04.07.2016	31.08.2022

major-accident hazards involving dangerous substances.

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0,11 %

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements H315 Causes skin irritation. May cause an allergic skin reaction. H317 Harmful to aquatic life with long lasting effects. H412 H413 May cause long lasting harmful effects to aquatic life. Full text of other abbreviations Note L The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method"Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class. ES VLA Spain. Environmental Limits for exposure to Chemical agents - Table 1: Occupational Exposure Values ES VLA / VLA-ED **Environmental Daily Limit Value** 1 ES VLA / VLA-EC Environmental Short Term Value

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 427

Version	Revision Date:	Date of last issue: 29.10.2018	Print Date:
2.0	31.08.2022	Date of first issue: 04.07.2016	31.08.2022

associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information			
Classification of the	e mixture:	Classification procedure:	
Skin Sens. 1	H317	Calculation method	

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

