according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 450

Version	Revision Date:	Date of last issue: 16.03.2022	Print Date:
3.1	19.04.2022	Date of first issue: 08.07.2016	19.04.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

4.4. Draduct identifier				
1.1 Product identifier Product name	OKS 450			
1.2 Relevant identified uses of the	substance or mixture and uses advised against			
Use of the Sub-	Lubricant			
Recommended restrictions	Restricted to professional users.			
1.3 Details of the supplier of the sa	afety data sheet			
Company	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com			
E-mail address of person responsible for the SDS	mcm@oks-germany.com Material Compliance Management			
National contact				
1.4 Emergency telephone number Emergency telephone num- : +34 91 562 04 20 ber				
SECTION 2: Hazards identificat	ion			
2.1 Classification of the substance or mixture				
Classification (REGULATION	(EC) No 1272/2008)			
Eye irritation, Category 2	H319: Causes serious eye irritation.			
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.			
2.2 Label elements				

Labelling (REGULATION (EC) No 1272/2008)



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 450

Versior 3.1	n Revision Date: 19.04.2022		te of last issue: 16. te of first issue: 08.		Print Date: 19.04.2022
Hazard pictograms		:	(!)		
Si	gnal word	:	Warning		
Ha	azard statements	•	H317 H319	May cause an allergic Causes serious eye i	
Pr	recautionary statements	:	Prevention: P261 P264 P280	Avoid breathing vapo Wash skin thoroughly Wear protective glove protection.	
			Response:		
			P333 + P313	If skin irritation or ras	h occurs: Get medical
			P337 + P313	If eye irritation persist attention.	ts: Get medical advice/
			P362 + P364		d clothing and wash it

Hazardous components which must be listed on the label:

Sulfonic acids, petroleum, calcium salts

Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Synthetic hydrocarbon oil



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 450

Version	Revision Date:	Date of last issue: 16.03.2022	Print Date:
3.1	19.04.2022	Date of first issue: 08.07.2016	19.04.2022

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concen- tration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
zinc bis[O,O-bis(2- ethylhexyl)] bis(dithiophosphate)	4259-15-8 224-235-5 01-2119493635-27- XXXX	Eye Dam.1; H318 Aquatic Chronic2; H411	> 50 % Eye Dam.1, H318	>= 1 - < 2,5
Sulfonic acids, petro- leum, calcium salts	61789-86-4 263-093-9 01-2119488992-18- 0000	Skin Sens.1B; H317	>= 10 % Skin Sens.1B,	>= 1 - < 10
Molybdenum trioxide, reaction products with bis[O,O-bis(2- ethylhexyl)] hydrogen dithiophosphate	947-946-9 01-2120772600-59- XXXX	Skin Irrit.2; H315 Skin Sens.1B; H317 Aquatic Chronic4; H413		>= 1 - < 2,5
Substances with a work	place exposure limit : 64742-52-5	Not classified		>= 1 - < 10
Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified	64742-52-5 265-155-0 649-465-00-7 01-2119467170-45- XXXX	INOL CIASSINEO	Note L	>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled

: Remove person to fresh air. If signs/symptoms continue, get



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 450

/ersion 3.1	Revision Date: 19.04.2022	Date of last issue: 16.03.2022 Date of first issue: 08.07.2016	Print Date: 19.04.2022		
		medical attention. Keep patient warm and at rest. If unconscious, place in recovery advice. Keep respiratory tract clear. If breathing is irregular or stopped tion.			
In cas	se of skin contact	 Take off all contaminated clothing Wash off immediately with soap a Get medical attention immediately persists. Wash clothing before reuse. Thoroughly clean shoes before re 	nd plenty of water. / if irritation develops and		
In cas	se of eye contact	: Rinse immediately with plenty of v for at least 10 minutes. Seek medical advice.	vater, also under the eyelids		
lf swa	allowed	 Move the victim to fresh air. If unconscious, place in recovery advice. Keep respiratory tract clear. Do NOT induce vomiting. Rinse mouth with water. Never give anything by mouth to a 			
.2 Most i	important symptom	s and effects, both acute and delayed			
Symp	otoms	: Allergic appearance			
Risks	3	: May cause an allergic skin reaction	May cause an allergic skin reaction.		
.3 Indica	tion of any immedi	ate medical attention and special treatm	ent needed		
Treat	ment	: The first aid procedure should be with the doctor responsible for ind			

5.1 Extinguishing media

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	:	High volume water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod-	:	Carbon oxides
ucts		Nitrogen oxides (NOx)
		Sulphur oxides



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 450

Versi 3.1		Date of last issue: 16.03.2022 Date of first issue: 08.07.2016	Print Date: 19.04.2022
		Oxides of phosphorus Metal oxides	
5.3 Advice for firefighters Special protective equipment for firefighters		: In the event of fire, wear self-co Use personal protective equipm tion products may be a hazard t	ent. Exposure to decomposi-
	Further information	: Standard procedure for chemica	al fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures					
Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment. Ensure adequate ventilation. Do not breathe vapours or spray mist. Refer to protective measures listed in sections 7 and 8.				
6.2 Environmental precautions					
Environmental precautions	Try to prevent the material from entering drains or water courses. Prevent further leakage or spillage if safe to do so. Local authorities should be advised if significant spillages cannot be contained.				
6.3 Methods and material for containment and cleaning up					

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling				
Advice on safe handling	:	Do not breathe vapours or spray mist. Avoid contact with skin and eyes. For personal protection see section 8.		

For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 450

Version 3.1	Revision Date: 19.04.2022	Date of last issue: 16.03.2022 Date of first issue: 08.07.2016	Print Date: 19.04.2022
		Smoking, eating and drinking sho plication area. Wash hands and face before brea handling the product. Do not get in eyes or mouth or on Do not get on skin or clothing. Do not ingest. Do not repack. Do not re-use empty containers. These safety instructions also app may still contain product residues Keep container closed when not in	aks and immediately after skin. bly to empty packaging which
Hygie	ene measures	: Wash face, hands and any expos handling.	ed skin thoroughly after
7.2 Condi	tions for safe storag	e, including any incompatibilities	
	irements for storage and containers	: Store in original container. Keep or use. Keep in a dry, cool and well- which are opened must be carefu to prevent leakage. Store in accornational regulations. Keep in prop	ventilated place. Containers Ily resealed and kept upright dance with the particular
-	fic end use(s) ific use(s)	: Specific instructions for handling,	not required.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Distillates (petrole- um), hydrotreated heavy naphthenic; Baseoil — un- specified	64742-52-5	VLA-ED (Mist)	5 mg/m3	ES VLA (2019-02-20)
		VLA-EC (Mist)	10 mg/m3	ES VLA (2019-02-20)

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
Benzene, mono-C10- 13-alkyl derivs., distn. residues	Workers	Inhalation	Long-term systemic effects	3,2 mg/m3
	Workers	Skin contact	Long-term systemic effects	4,3 mg/kg bw/day



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 450

Version Revision Date: 3.1 19.04.2022			issue: 16.03.2022 issue: 08.07.2016			
ethyl	bis[O,O-bis(2- hexyl)]	Workers	Inhalation	Long-term systemic effects	6,6 mg/m3	

bis(dithiophosphate)				
	Workers	Skin contact	Long-term systemic effects	9,6 mg/m3
Molybdenum trioxide, reaction products with bis[O,O-bis(2- ethylhexyl)] hydrogen dithiophosphate	Workers	Inhalation	Long-term systemic effects	4,93 mg/m3
	Workers	Dermal	Long-term systemic effects	1,4 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Benzene, mono-C10-13-alkyl	Fresh water	0,001 mg/l
derivs., distn. residues		
	Intermittent use/release	0,001 mg/l
	Marine water	0 mg/l
	Microbiological Activity in Sewage Treat-	2 mg/l
	ment Systems	
	Fresh water sediment	1,65 mg/kg
	Marine sediment	0,165 mg/kg
	Soil	0,329 mg/kg
zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	Fresh water	0,004 mg/l
	Marine water	0,0046 mg/l
	Sewage treatment plant	3,8 mg/l
	Fresh water sediment	0,322 mg/l
	Marine sediment	0,032 mg/l
	Soil	0,062 mg/l

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Eye protection	:	Safety glasses with side-shields
Hand protection Material Break through time Protective index		Nitrile rubber > 10 min Class 1
Remarks	:	Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. The selected protective gloves have to satisfy the specifica- tions of Regulation (EU) 2016/425 and the standard EN 374



derived from it.

according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 450

Version 3.1	Revision Date: 19.04.2022		e of last issue: 16.03.2022 e of first issue: 08.07.2016	Print Date: 19.04.2022
	iratory protection ter type	:	Not required; except in case of ae Filter type A-P	erosol formation.
Protective measures		:	The type of protective equipment to the concentration and amount of at the specific workplace. Choose body protection in relation tration and amount of dangerous s cific work-place.	of the dangerous substance

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

 Physical state	:	liquid
Colour	:	green
Odour	:	characteristic
Odour Threshold	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	235 °C (1.013 hPa)
Flammability (solid, gas)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	210 °C Method: ISO 2592
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	Not applicable substance/mixture is non-polar/aprotic
Viscosity Viscosity, dynamic	:	No data available



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 450

Viscosity, kinematic : 295 mm2/s (40 °C) Solubility(ies) Water solubility : insoluble	
Solubility in other solvents : No data available	
Partition coefficient: n- : No data available octanol/water	
Vapour pressure : 22,0 hPa (20 °C)	
Relative density : 0,891 (20 °C) Reference substance: Water The value is calculated	
Density : 0,89 g/cm3 (20 °C)	
Bulk density : No data available	
Relative vapour density : No data available	
9.2 Other information	
Explosives : Not explosive	
Oxidizing properties : No data available	
Self-ignition : not auto-flammable	
Metal corrosion rate : Not corrosive to metals	
Evaporation rate : No data available	
Sublimation point : No data available	

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 450

	Revision Date: 19.04.2022		e of last issue: 16.03.2022 e of first issue: 08.07.2016	Print Date: 19.04.2022			
	ons to avoid Ins to avoid	:	No conditions to be specially menti	oned.			
•	atible materials s to avoid	:	No materials to be especially ment	ioned.			
 10.6 Hazardous decomposition products No decomposition if stored and applied as directed. 							

SECTION 11: Toxicological information

Acute toxicity

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product:		
Acute inhalation toxicity	:	Remarks: This information is not available.
Acute dermal toxicity	:	Symptoms: Redness, Local irritation
Components:		
zinc bis[O,O-bis(2-ethylhe	xyl)]	bis(dithiophosphate):
Acute oral toxicity	:	LD50 (Rat, male): 3.100 mg/kg Method: OECD Test Guideline 401 GLP: no
Acute dermal toxicity	:	LD50 (Rabbit, male): > 5.000 mg/kg Method: OECD Test Guideline 402 GLP: no
Molvbdenum trioxide. read	tion	products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithio-
phosphate:	,	
		Symptoms: Redness, Local irritation
phosphate: Acute dermal toxicity	:	
phosphate: Acute dermal toxicity	:	Symptoms: Redness, Local irritation



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



13 430)			
rsion	Revision Date: 19.04.2022		e of last issue: 16.03.2022 e of first issue: 08.07.2016	Print Date: 19.04.2022
Acute	e dermal toxicity	:	LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 402 GLP: yes	2
Skin	corrosion/irritation			
Produ	uct:			
Rema		:	This information is not available.	
<u>Com</u>	oonents:			
zinc k	ois[O,O-bis(2-ethyll	nexyl)]	bis(dithiophosphate):	
Speci	es	:	Rabbit	
	ssment	:	No skin irritation	
Metho	bd	:	OECD Test Guideline 404	
Resul	lt	:	No skin irritation	
GLP		:	yes	
	odenum trioxide, re phate:	action	products with bis[O,O-bis(2-ethyl	lhexyl)] hydrogen dithio-
Asses	ssment	:	Irritating to skin.	
Resul	t	:	Irritating to skin.	
Rema	arks	:	Irritating to skin.	
Distil	lates (petroleum), h	ydrotro	eated heavy naphthenic; Baseoil -	— unspecified:
Speci	es	:	Rabbit	
•	ssment	:	No skin irritation	
Metho		:	OECD Test Guideline 404	
Resul	t	:	No skin irritation	
Serio	us eye damage/eye	irritati	on	
<u>Produ</u>				
Rema	arks	:	Irritating to eyes.	
<u>Com</u>	oonents:			
zinc b	ois[O,O-bis(2-ethyll	nexyl)]	bis(dithiophosphate):	
Speci	es	:	Rabbit	
	ssment	:	Risk of serious damage to eyes.	
Metho		:	OECD Test Guideline 405	
Resul	t	:	Risk of serious damage to eyes.	
GLP		:	yes	
	odenum trioxide, re phate:	action	products with bis[O,O-bis(2-ethy	lhexyl)] hydrogen dithio-
Asses	ssment	:	No eye irritation	
			11 / 22	a brand of



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



	Revision Date: 19.04.2022		e of last issue: 16.03.2022 e of first issue: 08.07.2016	Print Date: 19.04.2022
Resu	lt	:	No eye irritation	
Distil	lates (petroleum), I	hydrotr	eated heavy naphthenic; Baseoil	— unspecified:
Speci	es	:	Rabbit	
Asses	ssment	:	No eye irritation	
Metho	bd	:	OECD Test Guideline 405	
Resu	lt	:	No eye irritation	
GLP		:	yes	
Resp	iratory or skin sen	sitisatio	on	
Prod	uct:			
Rema	arks	:	This information is not available.	
Com	oonents:			
zinc l	bis[O,O-bis(2-ethyl	hexyl)]	bis(dithiophosphate):	
Test ⁻	Гуре	:	Maximisation Test	
Speci	es	:	Guinea pig	
Asses	ssment	:	Did not cause sensitisation on lab	oratory animals.
Metho	bd	:	OECD Test Guideline 406	
Resu	lt	:	Did not cause sensitisation on lab	oratory animals.
GLP		:	yes	
			ium salts:	
Sulfo	nic acids netroleu	m calc		
	nic acids, petroleu ssment	m, calc :	The product is a skin sensitiser, si	ub-category 1B.
Asses	ssment	:	The product is a skin sensitiser, se	
Asses Molyl	ssment	:		
Asses Molyl phos	ssment bdenum trioxide, re	:	The product is a skin sensitiser, so products with bis[O,O-bis(2-ethy	lhexyl)] hydrogen dithi
Asses Molyl phos	ssment bdenum trioxide, re phate: ssment	:	The product is a skin sensitiser, se	Ihexyl)] hydrogen dithi ub-category 1B.
Asses Molyl phos Asses Resul	ssment bdenum trioxide, re phate: ssment It	eaction	The product is a skin sensitiser, so products with bis[O,O-bis(2-ethy The product is a skin sensitiser, so	Thexyl)] hydrogen dithi ub-category 1B. ub-category 1B.
Asses Molyl phos Asses Resul	ssment bdenum trioxide, re phate: ssment It lates (petroleum), l	eaction	The product is a skin sensitiser, so products with bis[O,O-bis(2-ethy The product is a skin sensitiser, so The product is a skin sensitiser, so eated heavy naphthenic; Baseoil	Thexyl)] hydrogen dithi ub-category 1B. ub-category 1B.
Asses Molyl phos Asses Resul Distil Speci	ssment bdenum trioxide, re phate: ssment It lates (petroleum), l es	eaction	The product is a skin sensitiser, so products with bis[O,O-bis(2-ethy The product is a skin sensitiser, so The product is a skin sensitiser, so eated heavy naphthenic; Baseoil Guinea pig	<pre>Ihexyl)] hydrogen dithi ub-category 1B. ub-category 1B. — unspecified:</pre>
Asses Molyl phos Asses Resul Distil Speci Asses	ssment bdenum trioxide, re phate: ssment It lates (petroleum), l es ssment	eaction	The product is a skin sensitiser, so products with bis[O,O-bis(2-ethy The product is a skin sensitiser, so The product is a skin sensitiser, so eated heavy naphthenic; Baseoil Guinea pig Does not cause skin sensitisation.	<pre>Ihexyl)] hydrogen dithi ub-category 1B. ub-category 1B. — unspecified:</pre>
Asses Molyl phos Asses Resul Distil Speci	ssment bdenum trioxide, re phate: ssment It lates (petroleum), l les ssment od	eaction	The product is a skin sensitiser, so products with bis[O,O-bis(2-ethy The product is a skin sensitiser, so The product is a skin sensitiser, so eated heavy naphthenic; Baseoil Guinea pig	(Ihexyl)] hydrogen dithi ub-category 1B. ub-category 1B. — unspecified:
Asses Molyl phos Asses Resul Distil Speci Asses Metho Resul	ssment bdenum trioxide, re phate: ssment It lates (petroleum), l les ssment od	eaction	The product is a skin sensitiser, so products with bis[O,O-bis(2-ethy The product is a skin sensitiser, so The product is a skin sensitiser, so eated heavy naphthenic; Baseoil Guinea pig Does not cause skin sensitisation. OECD Test Guideline 406	(Ihexyl)] hydrogen dithi ub-category 1B. ub-category 1B. — unspecified:
Asses Molyl phos Asses Resul Distil Speci Asses Metho Resul	ssment bdenum trioxide, re phate: ssment It lates (petroleum), l les ssment od It	eaction	The product is a skin sensitiser, so products with bis[O,O-bis(2-ethy The product is a skin sensitiser, so The product is a skin sensitiser, so eated heavy naphthenic; Baseoil Guinea pig Does not cause skin sensitisation. OECD Test Guideline 406	(Ihexyl)] hydrogen dithi ub-category 1B. ub-category 1B. — unspecified:
Asses Molyl phos Asses Resul Distil Speci Asses Metho Resul Germ	ssment bdenum trioxide, re phate: ssment It lates (petroleum), l les ssment od It	eaction	The product is a skin sensitiser, so products with bis[O,O-bis(2-ethy The product is a skin sensitiser, so The product is a skin sensitiser, so eated heavy naphthenic; Baseoil Guinea pig Does not cause skin sensitisation. OECD Test Guideline 406	(Ihexyl)] hydrogen dithi ub-category 1B. ub-category 1B. — unspecified:



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 450

Version	Revision Date:	Date of last issue: 16.03.2022	Print Date:
3.1	19.04.2022	Date of first issue: 08.07.2016	19.04.2022

Components:

<u>Components:</u>		
Distillates (petroleum), hydr Genotoxicity in vitro	otr :	eated heavy naphthenic; Baseoil — unspecified: Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative
Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Intraperitoneal injection Method: OECD Test Guideline 474 Result: negative
Germ cell mutagenicity- As- sessment	:	Tests on bacterial or mammalian cell cultures did not show mutagenic effects.
Carcinogenicity		
<u>Product:</u> Remarks	:	No data available
Components:		
Distillates (petroleum), hydr Carcinogenicity - Assess- ment	otr :	eated heavy naphthenic; Baseoil — unspecified: Not classifiable as a human carcinogen.
Reproductive toxicity		
Product: Effects on fertility	:	Remarks: No data available
Effects on foetal develop- ment	:	Remarks: No data available
Components:		

Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil - unspecified:

Effects on foetal develop- ment	 Species: Rat Application Route: Dermal General Toxicity Maternal: LOAEL: 125 mg/kg body weight Teratogenicity: NOAEL: >= 2.000 mg/kg body weight Developmental Toxicity: NOAEL: >= 2.000 mg/kg body weight Embryo-foetal toxicity: NOAEL: >= 2.000 mg/kg body weight Method: OECD Test Guideline 414 Result: No effects on fertility and early embryonic develop- ment were detected.
------------------------------------	--



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS	450			
Versic 3.1	on Revision Date: 19.04.2022		e of last issue: 16.03.2022 e of first issue: 08.07.2016	Print Date: 19.04.2022
R	Reproductive toxicity - As- sessment		- Fertility -	
			No toxicity to reproduction - Teratogenicity -	
			No toxicity to reproduction	
s	TOT - single exposure			
<u>C</u>	components:			
D	Distillates (petroleum), hyd	Irotr	eated heavy naphthenic; Baseoil — un	specified:
A	ssessment	:	The substance or mixture is not classifie organ toxicant, single exposure.	d as specific target
S	TOT - repeated exposure			
<u>C</u>	components:			
D)istillates (petroleum), hyd	Irotr	eated heavy naphthenic; Baseoil — un	specified:
A	ssessment	:	The substance or mixture is not classifie organ toxicant, repeated exposure.	d as specific target
R	epeated dose toxicity			
<u>P</u>	Product:			
R	Remarks	:	This information is not available.	
A	spiration toxicity			
<u>P</u>	Product:			
Т	his information is not availa	ble.		
<u>C</u>	components:			
z	inc bis[O,O-bis(2-ethylhex	(yl)]	bis(dithiophosphate):	
Ν	lo aspiration toxicity classifie	catio	n	
	Distillates (petroleum), hyd Io aspiration toxicity classifio		eated heavy naphthenic; Baseoil — un n	specified:
11.2 lı	nformation on other hazar	ds		
E	indocrine disrupting prop	ertie	S	
<u>P</u>	Product:			
A	ssessment	:	The substance/mixture does not contain ered to have endocrine disrupting prope REACH Article 57(f) or Commission Del (EU) 2017/2100 or Commission Regulat	rties according to egated regulation
				a brand of



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 450

Version 3.1	Revision Date: 19.04.2022	Date of last issue: 16.03.2022 Date of first issue: 08.07.2016	Print Date: 19.04.2022
		levels of 0.1% or higher.	
Furth	ner information		
Prod	uct:		
Remarks		: Information given is based on da the toxicology of similar product	•
<u>Com</u>	ponents:		
-	bdenum trioxide, re phate:	eaction products with bis[O,O-bis(2-et	hylhexyl)] hydrogen dithio-
Rema	arks	: Ingestion causes irritation of upp gastrointestinal disturbance.	per respiratory system and

SECTION 12: Ecological information

12.1 Toxicity

<u>Product:</u> Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available
Components:		
zinc bis[O,O-bis(2-ethylhexyl))] I	bis(dithiophosphate):
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 4,4 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 75 mg/l Exposure time: 48 h Test Type: Immobilization Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae/aquatic plants	:	ErC50 (Desmodesmus subspicatus (green algae)): 240 mg/l Exposure time: 72 h Test Type: Growth inhibition



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



rsion			e of last issue: 16.03.2022 e of first issue: 08.07.2016	Print Date: 19.04.2022
			Method: OECD Test Guideline 201 GLP: yes	
Toxicit	y to microorganisms	:	EC50 (Pseudomonas putida): 380 Exposure time: 16 h Test Type: static test GLP: yes	mg/l
	y to daphnia and other c invertebrates (Chron- city)		NOEC: > 0,8 mg/l Exposure time: 21 d Species: Daphnia magna (Water fle Method: OECD Test Guideline 211 GLP: yes Remarks: Information given is base similar substances.	
Molyb phosp		tion	products with bis[O,O-bis(2-ethyl	hexyl)] hydrogen dithio
• •	y to fish	:	LC50 (Oncorhynchus mykiss (rainb Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203 GLP: yes	
			Remarks: May cause long-term advectory environment.	verse effects in the aquat
	y to daphnia and other c invertebrates	:	EC50 (Daphnia magna (Water flea) Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: yes	-
Toxicit plants	y to algae/aquatic	:	EC50 (Pseudokirchneriella subcapi mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes	
Distilla	ates (petroleum), hyd	rotre	eated heavy naphthenic; Baseoil -	– unspecified:
Toxicit	y to fish	:	LC50 (Pimephales promelas (fathe Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes	
	y to daphnia and other c invertebrates	:	EC50 (Daphnia magna (Water flea) Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202	



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



UK	5 450				
Vers 3.1	sion			e of last issue: 16.03.2022 e of first issue: 08.07.2016	Print Date: 19.04.2022
	Toxicity plants	∕ to algae/aquatic	:	LC50 (Pseudokirchneriella subcapita mg/l Exposure time: 72 h Method: OECD Test Guideline 201	ata (green algae)): > 100
	Toxicity icity)	v to fish (Chronic tox-	:	NOELR: >= 1.000 mg/l Exposure time: 28 d Species: Oncorhynchus mykiss (rair Remarks: The value is calculated	nbow trout)
	Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)			NOELR: 10 mg/l Exposure time: 21 d Species: Daphnia magna (Water fle Test Type: Reproduction Test Method: OECD Test Guideline 211	a)
12.2	Persis	tence and degradabi	lity		
	<u>Produc</u> Biodeg	:t: radability	:	Remarks: No data available	
	Physico ity	o-chemical removabil-	:	Remarks: No data available	
	Compo	onents:			
	zinc bi	s[0.0-bis(2-ethvlhex	vI)1	ois(dithiophosphate):	
		radability	:	Result: Not rapidly biodegradable Biodegradation: < 5 % Exposure time: 27 d Method: OECD Test Guideline 301E GLP: no)
	Molybo phospl		ion	products with bis[O,O-bis(2-ethylh	exyl)] hydrogen dithio-
		radability	:	Result: Not rapidly biodegradable Biodegradation: 11 % Exposure time: 28 d Method: OECD Test Guideline 301E	3
	Distilla	tes (petroleum), hyd	rotre	eated heavy naphthenic; Baseoil –	- unspecified:
		radability	:	Test Type: aerobic Inoculum: activated sludge Result: Not rapidly biodegradable Biodegradation: 3 % Exposure time: 28 d Method: OECD Test Guideline 301E GLP: yes	
					a brand of



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 450

Version	Revision Date:	Date of last issue: 16.03.2022	Print Date:
3.1	19.04.2022	Date of first issue: 08.07.2016	19.04.2022

12.3 Bioaccumulative potential

Product:

Bioaccumulation	: Remarks: This mixture contains no substance considered to
	be persistent, bioaccumulating and toxic (PBT).
	This mixture contains no substance considered to be very
	persistent and very bioaccumulating (vPvB).

Components:

zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate):

Partition coefficient: n-	:	log Pow: 3,59 (22 °C)
octanol/water		pH: 5
		Method: OECD Test Guideline 107
		GLP: yes

Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate:

Partition coefficient: n-	:	log Pow: > 4
octanol/water		

12.4 Mobility in soil

Product:

Mobility	:	Remarks: No data available
Distribution among environ- mental compartments	:	Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:	
Assessment	 This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
Components:	
zinc bis[O,O-bis(2-eth	ylhexyl)] bis(dithiophosphate):
Assessment	: Non-classified PBT substance. Non-classified vPvB substance

Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified:

Non-classified PBT substance. Non-classified vPvB substance

A (
Assessment	
Assessment	

12.6 Endocrine disrupting properties

Product:

Assessment	:	The substance/mixture does not contain components consid-
------------	---	---



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 450

mation

Version 3.1	Revision Date: 19.04.2022	Date of last issue: 16.03.2022Print DateDate of first issue: 08.07.201619.04.202	-
		ered to have endocrine disrupting properties accordin REACH Article 57(f) or Commission Delegated regul (EU) 2017/2100 or Commission Regulation (EU) 201 levels of 0.1% or higher.	ation
12.7 Oth	ner adverse effects		
Add	oduct: ditional ecological infor- tion	: No information on ecology is available.	
Co	mponents:		
	lybdenum trioxide, rea osphate:	ion products with bis[O,O-bis(2-ethylhexyl)] hydrogen	dithio-
Ado	ditional ecological infor-	: May cause long lasting harmful effects to aquatic life	

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product :	The product should not be allowed to enter drains, water courses or the soil. Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
	Waste codes should be assigned by the user based on the application for which the product was used.
Contaminated packaging :	Packaging that is not properly emptied must be disposed of as the unused product. Dispose of waste product or used containers according to local regulations.
	The following Waste Codes are only suggestions:
Waste Code :	unused product 13 02 06*, synthetic engine, gear and lubricating oils
	uncleaned packagings 15 01 10, packaging containing residues of or contaminated by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 450

Version 3.1	Revision Date: 19.04.2022	Date of last issue: 16.03.2022 Date of first issue: 08.07.2016	Print Date: 19.04.2022
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDO	3	: Not regulated as a dangerous good	
IATA		: Not regulated as a dangerous good	
	proper shipping nam	č č č	
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDO	3	: Not regulated as a dangerous good	
ΙΑΤΑ	L .	: Not regulated as a dangerous good	
14.3 Tran	sport hazard class(e	es)	
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDO	3	: Not regulated as a dangerous good	
ΙΑΤΑ	L .	: Not regulated as a dangerous good	
14.4 Pack	king group		
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDO	3	: Not regulated as a dangerous good	
ΙΑΤΑ	(Cargo)	: Not regulated as a dangerous good	
ΙΑΤΑ	(Passenger)	: Not regulated as a dangerous good	
14.5 Envi	ronmental hazards		
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDO	3	: Not regulated as a dangerous good	
-	cial precautions for a applicable	user	
	-	k according to IMO instruments	
Rem	arks	: Not applicable for product as suppli	ed.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 3



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 450

0110 40	•			
Version 3.1	Revision Date: 19.04.2022	Date of last issue: 16.03.20 Date of first issue: 08.07.20		Print Date: 19.04.2022
Conc	CH - Candidate List o cern for Authorisation SVHC)	f Substances of Very High (Article 59).	:	This product does not contain sub- stances of very high concern (Regulation (EC) No 1907/2006 (REACH Article 57).
(Ann	CH - List of substance ex XIV) REACH-Annex XIV)	es subject to authorisation	:	Not applicable
plete	Ilation (EC) No 1005/2 the ozone layer 1005/2009)	2009 on substances that de-	:	Not applicable
tants	llation (EU) 2019/102 (recast) POP)	1 on persistent organic pollu-	:	Not applicable
ment of da		012 of the European Parlia- cerning the export and import	:	Not applicable
Parlia	ament and of the Cou r-accident hazards inv	18/EU of the European : ncil on the control of volving dangerous sub-		Not applicable
Volat	ile organic compound	emissions (integrated	pollu	4 November 2010 on industrial ution prevention and control) ds (VOC) content: 0,35 %

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

H315 :	Causes skin irritation.
H317 :	May cause an allergic skin reaction.
H318 :	Causes serious eye damage.
H411 :	Toxic to aquatic life with long lasting effects.
H413 :	May cause long lasting harmful effects to aquatic life.



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 450

Version	Revision Date:	Date of last issue: 16.03.2022	Print Date:
3.1	19.04.2022	Date of first issue: 08.07.2016	19.04.2022

Full text of other abbreviations

Note L	:	The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determi- nation of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method"Institute of Petroleum, Lon- don), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.	
ES VLA	:	Spain. Environmental Limits for exposure to Chemical agents - Table 1: Occupational Exposure Values	
ES VLA / VLA-ED ES VLA / VLA-EC	:	Environmental Short Term Value	

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials; bw - Body weight: CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - Interna-tional Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances: (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 450

Version	Revision Date:	Date of last issue: 16.03.2022	Print Date:
3.1	19.04.2022	Date of first issue: 08.07.2016	19.04.2022

Further information					
Classification procedure:					
Calculation method					
Calculation method					

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

