

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT



## OKS 472

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
2.2	16.08.2018	Date of first issue: 13.06.2016	17.08.2018

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product name : OKS 472

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Grease

Recommended restrictions on use : Restricted to professional users.

#### 1.3 Details of the supplier of the safety data sheet

Company : OKS Spezialschmierstoffe GmbH  
Ganghoferstr. 47  
D-82216 Maisach-Gernlinden  
Tel.: +49 8142 3051 500  
Fax.: +49 8142 3051 599

E-mail address of person responsible for the SDS : mcm@oks-germany.com  
National contact :

#### 1.4 Emergency telephone number

Emergency telephone number : 02/66101029 (Ospedale Niguarda - Milano)  
0382/24444 (Istituto Maugeri - Pavia)  
055/7947819 (Ospedale Careggi - Firenze)  
06/3054343 (Policlinico Gemelli - Roma)  
081/7472870 (Ospedale Cardarelli - Napoli)  
035/269469 - 800.883300 (Ospedali Riuniti - Bergamo)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Chronic aquatic toxicity, Category 3 H412: Harmful to aquatic life with long lasting effects.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT



## OKS 472

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
2.2	16.08.2018	Date of first issue: 13.06.2016	17.08.2018

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard statements : H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P273 Avoid release to the environment.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Synthetic hydrocarbon oil  
ester oil  
aluminium complex soap

#### Hazardous components

Chemical name	CAS-No. EC-No.  Index-No. Registration number	Classification	Concentration limits M-Factor Notes	Concentration (% w/w)
(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine	110-25-8  203-749-3  01-2119488991-20-XXXX	Acute Tox.4; H332 Skin Irrit.2; H315 Eye Dam.1; H318 Aquatic Acute1; H400	M-Factor: 1/1	>= 0,25 - < 1
2,6-di-tert-butyl-p-cresol	128-37-0  204-881-4  01-2119555270-46-XXXX	Aquatic Acute1; H400 Aquatic Chronic1; H410	M-Factor: 1/1	>= 0,25 - < 1
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol	95-38-5  202-414-9	Acute Tox.4; H302 Skin Corr.1C; H314 Eye Dam.1; H318	M-Factor: 10/1	>= 0,25 - < 1

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT



## OKS 472

Version  
2.2

Revision Date:  
16.08.2018

Date of last issue: 26.03.2018  
Date of first issue: 13.06.2016

Print Date:  
17.08.2018

	01-2119777867-13-XXXX	STOT RE2; H373 Aquatic Acute1; H400 Aquatic Chronic1; H410		
Substances with a workplace exposure limit :				
White mineral oil (petroleum)	8042-47-5 232-455-8 01-2119487078-27-XXXX			$\geq 1 - < 10$
White mineral oil (petroleum)	8042-47-5 232-455-8 01-2119487078-27-XXXX	Asp. Tox.1; H304		$\geq 1 - < 10$

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.  
In case of contact, immediately flush skin with plenty of water.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
If eye irritation persists, consult a specialist.
- If swallowed : Move the victim to fresh air.  
If unconscious, place in recovery position and seek medical advice.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT



## OKS 472

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
2.2	16.08.2018	Date of first issue: 13.06.2016	17.08.2018

Keep respiratory tract clear.  
Do not induce vomiting without medical advice.  
Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.  
Risks : None known.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  
Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Fire may cause evolution of:  
Carbon oxides  
Metal oxides  
Oxides of phosphorus

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. In the case of respirable dust and/or fumes, use self-contained breathing apparatus. Exposure to decomposition products may be a hazard to health.  
Further information : Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas. Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT



## OKS 472

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
2.2	16.08.2018	Date of first issue: 13.06.2016	17.08.2018

---

(dust).  
Avoid breathing dust.  
Refer to protective measures listed in sections 7 and 8.

### 6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up promptly by sweeping or vacuum.  
Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For personal protection see section 8.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash hands and face before breaks and immediately after handling the product.  
Do not ingest.  
Do not repack.  
These safety instructions also apply to empty packaging which may still contain product residues.  
Keep container closed when not in use.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

### 7.3 Specific end use(s)

Specific use(s) : Consult the technical guidelines for the use of this substance/mixture.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT



## OKS 472

Version 2.2      Revision Date: 16.08.2018      Date of last issue: 26.03.2018  
Date of first issue: 13.06.2016

Print Date:  
17.08.2018

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine	Workers	Inhalation	Long-term systemic effects	0,8 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	20 mg/kg bw/day
2,6-di-tert-butyl-p-cresol	Workers	Inhalation	Long-term systemic effects	3,5 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	0,5 mg/kg
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol	Workers	Skin contact	Long-term exposure, Systemic effects	0,6 mg/kg
	Workers	Inhalation	Long-term exposure, Systemic effects	0,46 mg/m <sup>3</sup>
	Workers	Skin contact	Short-term exposure, Systemic effects	2 mg/kg
	Workers	Inhalation	Short-term exposure, Systemic effects	14 mg/m <sup>3</sup>

##### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
isopropyl oleate	Fresh water sediment	2,978 mg/kg
	Marine sediment	2,978 mg/kg
(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine	Fresh water	0,00043 mg/l
	Intermittent use/release	0,0043 mg/l
	Marine water	0,000043 mg/l
	Intermittent use/release	0,00043 mg/l
	Sewage treatment plant	1 mg/l
	Fresh water sediment	0,007 mg/kg dry weight (d.w.)
	Marine sediment	0,001 mg/kg dry weight (d.w.)
2,6-di-tert-butyl-p-cresol	Soil	1,71 mg/kg dry weight (d.w.)
	Fresh water	0,199 µg/l
	Marine water	0,02 µg/l
	Intermittent use/release	1,99 µg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT



## OKS 472

Version 2.2      Revision Date: 16.08.2018      Date of last issue: 26.03.2018      Print Date: 17.08.2018  
Date of first issue: 13.06.2016

	Microbiological Activity in Sewage Treatment Systems	0,17 mg/l
	Fresh water sediment	0,0996 mg/kg
	Marine sediment	0,00996 mg/kg
	Soil	0,04769 mg/kg
	Oral	8,33 mg/kg
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol	Fresh water	0,00003 mg/l
	Marine water	0,000003 mg/l
	Fresh water sediment	0,376 mg/kg
	Marine sediment	0,0376 mg/kg
	Soil	0,075 mg/kg

### 8.2 Exposure controls

#### Engineering measures

Maintain air concentrations below occupational exposure standards.

#### Personal protective equipment

Eye protection : Tightly fitting safety goggles

#### Hand protection

Material : Nitrile rubber  
Protective index : Class 1

Remarks : For prolonged or repeated contact use protective gloves. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type P

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.  
Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance : paste

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT



## OKS 472

Version 2.2	Revision Date: 16.08.2018	Date of last issue: 26.03.2018 Date of first issue: 13.06.2016	Print Date: 17.08.2018
----------------	------------------------------	---	---------------------------

Colour : beige

Odour : characteristic

Odour Threshold : No data available

pH : No data available

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : Combustible Solids

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : < 0,001 hPa (20 °C)

Relative vapour density : No data available

Density : 0,90 g/cm<sup>3</sup>  
(20 °C)

Bulk density : No data available

Solubility(ies)  
Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : No data available



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT



## OKS 472

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
2.2	16.08.2018	Date of first issue: 13.06.2016	17.08.2018

### 9.2 Other information

Sublimation point : No data available  
Self-ignition : No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No hazards to be specially mentioned.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

### 10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

##### Product:

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Remarks: This information is not available.

##### Components:

##### **(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT



## OKS 472

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
2.2	16.08.2018	Date of first issue: 13.06.2016	17.08.2018

Acute inhalation toxicity : LC50 (Rat): 1,37 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: no

### **2,6-di-tert-butyl-p-cresol:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 402

### **2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:**

Acute oral toxicity : LD50 (Rat): 1.265 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### **White mineral oil (petroleum):**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: yes  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

### **White mineral oil (petroleum):**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT



## OKS 472

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
2.2	16.08.2018	Date of first issue: 13.06.2016	17.08.2018

toxicity

### Skin corrosion/irritation

#### Product:

Remarks: This information is not available.

#### Components:

##### **(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine:**

Species: Rabbit  
Assessment: Irritating to skin.  
Method: OECD Test Guideline 404  
Result: Irritating to skin.  
GLP: yes

##### **2,6-di-tert-butyl-p-cresol:**

Species: Rabbit  
Assessment: No skin irritation  
Result: No skin irritation

##### **2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:**

Species: Rabbit  
Method: OECD Test Guideline 404  
Result: Corrosive, category 1C - where responses occur after exposures between 1 hour and 4 hours and observations up to 14 days.  
GLP: yes

##### **White mineral oil (petroleum):**

Species: Rabbit  
Assessment: No skin irritation  
Method: OECD Test Guideline 404  
Result: No skin irritation  
GLP: yes

##### **White mineral oil (petroleum):**

Species: Rabbit  
Assessment: No skin irritation  
Method: OECD Test Guideline 404  
Result: No skin irritation  
GLP: yes

### Serious eye damage/eye irritation

#### Product:

Remarks: This information is not available.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT



## OKS 472

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
2.2	16.08.2018	Date of first issue: 13.06.2016	17.08.2018

### Components:

#### **(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine:**

Species: Rabbit  
Assessment: Risk of serious damage to eyes.  
Method: OECD Test Guideline 405  
Result: Risk of serious damage to eyes.  
GLP: yes

#### **2,6-di-tert-butyl-p-cresol:**

Species: Rabbit  
Assessment: No eye irritation  
Method: Draize Test  
Result: No eye irritation

#### **2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:**

Species: Rabbit  
Assessment: Corrosive  
Method: OECD Test Guideline 405  
Result: Corrosive

#### **White mineral oil (petroleum):**

Species: Rabbit  
Assessment: No eye irritation  
Method: OECD Test Guideline 405  
Result: No eye irritation  
GLP: yes

#### **White mineral oil (petroleum):**

Species: Rabbit  
Assessment: No eye irritation  
Method: OECD Test Guideline 405  
Result: No eye irritation  
GLP: yes

### **Respiratory or skin sensitisation**

#### **Product:**

Remarks: This information is not available.

### **Components:**

#### **(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine:**

Test Type: Maximisation Test  
Species: Guinea pig  
Assessment: Does not cause skin sensitisation.  
Method: OECD Test Guideline 406  
Result: Does not cause skin sensitisation.  
GLP: no

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT



## OKS 472

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
2.2	16.08.2018	Date of first issue: 13.06.2016	17.08.2018

### 2,6-di-tert-butyl-p-cresol:

Species: Humans  
Assessment: Does not cause skin sensitisation.  
Result: Does not cause skin sensitisation.

### 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

Species: Guinea pig  
Assessment: Does not cause skin sensitisation.  
Method: OECD Test Guideline 406  
Result: Does not cause skin sensitisation.

### White mineral oil (petroleum):

Test Type: Maximisation Test  
Species: Guinea pig  
Assessment: Does not cause skin sensitisation.  
Method: OECD Test Guideline 406  
Result: Does not cause skin sensitisation.  
GLP: yes

### White mineral oil (petroleum):

Test Type: Buehler Test  
Species: Guinea pig  
Assessment: Does not cause skin sensitisation.  
Method: OECD Test Guideline 406  
Result: Does not cause skin sensitisation.  
GLP: yes

### Germ cell mutagenicity

#### Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

#### Components:

#### **(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine:**

Germ cell mutagenicity- Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

### 2,6-di-tert-butyl-p-cresol:

Genotoxicity in vitro : Test Type: Ames test  
Result: negative  
Remarks: In vitro tests did not show mutagenic effects

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT



## OKS 472

Version 2.2	Revision Date: 16.08.2018	Date of last issue: 26.03.2018 Date of first issue: 13.06.2016	Print Date: 17.08.2018
----------------	------------------------------	---	---------------------------

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Result: negative

Germ cell mutagenicity- Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

### **2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:**

Germ cell mutagenicity- Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

### **White mineral oil (petroleum):**

Genotoxicity in vitro : Test Type: Ames test  
Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)  
Result: negative  
GLP: yes

Germ cell mutagenicity- Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

### **White mineral oil (petroleum):**

Germ cell mutagenicity- Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

## **Carcinogenicity**

### **Product:**

Remarks: No data available

### **Components:**

#### **(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine:**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

#### **White mineral oil (petroleum):**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

#### **White mineral oil (petroleum):**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

## **Reproductive toxicity**

### **Product:**

Effects on fertility : Remarks: No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT



## OKS 472

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
2.2	16.08.2018	Date of first issue: 13.06.2016	17.08.2018

Effects on foetal development : Remarks: No data available

### Components:

#### **(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine:**

Reproductive toxicity - Assessment : No toxicity to reproduction  
No effects on or via lactation

#### **2,6-di-tert-butyl-p-cresol:**

Reproductive toxicity - Assessment : No toxicity to reproduction

#### **2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:**

Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility.  
Did not show teratogenic effects in animal experiments.

#### **White mineral oil (petroleum):**

Reproductive toxicity - Assessment : No toxicity to reproduction  
No effects on or via lactation

#### **White mineral oil (petroleum):**

Reproductive toxicity - Assessment : No toxicity to reproduction  
No effects on or via lactation

### **STOT - single exposure**

#### Components:

#### **2,6-di-tert-butyl-p-cresol:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### **White mineral oil (petroleum):**

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### **White mineral oil (petroleum):**

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

### **STOT - repeated exposure**

#### Components:

#### **2,6-di-tert-butyl-p-cresol:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT



## OKS 472

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
2.2	16.08.2018	Date of first issue: 13.06.2016	17.08.2018

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### **2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:**

Exposure routes: Ingestion

Target Organs: Digestive organs, thymus gland

Assessment: May cause damage to organs through prolonged or repeated exposure.

### **White mineral oil (petroleum):**

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### **White mineral oil (petroleum):**

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### **Repeated dose toxicity**

#### **Product:**

Remarks: This information is not available.

#### **Components:**

### **2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:**

Species: Rat

100 mg/kg

NOAEL: 20 mg/kg

Application Route: Oral

### **White mineral oil (petroleum):**

NOAEL: 1.800 mg/kg

Exposure time: 90 d

### **Aspiration toxicity**

#### **Product:**

This information is not available.

#### **Components:**

### **(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine:**

No aspiration toxicity classification

### **2,6-di-tert-butyl-p-cresol:**

No aspiration toxicity classification



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT



## OKS 472

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
2.2	16.08.2018	Date of first issue: 13.06.2016	17.08.2018

### White mineral oil (petroleum):

No aspiration toxicity classification

### White mineral oil (petroleum):

May be fatal if swallowed and enters airways.

### Further information

#### Product:

Remarks: Information given is based on data on the components and the toxicology of similar products.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : Remarks: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

#### Components:

##### **(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine:**

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 3,2 - 4,6 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: DIN 38412

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,53 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: Directive 67/548/EEC, Annex V, C.2.

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): 5,1 mg/l  
Exposure time: 72 h  
Test Type: Growth inhibition  
Method: Directive 67/548/EEC, Annex V, C.3.

M-Factor (Acute aquatic tox- : 1

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT



## OKS 472

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
2.2	16.08.2018	Date of first issue: 13.06.2016	17.08.2018

icity)

Toxicity to microorganisms : EC50 (Bacteria): 1.300 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

M-Factor (Chronic aquatic toxicity) : 1

### 2,6-di-tert-butyl-p-cresol:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 0,57 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,61 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): > 0,4 mg/l  
Exposure time: 72 h  
Method: Regulation (EC) No. 440/2008, Annex, C.3

M-Factor (Acute aquatic toxicity) : 1

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,316 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 1

### 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 0,3 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,136 mg/l  
Exposure time: 48 h  
Test Type: Immobilization  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae : ErC50 (Desmodesmus subspicatus (green algae)): 0,03 mg/l  
Exposure time: 72 h  
Test Type: Growth inhibition  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox- : 10

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT



## OKS 472

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
2.2	16.08.2018	Date of first issue: 13.06.2016	17.08.2018

icity)

Toxicity to microorganisms : EC50 (activated sludge): 26 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

M-Factor (Chronic aquatic toxicity) : 1

### White mineral oil (petroleum):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia (water flea)): > 100 mg/l  
Exposure time: 48 h  
Test Type: Immobilization  
Method: OECD Test Guideline 202

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC:  $\geq$  1.000 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

### White mineral oil (petroleum):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae : NOEC (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : LC50 (Bacteria): > 1.000 mg/l  
Exposure time: 40 h  
Test Type: Growth inhibition

Toxicity to fish (Chronic toxicity) : NOEC: > 100 mg/l  
Exposure time: 28 d  
Species: Oncorhynchus mykiss (rainbow trout)  
Remarks: The value is given based on a SAR/AAR approach using OECD Toolbox, DEREK, VEGA QSAR models (CAESAR models), etc.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT



## OKS 472

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
2.2	16.08.2018	Date of first issue: 13.06.2016	17.08.2018

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC:  $\geq$  1.000 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Remarks: The value is given based on a SAR/AAR approach using OECD Toolbox, DEREK, VEGA QSAR models (CAESAR models), etc.

### 12.2 Persistence and degradability

#### Product:

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

#### Components:

##### **(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine:**

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge  
Result: rapidly biodegradable  
Biodegradation: 85 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

##### **2,6-di-tert-butyl-p-cresol:**

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge  
Result: Not rapidly biodegradable  
Biodegradation: 4,5 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C

##### **2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:**

Biodegradability : Test Type: Primary biodegradation  
Result: Not rapidly biodegradable  
Method: OECD Test Guideline 301B

##### **White mineral oil (petroleum):**

Biodegradability : Test Type: Primary biodegradation  
Inoculum: activated sludge  
Result: Not rapidly biodegradable  
Biodegradation: 31 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

##### **White mineral oil (petroleum):**

Biodegradability : Biodegradation: 31 %  
Exposure time: 28 d

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT



## OKS 472

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
2.2	16.08.2018	Date of first issue: 13.06.2016	17.08.2018

### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).  
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

#### Components:

##### **(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine:**

Bioaccumulation : Remarks: Due to the distribution coefficient n-octanol/water, accumulation in organisms is possible.

Partition coefficient: n-octanol/water : log Pow: 3,5 - 4,2 (20 °C)

##### **2,6-di-tert-butyl-p-cresol:**

Bioaccumulation : Bioconcentration factor (BCF): 598,4

Partition coefficient: n-octanol/water : log Pow: 5,1

##### **2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:**

Bioaccumulation : Bioconcentration factor (BCF): 371,8  
Remarks: Does not accumulate in organisms.

Partition coefficient: n-octanol/water : log Pow: 7,51

##### **White mineral oil (petroleum):**

Partition coefficient: n-octanol/water : Pow: > 6

##### **White mineral oil (petroleum):**

Partition coefficient: n-octanol/water : log Pow: > 6

### 12.4 Mobility in soil

#### Product:

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT



## OKS 472

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
2.2	16.08.2018	Date of first issue: 13.06.2016	17.08.2018

### 12.5 Results of PBT and vPvB assessment

#### **Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### **Components:**

##### **(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine:**

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB)..

##### **2,6-di-tert-butyl-p-cresol:**

Assessment : Non-classified PBT substance. Non-classified vPvB substance.

##### **White mineral oil (petroleum):**

Assessment : Non-classified PBT substance. Non-classified vPvB substance.

##### **White mineral oil (petroleum):**

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT)..

### 12.6 Other adverse effects

#### **Product:**

Additional ecological information : Toxic to aquatic life with long lasting effects.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.

Waste codes should be assigned by the user based on the application for which the product was used.

Contaminated packaging : Empty containers can be landfilled, when in accordance with the local regulations.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT



## OKS 472

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
2.2	16.08.2018	Date of first issue: 13.06.2016	17.08.2018

### SECTION 14: Transport information

#### 14.1 UN number

ADR : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

#### 14.2 UN proper shipping name

ADR : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

ADR : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

#### 14.4 Packing group

ADR : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA (Cargo) : Not regulated as a dangerous good  
IATA (Passenger) : Not regulated as a dangerous good

#### 14.5 Environmental hazards

ADR : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA (Passenger) : Not regulated as a dangerous good  
IATA (Cargo) : Not regulated as a dangerous good

#### 14.6 Special precautions for user

No special precautions required.

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : This product does not contain substances of very high concern (Regu-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT



## OKS 472

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
2.2	16.08.2018	Date of first issue: 13.06.2016	17.08.2018

- Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : lation (EC) No 1907/2006 (REACH), Article 57).  
: Not applicable
- Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable
- Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable
- Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.  
Not applicable
- Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Remarks: Not applicable

### Other regulations:

- Legislative Decree April 9, 2008, 81 (Implementation of Article 1 of the Law of 3 August 2007, n. 123, concerning the protection of health and safety in the workplace.) and subsequent amendments
- Legislative Decree April 3, 2006, n.152, (Environmental standards) and subsequent amendments
- Legislative Decree February 6, 2009, 21 (Regulations for the execution of the provisions laid down in Regulation (EC) no. 648/2004 on detergents)

## 15.2 Chemical safety assessment

This information is not available.

## SECTION 16: Other information

### Full text of H-Statements

- H302 : Harmful if swallowed.
- H304 : May be fatal if swallowed and enters airways.
- H314 : Causes severe skin burns and eye damage.
- H315 : Causes skin irritation.
- H318 : Causes serious eye damage.
- H332 : Harmful if inhaled.
- H373 : May cause damage to organs through prolonged or repeated exposure if swallowed.
- H400 : Very toxic to aquatic life.
- H410 : Very toxic to aquatic life with long lasting effects.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT



## OKS 472

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
2.2	16.08.2018	Date of first issue: 13.06.2016	17.08.2018

### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Aquatic Chronic 3                      H412

#### Classification procedure:

Calculation method

This safety datasheet applies only to products originally packaged and labelled by OKS Spezial-schmierstoffe. The information contained therein is protected by copyright and must not be reproduced or amended without the express written approval of OKS Spezialschmierstoffe. This document may be passed on only to the extent required by law. Any dissemination of our safety datasheets (e.g. as a document for download from the Internet) beyond this legally required extent is not permitted without express written consent. OKS Spezialschmierstoffe provides its customers with amended safety datasheets as prescribed by law. The customer is responsible for passing

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT



## OKS 472

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
2.2	16.08.2018	Date of first issue: 13.06.2016	17.08.2018

---

on safety datasheets and any amendments contained therein to its own customers, employees and other users of the product. OKS Spezialschmierstoffe provides no guarantee that safety datasheets received by users from third parties are up-to-date. All information and instructions in this safety datasheets were compiled to the best of our knowledge and are based on the information available to us. The data provided are intended to describe the product in relation to the required safety measures; they are neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and do not justify any contractual legal relationships.