according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



# **OKS 472**

Version	Revision Date:	Date of last issue: 01.07.2021	Print Date:
2.6	24.02.2022	Date of first issue: 13.06.2016	24.02.2022

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Product name	:	OKS 472
1.2 Relevant identified uses of th	e su	bstance or mixture and uses advised against
Use of the Sub- stance/Mixture		Grease
Recommended restrictions on use	:	Restricted to professional users.
1.3 Details of the supplier of the	safe	ty data sheet
Company	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com
E-mail address of person responsible for the SDS		mcm@oks-germany.com Material Compliance Management
National contact	:	
1.4 Emergency telephone numbe	٩r	
Emergency telephone num- ber	:	CIAV - Information Centre of Antipoison (+351) 800 250 250 (free 24/7 service)
SECTION 2: Hazards identification of the substant		

## 2.1 Classification of the substance or mixture

# Classification (REGULATION (EC) No 1272/2008)

Long-term (chronic) aquatic hazard, Cat-	H412: Harmful to aquatic life with long lasting ef-
egory 3	fects.

## 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Hazard statements : H412

Harmful to aquatic life with long lasting effects.



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



# **OKS 472**

Version	Revision Date:	Date of last issue: 01.07.2021	Print Date:
2.6	24.02.2022	Date of first issue: 13.06.2016	24.02.2022

Precautionary statements : Prevention:

P273

Avoid release to the environment.

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

Chemical nature : Synthetic hydrocarbon oil ester oil aluminium complex soap Mineral oil.

### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concen- tration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
White mineral oil (pe- troleum)	8042-47-5 232-455-8 01-2119487078-27- XXXX	Asp. Tox.1; H304		>= 1 - < 10
2-(2-heptadec-8-enyl- 2-imidazolin-1- yl)ethanol	95-38-5 202-414-9 01-2119777867-13- XXXX	Acute Tox.4; H302 Skin Corr.1C; H314 Eye Dam.1; H318 STOT RE2; H373 Aquatic Acute1; H400 Aquatic Chronic1; H410	M-Factor: 10/1	>= 0,25 - < 1
N-methyl-N-[C18- (unsaturat- ed)alkanoyl]glycine	701-177-3	Acute Tox.4; H332 Skin Irrit.2; H315 Eye Dam.1; H318	M-Factor: 1/	>= 0,25 - < 1



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



# **OKS 472**

Version 2.6	Revision D 24.02.2022			Print Date: 24.02.2022	
		01-2119488991-20- XXXX	Aquatic Acute1; H400 Aquatic Chronic3; H412		
cresol		128-37-0 204-881-4 01-2119555270-46- XXXX	Aquatic Acute1; H400 Aquatic Chronic1; H410	M-Factor: 1/1	>= 0,25 - < 1
Substanc	es with a worl	kplace exposure limit :	ł	I	
troleum) 233		8042-47-5 232-455-8 01-2119487078-27- XXXX	Not classified		>= 1 - < 10

For explanation of abbreviations see section 16.

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

If inhaled	<ul> <li>Remove person to fresh air. If signs/symptoms continue, get medical attention.</li> <li>Keep patient warm and at rest.</li> <li>If unconscious, place in recovery position and seek medical advice.</li> <li>Keep respiratory tract clear.</li> <li>If breathing is irregular or stopped, administer artificial respiration.</li> </ul>
In case of skin contact	<ul> <li>Remove contaminated clothing. If irritation develops, get med- ical attention.</li> <li>Wash off with soap and water.</li> <li>Wash clothing before reuse.</li> <li>Thoroughly clean shoes before reuse.</li> </ul>
In case of eye contact	<ul> <li>Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.</li> <li>If eye irritation persists, consult a specialist.</li> </ul>
If swallowed	<ul> <li>Move the victim to fresh air.</li> <li>If unconscious, place in recovery position and seek medical advice.</li> <li>Keep respiratory tract clear.</li> <li>Do not induce vomiting without medical advice.</li> <li>Never give anything by mouth to an unconscious person.</li> </ul>



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



# **OKS 472**

Version	Revision Date:	Date of last issue: 01.07.2021	Print Date:
2.6	24.02.2022	Date of first issue: 13.06.2016	24.02.2022

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms	:	No information available.
----------	---	---------------------------

Risks : None known.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : N

: No information available.

## **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide.
Unsuitable extinguishing media	:	High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod-	:	Carbon oxides
ucts		Oxides of phosphorus
		Metal oxides

## 5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposi- tion products may be a hazard to health.
Further information	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

# **SECTION 6:** Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Pe	ersonal precautions	:	Evacuate personnel to safe areas. Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust). Do not breathe vapours, aerosols. Refer to protective measures listed in sections 7 and 8.
6.2 Env	vironmental precautions		

Environmental precautions	:	Do not allow contact with soil, surface or ground water.
		If the product contaminates rivers and lakes or drains inform



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



# **OKS 472**

Version	Revision Date:	Date of last issue: 01.07.2021	Print Date:
2.6	24.02.2022	Date of first issue: 13.06.2016	24.02.2022

respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Clean up promptly by sweeping or vacuum. Keep in suitable, closed containers for disposal.

## 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

	5	
Advice on safe handling	:	Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Wash hands and face before breaks and immediately after handling the product. Do not ingest. Do not repack. These safety instructions also apply to empty packaging which may still contain product residues. Keep container closed when not in use.
Hygiene measures	:	Wash face, hands and any exposed skin thoroughly after handling.
7.2 Conditions for safe storage,	, inc	luding any incompatibilities
Requirements for storage areas and containers	:	Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

#### 7.3 Specific end use(s)

Specific use(s)

: Specific instructions for handling, not required.

# **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
White mineral oil	8042-47-5	VLE-MP (Inhala-	5 mg/m3	PT OEL



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



# **OKS 472**

Version	Revision Date:	Date of last issue: 01.07.2021	Print Date:
2.6	24.02.2022	Date of first issue: 13.06.2016	24.02.2022

(petroleum)	1	ble fraction)		(2014-11-14)		
	Further infor	Further information: Substances that are not classified as carcinogenic for				
	humans.					
White mineral oil	8042-47-5	VLE-MP (Inhala-	5 mg/m3	PT OEL		
(petroleum)		ble fraction)		(2014-11-14)		
	Further information: Substances that are not classified as carcinogenic for					
	humans.			C C		
2,6-di-tert-butyl-p-	128-37-0	VLE-MP (Inhala-	2 mg/m3	PT OEL		
cresol		ble fraction and		(2014-11-14)		
		vapour)				
	Further infor	Further information: Substances that are not classified as carcinogenic for				
	humans.			5		

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
White mineral oil (pe- troleum)	Workers	Inhalation	Long-term systemic effects	160 mg/m3
	Workers	Skin contact	Long-term systemic effects	220 mg/kg
White mineral oil (pe- troleum)	Workers	Inhalation	Long-term systemic effects	160 mg/m3
	Workers	Dermal	Long-term systemic effects	220 mg/kg bw/day
2,6-di-tert-butyl-p- cresol	Workers	Inhalation	Long-term systemic effects	1,76 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,5 mg/kg
2-(2-heptadec-8-enyl- 2-imidazolin-1- yl)ethanol	Workers	Skin contact	Long-term systemic effects	0,06 mg/kg
	Workers	Inhalation	Long-term systemic effects	0,46 mg/m3
	Workers	Skin contact	Acute systemic ef- fects	2 mg/kg
	Workers	Inhalation	Acute systemic ef- fects	14 mg/m3
N-methyl-N-[C18- (unsaturat- ed)alkanoyl]glycine	Workers	Inhalation	Long-term systemic effects	0,8 mg/m3
	Workers	Skin contact	Long-term systemic effects	4,2 mg/kg bw/day

## Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
isopropyl oleate	Fresh water sediment	2,978 mg/kg
	Marine sediment	2,978 mg/kg
2,6-di-tert-butyl-p-cresol	Fresh water	0,199 µg/l
	Marine water	0,02 µg/l
	Intermittent use/release	1,99 µg/l
	Microbiological Activity in Sewage Treat-	0,17 mg/l
	ment Systems	



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



# **OKS 472**

Version	Revision Date:	Date of last issue: 01.07.2021	Print Date:
2.6	24.02.2022	Date of first issue: 13.06.2016	24.02.2022

	Fresh water sediment	0,0996 mg/kg
	Marine sediment	0,00996 mg/kg
	Soil	0,04769 mg/kg
	Oral	8,33 mg/kg
2-(2-heptadec-8-enyl-2- imidazolin-1-yl)ethanol	Fresh water	0,00003 mg/l
	Marine water	0,000003 mg/l
	Fresh water sediment	0,376 mg/kg
	Marine sediment	0,0376 mg/kg
	Soil	0,075 mg/kg
N-methyl-N-[C18- (unsaturated)alkanoyl]glycine	Fresh water	0,00043 mg/l
	Marine water	0,000043 mg/l
	Microbiological Activity in Sewage Treat-	1 mg/l
	ment Systems	
	Fresh water sediment	0,057 mg/kg
	Marine sediment	0,006 mg/kg
	Soil	1,71 mg/kg

## 8.2 Exposure controls

Engineering measures none				
Personal protective equipm	ent			
Eye protection	:	Safety glasses with side-shields		
Hand protection Material Break through time Protective index	:	Nitrile rubber > 10 min Class 1		
Remarks	:	For prolonged or repeated contact use protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. The selected protective gloves have to satisfy the specifica- tions of Regulation (EU) 2016/425 and the standard EN 374 derived from it.		
Respiratory protection	:	Not required; except in case of aerosol formation.		
Filter type	:	Filter type P		
Protective measures	:	The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.		



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



# **OKS 472**

Version	Revision Date:	Date of last issue: 01.07.2021	Print Date:
2.6	24.02.2022	Date of first issue: 13.06.2016	24.02.2022

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state	:	paste
Colour	:	white
Odour	:	characteristic
Odour Threshold	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	Combustible Solids
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature Decomposition tempera- ture	:	No data available
рН	:	Not applicable
Viscosity Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	Not applicable
Solubility(ies) Water solubility	:	insoluble
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	< 0,001 hPa (20 °C)



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



# **OKS 472**

Versior 2.6	n Revision Date: 24.02.2022	Date of last issue: 01.07.2021Print Date:Date of first issue: 13.06.201624.02.2022	
Re	elative density	: 0,9 (20 °C) Reference substance: Water The value is calculated	
Density		: 0,90 g/cm3 (20 °C)	
Bulk density		: No data available	
Relative vapour density		: No data available	
9.2 Other information			
Ex	plosives	: Not explosive	
O	kidizing properties	: No data available	
Se	elf-ignition	: No data available	
Εv	aporation rate	: No data available	
Su	blimation point	: No data available	

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No hazards to be specially mentioned.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions	:	No dangerous reaction known under conditions of normal use.
40.4 Conditions to sucid		

# 10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

## 10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

# **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



# **OKS 472**

Version	Revision Date:	Date of last issue: 01.07.2021	Print Date:
2.6	24.02.2022	Date of first issue: 13.06.2016	24.02.2022

## **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

		50	
Acute toxicit	ty		
Product:			
Acute oral tox	kicity :		Remarks: This information is not available.
Acute inhalati	ion toxicity :		Remarks: This information is not available.
Acute dermal	toxicity :		Remarks: This information is not available.
<u>Components</u>	<u>s:</u>		
White minera	al oil (petroleum):		
Acute oral to	kicity :	:	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401
Acute inhalati	ion toxicity :	:	LC50 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhala- tion toxicity
Acute dermal	toxicity :	:	LD50 (Rabbit): > 2.000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity
2-(2-heptade	c-8-enyl-2-imidaz	oli	in-1-yl)ethanol:
Acute oral to	-		LD50 (Rat): 1.265 mg/kg Method: OECD Test Guideline 401 GLP: yes
Acute dermal	toxicity :	:	LD50 (Rabbit): > 2.000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity
N-methyl-N-[	[C18-(unsaturated	ł)a	Ikanoyl]glycine:
Acute oral to	kicity :		LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401
Acute inhalati	ion toxicity :	:	LC50 (Rat, male): 1,05 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403

2,6-di-tert-butyl-p-cresol:



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



sion	Revision Date: 24.02.2022	Date of last issue: 01.07.2021 Date of first issue: 13.06.2016	Print Date: 24.02.2022
Acute	e oral toxicity	: LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline	e 401
Acute	e dermal toxicity	: LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline	e 402
White	e mineral oil (petrole	eum):	
Acute	oral toxicity	: LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline GLP: yes	e 401
Acute	inhalation toxicity	: LC50 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline GLP: yes Assessment: The substance of tion toxicity	
Acute	e dermal toxicity	: LD50 (Rabbit): > 2.000 mg/kg Method: OECD Test Guideline GLP: yes	
		Assessment: The substance of toxicity	or mixture has no acute derma
Skin	corrosion/irritation	Assessment: The substance of	or mixture has no acute derma
Skin Produ Rema	uct:	Assessment: The substance of	
<u>Produ</u> Rema	uct:	Assessment: The substance of toxicity	
Produ Rema	<u>uct:</u> arks	Assessment: The substance of toxicity	
Produ Rema Comp White Speci	uct: arks ponents: e mineral oil (petrole es ssment od	Assessment: The substance of toxicity	
Produ Rema Comp White Speci Asses Metho Resul GLP	uct: arks ponents: e mineral oil (petrole les ssment od lt	Assessment: The substance of toxicity : This information is not availab : Rabbit : No skin irritation : OECD Test Guideline 404 : No skin irritation	
Produ Rema Comp White Speci Asses Metho Resul GLP 2-(2-h Speci	uct: arks ponents: e mineral oil (petrole les ssment od lt neptadec-8-enyl-2-in les	Assessment: The substance of toxicity : This information is not availab : Rabbit : No skin irritation : OECD Test Guideline 404 : No skin irritation : yes hidazolin-1-yl)ethanol: : Rabbit	
Produ Rema Comp White Speci Asses Metho Resul GLP 2-(2-h	uct: arks ponents: e mineral oil (petrole les ssment od lt neptadec-8-enyl-2-in les od	Assessment: The substance of toxicity : This information is not availab : Rabbit : No skin irritation : OECD Test Guideline 404 : No skin irritation : yes hidazolin-1-yl)ethanol: : Rabbit : OECD Test Guideline 404 : Corrosive, category 1C - wher sures between 1 hour and 4 h	ile. re responses occur after expo
Produ Rema Comp White Speci Asses Metho Resul GLP 2-(2-f Speci Metho	uct: arks ponents: e mineral oil (petrole les ssment od lt neptadec-8-enyl-2-in les od	Assessment: The substance of toxicity : This information is not availab <b>eum):</b> : Rabbit : No skin irritation : OECD Test Guideline 404 : No skin irritation : yes hidazolin-1-yl)ethanol: : Rabbit : OECD Test Guideline 404 : OECD Test Guideline 404 : Corrosive, category 1C - when	ile. re responses occur after expo
Produ Rema Comp White Speci Asses Metho Resul GLP 2-(2-P Speci Metho Resul	uct: arks ponents: e mineral oil (petrole les ssment od lt neptadec-8-enyl-2-in les od lt	Assessment: The substance of toxicity : This information is not availab : Rabbit : No skin irritation : OECD Test Guideline 404 : No skin irritation : yes hidazolin-1-yl)ethanol: : Rabbit : OECD Test Guideline 404 : Corrosive, category 1C - wher sures between 1 hour and 4 h days.	ile. re responses occur after expo
Produ Rema Comp White Speci Asses Metho Resul GLP 2-(2-P Speci Metho Resul	uct: arks ponents: e mineral oil (petrole es ssment od lt neptadec-8-enyl-2-in es od lt t	Assessment: The substance of toxicity : This information is not availab eum): : Rabbit : No skin irritation : OECD Test Guideline 404 : No skin irritation : yes hidazolin-1-yl)ethanol: : Rabbit : OECD Test Guideline 404 : Corrosive, category 1C - when sures between 1 hour and 4 h days. : yes	ile. re responses occur after expo





according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



NJ 412	-		
rsion	Revision Date:	Date of last issue: 01.07.2021	Print Date:
6	24.02.2022	Date of first issue: 13.06.2016	24.02.2022
Resul	+	: Irritating to skin.	
i vesui	l de la construcción de la const	. Initating to skin.	
2.6-di	-tert-butyl-p-cresol		
Speci		: Rabbit	
	sment	: No skin irritation	
Resul	t	: No skin irritation	
White	e mineral oil (petrol	eum):	
Speci	es	: Rabbit	
Asses	sment	: No skin irritation	
Metho		: OECD Test Guideline 404	
Resul	t	: No skin irritation	
GLP		: yes	
Serio	us eye damage/eye	irritation	
<u>Produ</u>	<u>uct:</u>		
Rema	ırks	: This information is not available.	
<u>Comp</u>	oonents:		
White	e mineral oil (petrol	eum):	
Speci		: Rabbit	
	ssment	: No eye irritation	
Metho		: OECD Test Guideline 405	
Resul	t	: No eye irritation	
GLP		: yes	
<b>2-(2-</b> h	eptadec-8-enyl-2-ir	nidazolin-1-yl)ethanol:	
Speci	es	: Rabbit	
Asses	sment	: Corrosive	
Metho		: OECD Test Guideline 405	
Resul	t	: Corrosive	
N-me	thyl-N-[C18-(unsatı	urated)alkanoyl]glycine:	
Speci		: Rabbit	
Asses	ssment	: Risk of serious damage to eyes.	
Resul	t	: Risk of serious damage to eyes.	
2,6-di	-tert-butyl-p-cresol	:	
Speci		: Rabbit	
	ssment	: No eye irritation	
Metho		: Draize Test	
Resul	t	: No eye irritation	
White	e mineral oil (petrol	eum):	
Speci	es	: Rabbit	
		12 / 26	a brand of



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



# **OKS 472**

	Version 2.6	Revision Date: 24.02.2022	Date of last issue: 01.07.2021 Date of first issue: 13.06.2016	Print Date: 24.02.2022
--	----------------	---------------------------	---	------------------------

Assessment	: No eye irritation
Method	: OECD Test Guideline 405
Result	: No eye irritation
GLP	: yes

### Respiratory or skin sensitisation

#### Product:

Remarks

: This information is not available.

## Components:

#### White mineral oil (petroleum):

Test Type	:	Buehler Test
Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.
GLP	:	yes

### 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.

#### N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Test Type	:	Maximisation Test
Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.

#### 2,6-di-tert-butyl-p-cresol:

Species	:	Humans
Assessment	:	Does not cause skin sensitisation.
Result	:	Does not cause skin sensitisation.

#### White mineral oil (petroleum):

Test Type :	Maximisation Test
Species :	Guinea pig
Assessment :	Does not cause skin sensitisation.
Method :	OECD Test Guideline 406
Result :	Does not cause skin sensitisation.
GLP :	yes



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



ersion .6	Revision Date: 24.02.2022		e of last issue: 01.07.2021 e of first issue: 13.06.2016	Print Date: 24.02.2022
Germ	n cell mutagenicity			
Produ	uct:			
Geno	toxicity in vitro	:	Remarks: No data available	
Geno	toxicity in vivo	:	Remarks: No data available	
<u>Com</u>	ponents:			
White	e mineral oil (petroleu	m):		
Germ sessn	i cell mutagenicity- As- nent	:	Tests on bacterial or mammalian mutagenic effects.	cell cultures did not show
2-(2-ł	neptadec-8-enyl-2-imic	dazo	lin-1-yl)ethanol:	
Germ sessn	n cell mutagenicity- As- ment	:	Tests on bacterial or mammalian mutagenic effects.	cell cultures did not show
2,6-di	i-tert-butyl-p-cresol:			
Geno	toxicity in vitro	:	Test Type: Ames test Result: negative Remarks: In vitro tests did not she	ow mutagenic effects
Geno	toxicity in vivo	:	Test Type: In vivo micronucleus te Result: negative	est
Germ sessn	n cell mutagenicity- As- nent	:	Tests on bacterial or mammalian mutagenic effects.	cell cultures did not show
White	e mineral oil (petroleu	m):		
	toxicity in vitro	:	Test Type: Ames test Method: Mutagenicity (Salmonella tation assay) Result: negative GLP: yes	a typhimurium - reverse mu-
Germ sessn	i cell mutagenicity- As- nent	:	Tests on bacterial or mammalian mutagenic effects.	cell cultures did not show
Carci	inogenicity			
<u>Produ</u> Rema		:	No data available	
Com	ponents:			
	e mineral oil (petroleu nogenicity - Assess-	<b>m):</b> :	No evidence of carcinogenicity in	animal studies.



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



sion	Revision Date: 24.02.2022		e of last issue: 01.07.2021 e of first issue: 13.06.2016	Print Date: 24.02.2022
White	e mineral oil (petroleu	ım):		
Carci ment	nogenicity - Assess-	:	No evidence of carcinogenicity in a	animal studies.
Repr	oductive toxicity			
Prod	uct:			
Effect	ts on fertility	:	Remarks: No data available	
Effect ment	ts on foetal develop-	:	Remarks: No data available	
<u>Com</u>	ponents:			
White	e mineral oil (petroleu	ım):		
-	oductive toxicity - As-	:	- Fertility -	
sessr	nent		No toxicity to reproduction - Teratogenicity -	
			No effects on or via lactation	
2-(2-ł	neptadec-8-enyl-2-imi	idazo	lin-1-yl)ethanol:	
•	oductive toxicity - As-	:	- Fertility -	
sessr	sessment		Animal testing did not show any effort - Teratogenicity -	ffects on fertility.
			Did not show teratogenic effects in	n animal experiments.
2,6-d	i-tert-butyl-p-cresol:			
Repro sessr	oductive toxicity - As-	:	- Fertility -	
56221	nent		No toxicity to reproduction	
White	e mineral oil (petroleu	ım):		
Repro sessr	oductive toxicity - As-	:	- Fertility -	
56221	nem		No toxicity to reproduction - Teratogenicity -	
			No effects on or via lactation	
STO	۲ - single exposure			
Com	ponents:			
White	e mineral oil (petroleu	ım):		
	ssment	:	The substance or mixture is not cl organ toxicant, single exposure.	assified as specific targe
2 6-d	i-tert-butyl-p-cresol:			
<b>∠</b> ,0-u	·			



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



rsion	Revision Date: 24.02.2022		e of last issue: 01.07.2021 e of first issue: 13.06.2016	Print Date: 24.02.2022
Asses	sment	:	The substance or mixture is not cl organ toxicant, single exposure.	assified as specific target
White	mineral oil (petrole	eum):		
Asses	sment	:	The substance or mixture is not cl organ toxicant, single exposure.	assified as specific target
STOT	- repeated exposu	re		
<u>Comp</u>	onents:			
White	mineral oil (petrole	eum):		
Asses	sment	:	The substance or mixture is not cl organ toxicant, repeated exposure	
2-(2-h	eptadec-8-enyl-2-in	nidazo	lin-1-yl)ethanol:	
	ure routes	:	Ingestion	
Target Asses	t Organs sment	:	Digestive organs, thymus gland May cause damage to organs thro exposure.	ough prolonged or repeated
2,6-di-	-tert-butyl-p-cresol	:		
Asses	sment	:	The substance or mixture is not cl organ toxicant, repeated exposure	• •
White	mineral oil (petrole	eum):		
Asses	sment	:	The substance or mixture is not clorgan toxicant, repeated exposure	
Repea	ated dose toxicity			
<u>Produ</u>	ict:			
Rema	rks	:	This information is not available.	
<u>Comp</u>	onents:			
2-(2-h	eptadec-8-enyl-2-in	nidazo	lin-1-yl)ethanol:	
Specie	es	:	Rat	
NOAE	L	:	100 mg/kg 20 mg/kg	
	ation Route	:	Oral	
White	mineral oil (petrole	eum):		
	1	:	1.800 mg/kg	
NOAE	ure time	-	90 d	



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



# **OKS 472**

Version	Revision Date:	Date of last issue: 01.07.2021	Print Date:
2.6	24.02.2022	Date of first issue: 13.06.2016	24.02.2022

### Aspiration toxicity

## Product:

This information is not available.

## Components:

### White mineral oil (petroleum):

May be fatal if swallowed and enters airways.

## 2,6-di-tert-butyl-p-cresol:

No aspiration toxicity classification

### White mineral oil (petroleum):

No aspiration toxicity classification

## 11.2 Information on other hazards

### **Endocrine disrupting properties**

Product:	
Assessment :	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Further information	
Product:	
Remarks :	Information given is based on data on the components and the toxicology of similar products.

# **SECTION 12: Ecological information**

## 12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



ersion .6	Revision Date: 24.02.2022		e of last issue: 01.07.2021 e of first issue: 13.06.2016	Print Date: 24.02.2022
Toxicit	y to microorganisms	:	Remarks: No data available	
<u>Comp</u>	onents:			
White	mineral oil (petroleur	n):		
Toxicit	y to fish	:	LC50 (Oncorhynchus mykiss (rain Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 20	
	y to daphnia and other c invertebrates	:	LC50 (Daphnia magna (Water fle Exposure time: 48 h Method: OECD Test Guideline 20	
Toxicit plants	y to algae/aquatic	:	NOEC (Pseudokirchneriella subc mg/l Exposure time: 72 h Method: OECD Test Guideline 20	
Toxicit	y to microorganisms	:	LC50 (Bacteria): > 1.000 mg/l Exposure time: 40 h Test Type: Growth inhibition	
Toxicit icity)	y to fish (Chronic tox-	:	NOEC: > 100 mg/l Exposure time: 28 d Species: Oncorhynchus mykiss ( Remarks: The value is given base using OECD Toolbox, DEREK, V (CAESAR models), etc.	ed on a SAR/AAR approach
	y to daphnia and other c invertebrates (Chron- city)		NOEC: >= 1.000 mg/l Exposure time: 21 d Species: Daphnia magna (Water Remarks: The value is given base using OECD Toolbox, DEREK, V (CAESAR models), etc.	ed on a SAR/AAR approach
2-(2-h	eptadec-8-enyl-2-imid	lazol	in-1-yl)ethanol:	
Toxicit	ry to fish	:	LC50 (Danio rerio (zebra fish)): 0 Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 20	-
	y to daphnia and other c invertebrates	:	EC50 (Daphnia magna (Water fle Exposure time: 48 h Test Type: Immobilization Method: OECD Test Guideline 20 GLP: yes	
Toxicit plants	y to algae/aquatic	:	ErC50 (Desmodesmus subspicat Exposure time: 72 h	us (green algae)): 0,03 mg/l



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



Version 2.6	Revision Date: 24.02.2022		e of last issue: 01.07.2021 e of first issue: 13.06.2016	Print Date: 24.02.2022
			Test Type: Growth inhibition Method: OECD Test Guideline 201	
M- icit	Factor (Acute aquatic tox- y)	:	10	
То	xicity to microorganisms	:	EC50 (activated sludge): 26 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209	
	Factor (Chronic aquatic icity)	:	1	
N-1	methyl-N-[C18-(unsatura	tod):	alkanovijalvcine	
	xicity to fish	:	LC50 (Danio rerio (zebra fish)): > 0,43 m Exposure time: 96 h Test Type: flow-through test Method: OECD Test Guideline 203 GLP: yes	g/l
	xicity to daphnia and other uatic invertebrates	• :	EC50 (Daphnia magna (Water flea)): 0,43 Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: yes	3 mg/l
	xicity to algae/aquatic nts	:	EC50 (Desmodesmus subspicatus (green Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201	n algae)): 6,3 mg/l
M- icit	Factor (Acute aquatic tox- y)	:	1	
Ec	otoxicology Assessmen	t		
	ute aquatic toxicity	:	Very toxic to aquatic life.	
Ch	ronic aquatic toxicity	:	Harmful to aquatic life with long lasting ef	ffects.
2,6	-di-tert-butyl-p-cresol:			
То	xicity to fish	:	LC50 (Danio rerio (zebra fish)): 0,57 mg/ Exposure time: 96 h Method: OECD Test Guideline 203	I
	xicity to daphnia and other uatic invertebrates	• :	EC50 (Daphnia magna (Water flea)): 0,6 Exposure time: 48 h Method: OECD Test Guideline 202	1 mg/l
	xicity to algae/aquatic nts	:	EC50 (Desmodesmus subspicatus (gree Exposure time: 72 h	n algae)): > 0,4 mg/l



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



Version 2.6	Revision Date: 24.02.2022		e of last issue: 01.07.2021 e of first issue: 13.06.2016	Print Date: 24.02.2022
			Method: Regulation (EC) No. 440	1/2008, Annex, C.3
M-F icity	Factor (Acute aquatic to> /)	(- :	1	
aqu	cicity to daphnia and othe natic invertebrates (Chro pxicity)		NOEC: 0,316 mg/l Exposure time: 21 d Species: Daphnia magna (Water	flea)
	Factor (Chronic aquatic city)	:	1	
Wh	ite mineral oil (petrole	um):		
То>	cicity to fish	:	LC50 (Oncorhynchus mykiss (rair Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 20	
	cicity to daphnia and othe atic invertebrates	er :	EC50 (Daphnia (water flea)): > 10 Exposure time: 48 h Test Type: Immobilization Method: OECD Test Guideline 20	-
aqu	cicity to daphnia and othe atic invertebrates (Chro oxicity)		NOEC: >= 1.000 mg/l Exposure time: 21 d Species: Daphnia magna (Water	flea)
12.2 Pe	sistence and degradal	bility		
Pro	duct:			
Bio	degradability	:	Remarks: No data available	
Phy ity	vsico-chemical removabi	I- :	Remarks: No data available	
<u>Co</u>	mponents:			
Wh	ite mineral oil (petrole	um):		
Bio	degradability	:	Biodegradation: 31 % Exposure time: 28 d	
2-(2	2-heptadec-8-enyl-2-im	idazo	lin-1-vl)ethanol:	
-	degradability	:	Test Type: Primary biodegradatio Result: Not rapidly biodegradable Method: OECD Test Guideline 30	•
N-r	nethyl-N-[C18-(unsatur	ated)	alkanoyl]glycine:	
	degradability	:	Test Type: aerobic Inoculum: activated sludge Result: rapidly biodegradable	



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



UN	J 41 Z				
Vers 2.6	sion	Revision Date: 24.02.2022		e of last issue: 01.07.2021 e of first issue: 13.06.2016	Print Date: 24.02.2022
				Biodegradation: 85,2 % Exposure time: 28 d	
		<b>tert-butyl-p-cresol:</b> gradability	:	Test Type: aerobic Inoculum: activated sludge Result: Not rapidly biodegradable Biodegradation: 4,5 % Exposure time: 28 d Method: OECD Test Guideline 301C	
	White	mineral oil (petroleu	ım):		
		gradability	:	Test Type: Primary biodegradation Inoculum: activated sludge Result: Not rapidly biodegradable Biodegradation: 31 % Exposure time: 28 d Method: OECD Test Guideline 301B	
12.3	8 Bioac	cumulative potential	I		
	<u>Produ</u>	<u>ct:</u>			
	Bioaco	cumulation	:	Remarks: This mixture contains no subs be persistent, bioaccumulating and toxic This mixture contains no substance con- persistent and very bioaccumulating (vP	: (PBT). sidered to be very
	<u>Comp</u>	onents:			
	White	mineral oil (petroleu	ım):		
		on coefficient: n- bl/water	:	log Pow: > 6	
	2-(2-h	eptadec-8-enyl-2-imi	dazo	lin-1-vl)ethanol:	
	•	cumulation	:	Bioconcentration factor (BCF): 371,8 Remarks: Does not accumulate in organ	nisms.
		on coefficient: n- ol/water	:	log Pow: > 6	
	N-met	hyl-N-[C18-(unsatura	ated)	alkanovi]glycine:	
	Partitic	on coefficient: n- ol/water	:	log Pow: 3,5 - 4,2	
		tert-butyl-p-cresol:			
	Bioaco	cumulation	:	Bioconcentration factor (BCF): 598,4	
	Partitic	on coefficient: n-	:	log Pow: 5,1	
					a brand of



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



# **OKS 472**

Version 2.6	Revision Date: 24.02.2022	Date of last issue: 01.07.2021 Date of first issue: 13.06.2016	Print Date: 24.02.2022

octanol/water

### White mineral oil (petroleum):

Partition coefficient: n-	:	Pow: > 6
octanol/water		

## 12.4 Mobility in soil

Product:		
Mobility	:	Remarks: No data available
Distribution among environ- mental compartments	:	Remarks: No data available

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment	:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

### **Components:**

White mineral oil (petroleum) Assessment	This substance is not considered to be persistent, bioaccumu- lating and toxic (PBT)			
2,6-di-tert-butyl-p-cresol:				
Assessment	Non-classified PBT substance. Non-classified vPvB sub- stance.			
White mineral oil (petroleum):				
Assessment	Non-classified PBT substance. Non-classified vPvB sub- stance.			

### **12.6 Endocrine disrupting properties**

### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

### Product:



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



# **OKS 472**

Version 2.6	Revision Date: 24.02.2022	Date of last issue: 01.07.2021 Date of first issue: 13.06.2016	Print Date: 24.02.2022
Additional ecological infor- mation		: Harmful to aquatic life with long las	sting effects.

## **SECTION 13: Disposal considerations**

13.1 Waste treatment methods				
Product :	The product should not be allowed to enter drains, water courses or the soil. Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.			
	Waste codes should be assigned by the user based on the application for which the product was used.			
Contaminated packaging :	Packaging that is not properly emptied must be disposed of as the unused product. Dispose of waste product or used containers according to local regulations.			
	The following Waste Codes are only suggestions:			
Waste Code :	used product, unused product 12 01 12*, spent waxes and fats			
	uncleaned packagings 15 01 10, packaging containing residues of or contaminated by hazardous substances			

# **SECTION 14: Transport information**

14.1 UN number or ID number

Not regulated as a dangerous good

## 14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

# 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

**14.6 Special precautions for user** Not applicable



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



# **OKS 472**

Version	Revision Date:	Date of last issue: 01.07.2021	Print Date:
2.6	24.02.2022	Date of first issue: 13.06.2016	24.02.2022

#### 14.7 Maritime transport in bulk according to IMO instruments

Remarks

: Not applicable for product as supplied.

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislat ture	ion specific for the substance or mix-
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)	: Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: This product does not contain sub- stances of very high concern (Regu- lation (EC) No 1907/2006 (REACH), Article 57).
REACH - List of substances subject to authorisation (Annex XIV)	: Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	: Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	: Not applicable
Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals	: Not applicable
Seveso III: Directive 2012/18/EU of the European : Parliament and of the Council on the control of major-accident hazards involving dangerous sub- stances.	Not applicable
emissions (integrated p	of 24 November 2010 on industrial pollution prevention and control) punds (VOC) content: < 0,01 %

### 15.2 Chemical safety assessment

This information is not available.

# **SECTION 16: Other information**

### Full text of H-Statements

H302	:	Harmful if swallowed.
H304	:	May be fatal if swallowed and enters airways.



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



# **OKS 472**

Version 2.6	Revision Date: 24.02.2022		e of last issue: 01.07.2021 e of first issue: 13.06.2016	Print Date: 24.02.2022
H314 H315 H318 H332			Causes severe skin burns and eye dama Causes skin irritation. Causes serious eye damage. Harmful if inhaled.	-
H373		:	May cause damage to organs through pr exposure if swallowed.	olonged or repeated
H400		:	Very toxic to aquatic life.	
H410		:	Very toxic to aquatic life with long lasting	effects.
H412		:	Harmful to aquatic life with long lasting el	
Full te	xt of other abbrevia	tions		

ull text of other abbreviations

PT OEL	:	Portugal. Security and Health at the Workplace - Occupational
		exposure limits of chemical agents
PT OEL / VLE-MP	:	Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP -Good Laboratory Practice: IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS -Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### **Further information**



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



# **OKS 472**

Version	Revision Date:	Date of last issue: 01.07.2021	Print Date:
2.6	24.02.2022	Date of first issue: 13.06.2016	24.02.2022

### **Classification of the mixture:**

# **Classification procedure:**

Aquatic Chronic 3 H412

Calculation method

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

