

Version	Revision Date:	Date of last issue: 02.03.2023	Print Date:
2.2	27.11.2023	Date of first issue: 02.05.2016	27.11.2023

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Product name	:	OKS 473
1.2 Relevant identified uses of the	he s	substance or mixture and uses advised against
Use of the Substance/Mixture	:	Grease
Recommended restrictions on use	:	Restricted to professional users.
1.3 Details of the supplier of the	saf	ety data sheet
Company	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com
E-mail address of person responsible for the SDS	:	mcm@oks-germany.com Material Compliance Management
National contact	:	EagleBurgmann Hungaria Kft. Népfürdő utca 22 1138 Budapest Hungary Tel.: +36 1 814 8160 Fax: +36 1 319 8125 info.hu@eagleburgmann.com

#### **1.4 Emergency telephone number**

Emergency telephone	: 0049 (0) 8142-3051-517
number	Egészségügyi Toxikológiai Tájékoztató Szolgálat (ETTSZ)
	H-1096 Budapest, Nagyvárad tér 2.
	Tel: +36 1 476 6464, +36 80 201 199





Version	Revision Date:	Date of last issue: 02.03.2023	Print Date:
2.2	27.11.2023	Date of first issue: 02.05.2016	27.11.2023

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature

Synthetic hydrocarbon oil aluminium complex soap

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
Substances with a work	place exposure limit :	•		
White mineral oil (petroleum)	8042-47-5 232-455-8 01-2119487078-27- XXXX	Not classified		>= 1 - < 10





/ersion	Revision Date:		e of last issue: 02.03.2023	Print Date:		
2.2 27.11.2023		Dat	e of first issue: 02.05.2016	27.11.2023		
				1		
For e	xplanation of abbrev	iations	see section 16.			
SECTIO	N 4: First aid meas	sures				
	iption of first aid m	easure	s			
lf inh	aled	:	Remove person to fresh air. I medical attention.	f signs/symptoms continue, get		
			Keep patient warm and at res	st.		
			•	very position and seek medical		
			advice. Keep respiratory tract clear.			
			If breathing is irregular or stop	pped, administer artificial		
			respiration.			
In ca	se of skin contact	:	: Remove contaminated clothing. If irritation develops, get			
			medical attention. Wash off with soap and water.			
			Wash clothing before reuse.			
			Thoroughly clean shoes befo	re reuse.		
In ca	se of eye contact	:		y of water, also under the eyelids,		
			for at least 10 minutes. If eye irritation persists, const	ult a specialist		
lf swa	allowed	:	Move the victim to fresh air.	very position and seek medical		
			advice.	very position and seek medical		
			Keep respiratory tract clear.			
			Do not induce vomiting witho Never give anything by mouth			
		s and	effects, both acute and delay			
Symp	otoms	:	No symptoms known or expe	cted.		
Risks	3	:	None known.			
4.3 Indica	tion of any immedia	ate me	dical attention and special tro	eatment needed		
_	ment		Treat symptomatically.			

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or



A1/A /TA



<b>OKS 47</b>	3			
Version 2.2	Revision Date: 27.11.2023		e of last issue: 02.03.2023 e of first issue: 02.05.2016	Print Date: 27.11.2023
			carbon dioxide.	
Unsu medi	uitable extinguishing a	:	High volume water jet	
5.2 Speci	al hazards arising from	n the	substance or mixture	
Haza prode	ardous combustion ucts	:	Carbon oxides Nitrogen oxides (NOx) Metal oxides	
5.3 Advic	e for firefighters			
	cial protective equipment refighters	t:	In the event of fire, wear self-con Use personal protective equipme decomposition products may be	ent. Exposure to
Furth	ner information	:	Standard procedure for chemical	fires.

# **SECTION 6:** Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures					
Personal precautions :	Evacuate personnel to safe areas. Ensure adequate ventilation. Do not breathe vapours, aerosols. Refer to protective measures listed in sections 7 and 8.				
6.2 Environmental precautions					
Environmental precautions :	Do not allow contact with soil, surface or ground water. If the product contaminates rivers and lakes or drains inform respective authorities.				

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and transfer to properly labelled containers.

#### 6.4 Reference to other sections

For personal protection see section 8.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Advice on safe handling	: Avoid contact with skin and eyes.
	For personal protection see section 8.
	Smoking, eating and drinking should be prohibited in the





<b>OKS 47</b> 3	OKS 473						
Version 2.2	Revision Date: 27.11.2023		e of last issue: 02.03.2023 e of first issue: 02.05.2016	Print Date: 27.11.2023			
Hygie	ene measures	:	application area. Wash hands and face before breaks handling the product. Do not ingest. Do not repack. These safety instructions also apply may still contain product residues. Keep container closed when not in Wash face, hands and any exposed handling.	v to empty packaging which use.			
7.2 Condi	tions for safe storag	e, incl	uding any incompatibilities				
	irements for storage and containers	:	Store in original container. Keep con use. Keep in a dry, cool and well-ver which are opened must be carefully to prevent leakage. Store in accordanational regulations. Keep in proper	entilated place. Containers resealed and kept upright ance with the particular			
-	fic end use(s) fic use(s)	:	Specific instructions for handling, no	ot required.			

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

# Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
White mineral oil (petroleum)	8042-47-5	CEILCeiling concentration (Mist)	5 mg/m3	HU OEL (2011-12-22)	
	Further inform	Further information: Carcinogenic substance			
	TWAMean 5 mg/m3 HU OEL concentration (Mist) (2021-07-26)				
	Further information: Limit value recommended in SCOEL/SUM/163/2011, Substances which have a health hazard after PROLONGED exposure. Corrected value = TWA x 40 / number of hours per week				

# Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health	Value
			effects	
White mineral oil (petroleum)	Workers	Inhalation	Long-term systemic effects	164,56 mg/m3
	Workers	Skin contact	Long-term systemic	217,05 mg/kg





2       27.11.2023       Date of first issue: 02.05.2016       27.11.2023         2       27.11.2023       effects       27.11.2023         Image:	rsion	Revision Date:	Data	of last issue: 02.03.2023	Drint	Date:
Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907//         Substance name       Environmental Compartment       Value         Aluminum, benzoate C16-18-       Fresh water       0,1 m         fatty acids complexes       Marine water       0,01 m         .2       Exposure controls       Engineering measures       0,01 m         .2       Exposure controls       Engineering measures       0,01 m         Personal protective equipment       Eye/face protection       Safety glasses         Hand protection       Material       Nitrile rubber         Break through time       > 10 min         Protective index       Class 1         Remarks       For prolonged or repeated contact use protective glov break through time depends amongst other things on material, the thickness and the type of glove and there has to be measured for each case.         The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the st EN 374 derived from it.         Skin and body protection       Choose body protection in relation to its type, to the concentration and amount of dangerous substances, it he specific work-place.         Respiratory protection       Not required; except in case of aerosol formation.         Filter type       Filter type P						
Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907//         Substance name       Environmental Compartment       Value         Aluminum, benzoate C16-18-       Fresh water       0,1 m         fatty acids complexes       Marine water       0,01 m         .2 Exposure controls       Engineering measures       0,01 m         .2 Exposure controls       Engineering measures       0,01 m         Personal protective equipment       Eye/face protection       Safety glasses         Hand protection       Material       Nitrile rubber         Break through time       > 10 min         Protective index       Class 1         Remarks       For prolonged or repeated contact use protective glov break through time depends amongst other things on material, the thickness and the type of glove and there has to be measured for each case.         The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the st EN 374 derived from it.         Skin and body protection       Choose body protection in relation to its type, to the concentration and amount of dangerous substances, it he specific work-place.         Respiratory protection       Not required; except in case of aerosol formation.         Filter type       Filter type P						
Substance name         Environmental Compartment         Value           Aluminum, benzoate C16-18- fatty acids complexes         Fresh water         0,1 m           Marine water         0,01 m           .2 Exposure controls         Marine water         0,01 m           .2 Exposure controls         Engineering measures none         0,01 m           Personal protective equipment         Eye/face protection         :         Safety glasses           Hand protection         Material         :         Nitrile rubber           Break through time         :         > 10 min           Protective index         :         Class 1           Remarks         :         For prolonged or repeated contact use protective glov break through time depends amongst other things on material, the thickness and the type of glove and ther has to be measured for each case. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the st EN 374 derived from it.           Skin and body protection         :         Choose body protection in relation to its type, to the concentration and amount of dangerous substances, it the specific work-place.           Respiratory protection         :         Not required; except in case of aerosol formation.           Filter type         :         Filter type P				e	ffects	
Aluminum, benzoate C16-18- fatty acids complexes       Fresh water       0,1 m         fatty acids complexes       Marine water       0,01 m         class       Engineering measures none       0,01 m         Personal protective equipment       Eye/face protection       : Safety glasses         Hand protection       : Nitrile rubber         Break through time       :> 10 min         Protective index       : Class 1         Remarks       : For prolonged or repeated contact use protective glov break through time depends amongst other things on material, the thickness and the type of glove and there has to be measured for each case. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the st EN 374 derived from it.         Skin and body protection       : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, a the specific work-place.         Respiratory protection       : Not required; except in case of aerosol formation.         Filter type       : Filter type P	Predic	ted No Effect Cond	centrati	on (PNEC) according to Re	gulation (EC) No.	1907/2006:
fatty acids complexes       Marine water       0,01 minimum         .2 Exposure controls       Engineering measures none       0,01 minimum         Personal protective equipment       Eye/face protection       : Safety glasses         Hand protection       Material       : Nitrile rubber         Break through time       : > 10 min         Protective index       : Class 1         Remarks       : For prolonged or repeated contact use protective glove break through time depends amongst other things on material, the thickness and the type of glove and there has to be measured for each case. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the st EN 374 derived from it.         Skin and body protection       : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and the specific work-place.         Respiratory protection       : Not required; except in case of aerosol formation.         Filter type       : Filter type P				Environmental Compartme	nt	Value
2 Exposure controls         Engineering measures none         Personal protective equipment         Eye/face protection       :         Safety glasses         Hand protection         Material       :         Protective index       :         Remarks       :         Remarks       :         For prolonged or repeated contact use protective glow break through time depends amongst other things on material, the thickness and the type of glove and there has to be measured for each case. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the st EN 374 derived from it.         Skin and body protection       :         Kespiratory protection       :         Not required; except in case of aerosol formation.         Filter type       :			18-			0,1 mg/l
Engineering measures         none         Personal protective equipment         Eye/face protection       : Safety glasses         Hand protection       : Nitrile rubber         Material       : Nitrile rubber         Break through time       :> 10 min         Protective index       : Class 1         Remarks       : For prolonged or repeated contact use protective glove break through time depends amongst other things on material, the thickness and the type of glove and there has to be measured for each case. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the st EN 374 derived from it.         Skin and body protection       : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, the specific work-place.         Respiratory protection       : Not required; except in case of aerosol formation.         Filter type       : Filter type P				Marine water		0,01 mg/l
none         Personal protective equipment         Eye/face protection       : Safety glasses         Hand protection         Material       : Nitrile rubber         Break through time       :> 10 min         Protective index       : Class 1         Remarks       : For prolonged or repeated contact use protective glove break through time depends amongst other things on material, the thickness and the type of glove and there has to be measured for each case. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the st EN 374 derived from it.         Skin and body protection       : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, st the specific work-place.         Respiratory protection       : Not required; except in case of aerosol formation.         Filter type       : Filter type P	2 Exposu	ire controls				
Eye/face protection: Safety glassesHand protection Material: Nitrile rubberBreak through time Protective index: Nitrile rubberRemarks: Class 1Remarks: For prolonged or repeated contact use protective glove break through time depends amongst other things on material, the thickness and the type of glove and there has to be measured for each case. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the st EN 374 derived from it.Skin and body protection: Choose body protection in relation to its type, to the concentration and amount of dangerous substances, a the specific work-place.Respiratory protection: Not required; except in case of aerosol formation.Filter type: Filter type P	-	eering measures				
Hand protection       Material       : Nitrile rubber         Break through time       :> 10 min         Protective index       : Class 1         Remarks       : For prolonged or repeated contact use protective glow break through time depends amongst other things on material, the thickness and the type of glove and there has to be measured for each case.         The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the st EN 374 derived from it.         Skin and body protection       : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, a the specific work-place.         Respiratory protection       : Not required; except in case of aerosol formation.         Filter type       : Filter type P	Persor	nal protective equi	pment			
Material:Nitrile rubberBreak through time:> 10 minProtective index:Class 1Remarks:For prolonged or repeated contact use protective glow break through time depends amongst other things on material, the thickness and the type of glove and there has to be measured for each case. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the st EN 374 derived from it.Skin and body protection:Choose body protection in relation to its type, to the concentration and amount of dangerous substances, a the specific work-place.Respiratory protection:Not required; except in case of aerosol formation.Filter type:Filter type P	Eye/fac	ce protection	:	Safety glasses		
break through time depends amongst other things on material, the thickness and the type of glove and there has to be measured for each case. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the st EN 374 derived from it.Skin and body protection:Choose body protection in relation to its type, to the concentration and amount of dangerous substances, a the specific work-place.Respiratory protection:Filter type:Filter type:Filter type:Filter type:	Mat Bre	terial ak through time	:	> 10 min		
concentration and amount of dangerous substances, a the specific work-place.Respiratory protection: Not required; except in case of aerosol formation.Filter type: Filter type P	Rer	narks	:	break through time depends material, the thickness and th has to be measured for each The selected protective glove specifications of Regulation (	amongst other thin ne type of glove an case. es have to satisfy th	gs on the d therefore ne
Filter type : Filter type P	Skin ar	nd body protection		concentration and amount of		
	Respira	atory protection	:	Not required; except in case	of aerosol formatio	n.
	Filte	er type	:	Filter type P		
Protective measures : The type of protective equipment must be selected ac to the concentration and amount of the dangerous sub at the specific workplace.	Protect	tive measures		to the concentration and amo		

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	:	paste
----------------	---	-------

Colour : yellow



# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 - HU

(Commission Regulation (EU) 2020/878)



# **OKS 473**

Version 2.2	Revision Date: 27.11.2023		of last issue: 02.03.2023 of first issue: 02.05.2016	Print Date: 27.11.2023
Odour		:	characteristic	
Odour <sup>-</sup>	Threshold	:	No data available	
Melting	point/range	:	No data available	
Boiling	point/boiling range	:	No data available	
Flamma	ability (solid, gas)	:	Combustible Solids	
	explosion limit / Upper bility limit	:	No data available	
	explosion limit / Lower bility limit	:	No data available	
Flash p	oint	:	Not applicable	
Auto-ig	nition temperature	:	No data available	
Decom	position temperature	:	No data available	
рН		:	Not applicable	
Viscosi Visc	ty osity, dynamic	:	No data available	
	osity, kinematic	:	Not applicable	
Solubili Wat	ty(ies) er solubility	:	insoluble	
Solu	bility in other solvents	<b>3</b> :	No data available	
Partition octanol	n coefficient: n- /water	:	No data available	
Vapour	pressure	:	< 0,001 hPa (20 °C)	
Relative	e density	:	0,85 (20 °C) Reference substance: Water The value is calculated	
Density	,	:	0,85 g/cm3 (20 °C)	
Bulk de	nsity	:	No data available	



# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 - HU

(Commission Regulation (EU) 2020/878)



# **OKS 473**

Versio 2.2	n Revision Date: 27.11.2023	Date of last issue: 02.03.2023Print Date:Date of first issue: 02.05.201627.11.2023	
R	elative vapour density	: No data available	
Particle characteristics Particle size		: Not applicable	
	Particle Size Distribution	: Not applicable	
	her information	: Not explosive	
С	Oxidizing properties	: No data available	
S	elf-ignition	: No data available	
E	vaporation rate	: No data available	
S	sublimation point	: No data available	

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity No hazards to be specially mentioned. 10.2 Chemical stability Stable under normal conditions. 10.3 Possibility of hazardous reactions Hazardous reactions No dangerous reaction known under conditions of normal use. : 10.4 Conditions to avoid Conditions to avoid No conditions to be specially mentioned. 1 **10.5 Incompatible materials** Materials to avoid : No materials to be especially mentioned. **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.





Version	Revision Date:	Date of last issue: 02.03.2023	Print Date:
2.2	27.11.2023	Date of first issue: 02.05.2016	27.11.2023

# **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity	
Product:	
Acute oral toxicity :	Remarks: This information is not available.
Acute inhalation toxicity :	Remarks: This information is not available.
Acute dermal toxicity :	Remarks: This information is not available.
Components:	
White mineral oil (petroleum):	
Acute oral toxicity :	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 GLP: yes
Acute inhalation toxicity :	LC50 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 GLP: yes Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity :	LD50 (Rabbit): > 2.000 mg/kg Method: OECD Test Guideline 402 GLP: yes Assessment: The substance or mixture has no acute dermal toxicity
Skin corrosion/irritation	
Product:	
Remarks :	This information is not available.
Components:	
White mineral oil (petroleum):	
Species :	Rabbit
Assessment : Method :	No skin irritation OECD Test Guideline 404
Result :	No skin irritation
GLP :	yes





Version	Revision Date:	Date of last issue: 02.03.2023	Print Date:
2.2	27.11.2023	Date of first issue: 02.05.2016	27.11.2023

#### Serious eye damage/eye irritation

#### Product:

Remarks

: This information is not available.

#### **Components:**

#### White mineral oil (petroleum):

Species	:	Rabbit
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Result	:	No eye irritation
GLP	:	yes

#### Respiratory or skin sensitisation

# Product:

Remarks

: This information is not available.

#### **Components:**

#### White mineral oil (petroleum):

Test Type	:	Maximisation Test
Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.
GLP	:	yes

#### Germ cell mutagenicity

#### Product:

Genotoxicity in vitro	:	Remarks: No data available
Genotoxicity in vivo	:	Remarks: No data available

#### **Components:**

White mineral oil (petroleum):	
Genotoxicity in vitro :	Test Type: Ames test Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay) Result: negative GLP: yes
Germ cell mutagenicity- : Assessment	Tests on bacterial or mammalian cell cultures did not show mutagenic effects.





Version	Revision Date:	Date of last issue: 02.03.2023	Print Date:
2.2	27.11.2023	Date of first issue: 02.05.2016	27.11.2023

# Carcinogenicity

# Product:

Remarks	:	No data available
Components:		

# White mineral oil (petroleum): Carcinogenicity : No evidence of carcinogenicity in animal studies. Assessment : No evidence of carcinogenicity in animal studies.

#### **Reproductive toxicity**

#### Product:

Effects on fertility	:	Remarks: No data available
Effects on foetal development	:	Remarks: No data available

#### **Components:**

#### White mineral oil (petroleum):

Reproductive toxicity -	:	- Fertility -
Assessment		No toxicity to reproduction - Teratogenicity -
		No effects on or via lactation

#### STOT - single exposure

# Product:

Remarks	:	No data available
---------	---	-------------------

#### **Components:**

White mineral oil (petroleum	):	
Assessment	:	The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### STOT - repeated exposure

# Product:

Remarks	:	No data available
---------	---	-------------------





OKS 4	473				
Version 2.2	n Revis 27.11	ion Date: .2023		e of last issue: 02.03.2023 e of first issue: 02.05.2016	Print Date: 27.11.2023
Co	omponents	<u>:</u>			
W	hite minera	l oil (petroleu	um):		
As	sessment		:	The substance or mixture is not classified organ toxicant, repeated exposure.	d as specific target
Re	epeated do	se toxicity			
	<u>oduct:</u> emarks		:	This information is not available.	
<u>Co</u>	omponents	<u>:</u>			
W	hite minera	ıl oil (petroleı	um):		
	DAEL posure time	e	:	1.800 mg/kg 90 d	
As	spiration to	xicity			
	<u>oduct:</u> iis informati	on is not availa	able.		
<u>Co</u>	omponents	<u>:</u>			
		Il oil (petroleu toxicity classif	-	n	
11.2 Inf	formation	on other haza	ırds		
En	ndocrine di	srupting prop	oertie	S	
-	oduct: sessment		:	The substance/mixture does not contain considered to have endocrine disrupting to REACH Article 57(f) or Commission D (EU) 2017/2100 or Commission Regulati levels of 0.1% or higher.	properties according elegated regulation
Fu	Irther infor	mation			
	oduct: emarks		:	Information given is based on data on the toxicology of similar products.	e components and





Version	Revision Date:	Date of last issue: 02.03.2023	Print Date:
2.2	27.11.2023	Date of first issue: 02.05.2016	27.11.2023

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Tovicity to fich	Pomorko: Hormful to oquatio organismo
Toxicity to fish :	Remarks: Harmful to aquatic organisms.
Toxicity to daphnia and other : aquatic invertebrates	Remarks: No data available
Toxicity to algae/aquatic : plants	Remarks: No data available
Toxicity to microorganisms :	Remarks: No data available
Components:	
White mineral oil (petroleum):	
Toxicity to fish :	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203
Toxicity to daphnia and other : aquatic invertebrates	EC50 (Daphnia (water flea)): > 100 mg/l Exposure time: 48 h Test Type: Immobilization Method: OECD Test Guideline 202
Toxicity to daphnia and other : aquatic invertebrates (Chronic toxicity)	NOEC: >= 1.000 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)
12.2 Persistence and degradability	
Product:	
Biodegradability :	Remarks: No data available
Physico-chemical : removability	Remarks: No data available
Components:	

#### White mineral oil (petroleum):

Biodegradability	:	Test Type: Primary biodegradation
		Inoculum: activated sludge
		Result: Not rapidly biodegradable
		Biodegradation: 31 %





<b>OKS 47</b> 3	3			
Version 2.2	Revision Date: 27.11.2023		e of last issue: 02.03.2023 e of first issue: 02.05.2016	Print Date: 27.11.2023
			Exposure time: 28 d Method: OECD Test Guideline 301B	
12.3 Bioa	ccumulative potentia	ıl		
Prod	uct:			
Bioac	cumulation	:	Remarks: This mixture contains no subs be persistent, bioaccumulating and toxic This mixture contains no substance con- persistent and very bioaccumulating (vP	: (PBT). sidered to be very
Com	oonents:			
Partit	e mineral oil (petrole ion coefficient: n- ol/water	um): :	Pow: > 6	
12.4 Mobi	lity in soil			
Prod	uct:			
Mobil	ity	:	Remarks: No data available	
	bution among onmental compartmen	: Its	Remarks: No data available	
12.5 Resu	lts of PBT and vPvB	asse	ssment	
Prod	uct:			
Asses	ssment	:	This substance/mixture contains no com to be either persistent, bioaccumulative very persistent and very bioaccumulative 0.1% or higher.	and toxic (PBT), or
Com	oonents:			
White	e mineral oil (petrole	um):		
Asses	ssment	:	Non-classified PBT substance. Non-clas	sified vPvB substance
12.6 Endocrine disrupting properties				
Prod	uct:			
Asses	ssment	:	The substance/mixture does not contain considered to have endocrine disrupting to REACH Article 57(f) or Commission E (EU) 2017/2100 or Commission Regulat levels of 0.1% or higher.	properties according Delegated regulation





VersionRevision Date:Date of last issue: 02.03.2023Print Date:2.227.11.2023Date of first issue: 02.05.201627.11.2023	
--	--

# 12.7 Other adverse effects

#### Product:

Additional ecological	:	No information on ecology is available.
information		

#### **SECTION 13: Disposal considerations**

13.1 Waste treatment methods	
Product :	The product should not be allowed to enter drains, water courses or the soil. Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
	Waste codes should be assigned by the user based on the application for which the product was used.
Contaminated packaging :	Packaging that is not properly emptied must be disposed of as the unused product. Dispose of waste product or used containers according to local regulations.
	The following Waste Codes are only suggestions:
Waste Code :	used product, unused product 12 01 12*, spent waxes and fats
	uncleaned packagings 15 01 10*, packaging containing residues of or contaminated by hazardous substances

# **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADN	: Not regulated as a dangerous good
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
ΙΑΤΑ	: Not regulated as a dangerous good

14.2 UN proper shipping name



# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 - HU

(Commission Regulation (EU) 2020/878)



Version 2.2	Revision Date: 27.11.2023		t Date:
2.2	27.11.2023	Date of first issue: 02.05.2016 27.1	1.2023
ADN		: Not regulated as a dangerous good	
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDO	G	: Not regulated as a dangerous good	
ΙΑΤΑ	l l	: Not regulated as a dangerous good	
14.3 Tran	sport hazard class(e		
ADN		: Not regulated as a dangerous good	
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDO	G	: Not regulated as a dangerous good	
ΙΑΤΑ	۱.	: Not regulated as a dangerous good	
14.4 Pack	king group		
ADN		: Not regulated as a dangerous good	
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDO	G	: Not regulated as a dangerous good	
ΙΑΤΑ	(Cargo)	: Not regulated as a dangerous good	
ΙΑΤΑ	(Passenger)	: Not regulated as a dangerous good	
14.5 Envi	ronmental hazards		
ADN		: Not regulated as a dangerous good	
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDO	G	: Not regulated as a dangerous good	
-	<b>cial precautions for ι</b> applicable	ser	
14.7 Mari	time transport in bul	according to IMO instruments	
Rem	arks	: Not applicable for product as supplied.	

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- REACH Restrictions on the manufacture, placing on : the market and use of certain dangerous substances, mixtures and articles (Annex XVII)
  - Conditions of restriction for the following entries should be considered:





OKS 2	173			
Version 2.2	Revision Date: 27.11.2023	Date of last issue: 02.03.20 Date of first issue: 02.05.20		Print Date: 27.11.2023
Co	ACH - Candidate Lis ncern for Authorisatio U SVHC)	t of Substances of Very High on (Article 59).	:	Number on list 75 This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
Regulation (EC) No 1005/2009 on substances that : deplete the ozone layer (EC 1005/2009)				Not applicable
ро	gulation (EU) 2019/1 llutants (recast) U POP)	021 on persistent organic	:	Not applicable
Pa im		0/2012 of the European ncil concerning the export and emicals	:	Not applicable
	gulation (EU) 2019/1 plosives precursors	148 on the marketing and use of	:	Not applicable
Pa ma		12/18/EU of the European ouncil on the control of involving dangerous		Not applicable
Vo	latile organic compou	emissions (integrated	poll	4 November 2010 on industrial ution prevention and control) ds (VOC) content: < 0,01 %
Ot	her regulations:			

2000 XXV. Law on chemical safety 44/2000. (XII 27) Ministry of health dangerous substances and preparations dangerous for certain procedures and arrangements for activities

#### 15.2 Chemical safety assessment

This information is not available.





Version	Revision Date:	Date of last issue: 02.03.2023	Print Date:
2.2	27.11.2023	Date of first issue: 02.05.2016	27.11.2023

#### **SECTION 16: Other information**

#### Full text of H-Statements

#### Full text of other abbreviations

HU OEL

HU OEL / TWA

HU OEL / CEIL

Hungary. Occupational Exposure Limits - Annex 1: Permissible concentration values
Mean concentration
Ceiling concentration

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### Further information

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from





Version	Revision Date:	Date of last issue: 02.03.2023	Print Date:
2.2	27.11.2023	Date of first issue: 02.05.2016	27.11.2023

the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

