

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL



## OKS 490

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 17.04.2019  | Print Date: |
| 3.0     | 01.09.2020     | Date of first issue: 08.06.2016 | 01.09.2020  |

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product name : OKS 490

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Grease  
stance/Mixture

Recommended restrictions : Restricted to professional users.  
on use

#### 1.3 Details of the supplier of the safety data sheet

Company : OKS Spezialschmierstoffe GmbH  
Ganghoferstr. 47  
D-82216 Maisach-Gernlinden  
Tel.: +49 8142 3051 500  
Fax.: +49 8142 3051 599

E-mail address of person : mcm@oks-germany.com  
responsible for the SDS  
National contact :

#### 1.4 Emergency telephone number

Emergency telephone num- : +49 8142 3051 517  
ber Warszawa: +48 22 619 66 54

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

|| Not a hazardous substance or mixture.

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### Additional Labelling

|| EUH210 Safety data sheet available on request.  
|| EUH208 Contains dibutyl [[bis[(2-ethylhexyl)oxy]phosphinothioyl]thio]succinate. May  
produce an allergic reaction.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL



## OKS 490

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 17.04.2019  | Print Date: |
| 3.0     | 01.09.2020     | Date of first issue: 08.06.2016 | 01.09.2020  |

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Mineral oil.  
aluminium soap  
graphite

#### Components

| Chemical name   | CAS-No.<br>EC-No.<br><br>Index-No.<br>Registration number | Classification                                     | Concentration limits<br>M-Factor<br>Notes | Concentration<br>(% w/w) |
|---|---|--|---|--------------------------|
| dibutyl [[bis[(2-ethylhexyl)oxy]phosphinothiioyl]thio]succinate | 68413-48-9<br>270-220-1<br><br>01-2120786863-37-XXXX      | Skin Sens.1B;<br>H317<br>Aquatic Chronic4;<br>H413 |   | >= 0,25 - < 1            |
| Substances with a workplace exposure limit :                    |   |  |   |                          |
| Asphalt   | 8052-42-4<br>232-490-9<br><br>01-2119480172-44-XXXX       | Not classified                                     |   | >= 10 - < 20             |
| Graphite  | 7782-42-5<br>231-955-3                                    | Not classified                                     |   | >= 1 - < 10              |

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

If inhaled : Obtain medical attention.  
Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If breathing is irregular or stopped, administer artificial respiration.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL



## OKS 490

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 17.04.2019  | Print Date: |
| 3.0     | 01.09.2020     | Date of first issue: 08.06.2016 | 01.09.2020  |

- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.  
Wash off with soap and water.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
If eye irritation persists, consult a specialist.
- If swallowed : Move the victim to fresh air.  
Do not induce vomiting without medical advice.

### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : No information available.
- Risks : None known.

### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : No information available.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Unsuitable extinguishing media : High volume water jet  
High volume water jet

### 5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire-fighting : Fire may cause evolution of:  
Carbon oxides  
Metal oxides  
Oxides of phosphorus  
Sulphur oxides

### 5.3 Advice for firefighters

- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment. Exposure to decomposition products may be a hazard to health.
- Further information : Standard procedure for chemical fires.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL



## OKS 490

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 17.04.2019  | Print Date: |
| 3.0     | 01.09.2020     | Date of first issue: 08.06.2016 | 01.09.2020  |

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.  
Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust).  
Do not breathe vapours, aerosols.  
Refer to protective measures listed in sections 7 and 8.

#### 6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water courses.  
Local authorities should be advised if significant spillages cannot be contained.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up promptly by sweeping or vacuum.  
Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash hands and face before breaks and immediately after handling the product.  
Do not get in eyes or mouth or on skin.  
Do not get on skin or clothing.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

#### 7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL



## OKS 490

Version  
3.0

Revision Date:  
01.09.2020

Date of last issue: 17.04.2019  
Date of first issue: 08.06.2016

Print Date:  
01.09.2020

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

| Components | CAS-No.   | Value type (Form of exposure) | Control parameters   | Basis               |
|------------|-----------|-------------------------------|----------------------|---------------------|
| Asphalt    | 8052-42-4 | NDS (inhalable fraction)      | 5 mg/m <sup>3</sup>  | PL OEL (2018-07-07) |
|            |           | NDSch (inhalable fraction)    | 10 mg/m <sup>3</sup> | PL OEL (2018-07-07) |
| Graphite   | 7782-42-5 | NDS (inhalable fraction)      | 4 mg/m <sup>3</sup>  | PL OEL (2018-07-07) |
|            |           | NDS (respirable fraction)     | 1 mg/m <sup>3</sup>  | PL OEL (2018-07-07) |

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

| Substance name   | End Use | Exposure routes | Potential health effects   | Value                    |
|--|---------|-----------------|----------------------------|--------------------------|
| residual oils (petroleum), hydrotreated  | Workers | Inhalation      | Long-term systemic effects | 2,7 mg/m <sup>3</sup>    |
|  | Workers | Inhalation      | Acute systemic effects     | 5,6 mg/m <sup>3</sup>    |
|  | Workers | Skin contact    | Long-term systemic effects | 1 mg/kg                  |
| Reaction mass of p-t-butylphenyldiphenyl phosphate and bis(p-t-butylphenyl) phenyl phosphate | Workers | Inhalation      | Long-term systemic effects | 2,03 mg/m <sup>3</sup>   |
|  | Workers | Inhalation      | Long-term local effects    | 0,2 mg/m <sup>3</sup>    |
|  | Workers | Dermal          | Long-term systemic effects | 0,056 mg/kg bw/day       |
|  | Workers | Dermal          | Long-term local effects    | 0,001 mg/cm <sup>2</sup> |

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

| Substance name   | Environmental Compartment                            | Value         |
|--|--|---------------|
| Reaction mass of p-t-butylphenyldiphenyl phosphate and bis(p-t-butylphenyl) phenyl phosphate | Fresh water  | 0,000116 mg/l |
|  | Marine water   | 0,000012 mg/l |
|  | Microbiological Activity in Sewage Treatment Systems | 1 mg/l        |
|  | Fresh water sediment                                 | 0,51 mg/kg    |
|  | Marine sediment                                      | 0,051 mg/kg   |
|  | Soil   | 0,118 mg/kg   |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL



## OKS 490

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 17.04.2019  | Print Date: |
| 3.0     | 01.09.2020     | Date of first issue: 08.06.2016 | 01.09.2020  |

### 8.2 Exposure controls

#### Engineering measures

Handle only in a place equipped with local exhaust (or other appropriate exhaust).

#### Personal protective equipment

Eye protection : Tightly fitting safety goggles

#### Hand protection

Material : Nitrile rubber  
Break through time : > 10 min  
Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.  
The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type P

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.  
Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance : paste  
Colour : black  
Odour : characteristic  
Odour Threshold : No data available  
pH : No data available  
Melting point/range : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL



## OKS 490

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 17.04.2019  | Print Date: |
| 3.0     | 01.09.2020     | Date of first issue: 08.06.2016 | 01.09.2020  |

Boiling point/boiling range : > 300 °C

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : Combustible Solids

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : < 0,001 hPa (20 °C)

Relative vapour density : No data available

Relative density : 0,98 (20 °C)  
Reference substance: Water  
The value is calculated

Density : 0,98 g/cm<sup>3</sup>  
(20 °C)

Bulk density : No data available

Solubility(ies)

    Water solubility : insoluble

    Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

    Viscosity, dynamic : No data available

    Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : No data available

### 9.2 Other information

Sublimation point : No data available

Self-ignition : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL



## OKS 490

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 17.04.2019  | Print Date: |
| 3.0     | 01.09.2020     | Date of first issue: 08.06.2016 | 01.09.2020  |

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No hazards to be specially mentioned.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

### 10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

##### Product:

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Remarks: This information is not available.

##### Components:

##### **dibutyl [[bis[(2-ethylhexyl)oxy]phosphinothioyl]thio]succinate:**

Acute oral toxicity : LD50 (Rat): 11.300 mg/kg  
Method: OECD Test Guideline 401

##### **Asphalt:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL



## OKS 490

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 17.04.2019  | Print Date: |
| 3.0     | 01.09.2020     | Date of first issue: 08.06.2016 | 01.09.2020  |

Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### Graphite:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 423  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): > 2.000 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

### Skin corrosion/irritation

#### Product:

Remarks : This information is not available.

#### Components:

##### **dibutyl [[bis[(2-ethylhexyl)oxy]phosphinothioyl]thio]succinate:**

Species : Rabbit  
Assessment : No skin irritation  
Result : No skin irritation

##### **Asphalt:**

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation

##### **Graphite:**

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation

### Serious eye damage/eye irritation

#### Product:

Remarks : This information is not available.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL



## OKS 490

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 17.04.2019  | Print Date: |
| 3.0     | 01.09.2020     | Date of first issue: 08.06.2016 | 01.09.2020  |

### Components:

#### **dibutyl [[bis[(2-ethylhexyl)oxy]phosphinothioyl]thio]succinate:**

Species : Rabbit  
Assessment : No eye irritation  
Result : No eye irritation

#### **Asphalt:**

Species : Rabbit  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
Result : No eye irritation

#### **Graphite:**

Species : Rabbit  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
Result : No eye irritation

### **Respiratory or skin sensitisation**

#### Product:

Remarks : This information is not available.

### Components:

#### **dibutyl [[bis[(2-ethylhexyl)oxy]phosphinothioyl]thio]succinate:**

Assessment : The product is a skin sensitiser, sub-category 1B.  
Result : The product is a skin sensitiser, sub-category 1B.

#### **Asphalt:**

Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.

#### **Graphite:**

Species : Mouse  
Method : OECD Test Guideline 429  
Result : negative

### **Germ cell mutagenicity**

#### Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL



## OKS 490

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 17.04.2019  | Print Date: |
| 3.0     | 01.09.2020     | Date of first issue: 08.06.2016 | 01.09.2020  |

### Components:

#### **Graphite:**

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative

### **Carcinogenicity**

#### Product:

Remarks : No data available

### **Reproductive toxicity**

#### Product:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

### Components:

#### **Graphite:**

Effects on fertility : Species: Rat  
Application Route: Oral  
General Toxicity F1: NOAEL: 813 mg/kg body weight  
Method: OECD Test Guideline 422

### **STOT - single exposure**

#### Components:

#### **Asphalt:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### **STOT - repeated exposure**

#### Components:

#### **Asphalt:**

Assessment : The substance or mixture is not classified as specific target

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL



## OKS 490

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 17.04.2019  | Print Date: |
| 3.0     | 01.09.2020     | Date of first issue: 08.06.2016 | 01.09.2020  |

organ toxicant, repeated exposure.

### Repeated dose toxicity

#### Product:

Remarks : This information is not available.

#### Components:

##### Graphite:

Species : Rat  
NOAEL : 813 mg/kg  
Application Route : Oral  
Method : OECD Test Guideline 422

Species : Rat  
NOAEL : > 2 mg/l  
Application Route : inhalation (dust/mist/fume)  
Method : OECD Test Guideline 412

### Aspiration toxicity

#### Product:

This information is not available.

#### Components:

##### Asphalt:

No aspiration toxicity classification

### Further information

#### Product:

Remarks : Information given is based on data on the components and the toxicology of similar products.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae/aquatic : Remarks: No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL



## OKS 490

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 17.04.2019  | Print Date: |
| 3.0     | 01.09.2020     | Date of first issue: 08.06.2016 | 01.09.2020  |

plants

Toxicity to microorganisms :  
Remarks: No data available

### Components:

#### **dibutyl [[bis[(2-ethylhexyl)oxy]phosphinothioyl]thio]succinate:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 0,002 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Method: OECD Test Guideline 203  
GLP: yes  
Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
aquatic invertebrates  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
plants  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201

#### **Graphite:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other : (Daphnia magna (Water flea)): > 100 mg/l  
aquatic invertebrates  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100  
plants  
mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

## 12.2 Persistence and degradability

### Product:

Biodegradability : Remarks: No data available

Physico-chemical removabil- : Remarks: No data available  
ity

### Components:

#### **dibutyl [[bis[(2-ethylhexyl)oxy]phosphinothioyl]thio]succinate:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL



## OKS 490

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 17.04.2019  | Print Date: |
| 3.0     | 01.09.2020     | Date of first issue: 08.06.2016 | 01.09.2020  |

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge  
Result: Not rapidly biodegradable  
Biodegradation: 12,1 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

### Graphite:

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

## 12.3 Bioaccumulative potential

### Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).  
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

### Components:

#### dibutyl [[bis[(2-ethylhexyl)oxy]phosphinothioyl]thio]succinate:

Partition coefficient: n-octanol/water : log Pow: > 6,5  
Method: OECD Test Guideline 117  
GLP: yes

## 12.4 Mobility in soil

### Product:

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

## 12.5 Results of PBT and vPvB assessment

### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### Components:

#### Asphalt:

Assessment : Non-classified vPvB substance. Non-classified PBT substance.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL



## OKS 490

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 17.04.2019  | Print Date: |
| 3.0     | 01.09.2020     | Date of first issue: 08.06.2016 | 01.09.2020  |

### 12.6 Other adverse effects

#### Product:

Additional ecological information : No information on ecology is available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.

Waste codes should be assigned by the user based on the application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Dispose of waste product or used containers according to local regulations.

The following Waste Codes are only suggestions:

Waste Code : used product, unused product  
12 01 12\*, spent waxes and fats

uncleaned packagings  
15 01 10, packaging containing residues of or contaminated by hazardous substances

## SECTION 14: Transport information

### 14.1 UN number

ADR : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

### 14.2 UN proper shipping name

ADR : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

ADR : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL



## OKS 490

|                |                              |   |                           |
|----------------|------------------------------|---|---------------------------|
| Version<br>3.0 | Revision Date:<br>01.09.2020 | Date of last issue: 17.04.2019<br>Date of first issue: 08.06.2016 | Print Date:<br>01.09.2020 |
|----------------|------------------------------|---|---------------------------|

IATA : Not regulated as a dangerous good

### 14.4 Packing group

ADR : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA (Cargo) : Not regulated as a dangerous good

IATA (Passenger) : Not regulated as a dangerous good

### 14.5 Environmental hazards

ADR : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA (Passenger) : Not regulated as a dangerous good

IATA (Cargo) : Not regulated as a dangerous good

### 14.6 Special precautions for user

Not applicable

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL



## OKS 490

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 17.04.2019  | Print Date: |
| 3.0     | 01.09.2020     | Date of first issue: 08.06.2016 | 01.09.2020  |

Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Volatile organic compounds (VOC) content: 3,68 %

### Other regulations:

Act of 25 February 2011 on the Chemical Substances and Their Mixtures (consolidated text Dz. U. 2015, item 1203).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP 1-7).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Health of 10 August 2012 concerning the criteria and procedure of classification of chemical substances and their mixtures (consolidated text Dz. U. of 2015., pos. 208).

Ordinance of the Minister of Economy, Labour and Social Policy of 21st December 2005 concerning the basic requirements for personal protective equipment (Dz. U. Nr. 259, item 2173).

Ordinance of the Minister of Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (Dz. U. from 2005, Nr. 11, item 86, as amended).

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Environment of 9th December 2014 on Waste Catalog (Dz. U. 2014 item 1923).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of 26 July 2005 on enforcing of changes Annexes A and B of European Agreement concerning international transport of dangerous goods by road (ADR) (Dz. U. Nr. 178, item 1481, as amended).

Ordinance of the Minister of Health of 20th April 2012 concerning labeling of containers of dangerous substances and dangerous mixtures and some mixtures ((consolidated text) Dz. U. z 2015 nr. 0 poz. 450).

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL



## OKS 490

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 17.04.2019  | Print Date: |
| 3.0     | 01.09.2020     | Date of first issue: 08.06.2016 | 01.09.2020  |

Ordinance of the Minister of Health of 11th June 2012 concerning categories of dangerous substances and dangerous mixtures for which containers must be fitted with child-resistant fastenings and a tactile warning of danger (Dz. U. from 2012, item 688 as amended).

### 15.2 Chemical safety assessment

This information is not available.

## SECTION 16: Other information

### Full text of H-Statements

H317 : May cause an allergic skin reaction.  
H413 : May cause long lasting harmful effects to aquatic life.

### Full text of other abbreviations

PL OEL : Poland. Occupational exposure limits for airborne toxic substances  
PL OEL / NDS : Maximal Admissible Concentration  
PL OEL / NDSch : Maximal Admissible Temporary Concentration

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature;

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL



## OKS 490

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 17.04.2019  | Print Date: |
| 3.0     | 01.09.2020     | Date of first issue: 08.06.2016 | 01.09.2020  |

---

SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.