according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)




OKS 491

Version	Revision Date:	Date of last issue: 21.01.2021	Print Date:
3.2	10.11.2022	Date of first issue: 09.07.2016	11.11.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
Product name	: OKS 49	1
Use of the Sub- stance/Mixture	: Lubricar	e or mixture and uses advised against nt
Recommended restric on use	ctions : Restrict	ed to professional users.
1.3 Details of the supplie	r of the safety data	sheet
Company	Gangho D-82216 Tel.: +4 Fax.: +4	ezialschmierstoffe GmbH ferstr. 47 6 Maisach-Gernlinden 9 8142 3051 500 9 8142 3051 599 ss-germany.com
E-mail address of per responsible for the SE		ks-germany.com Compliance Management
National contact	:	
1.4 Emergency telephone	a numbor	
Emergency telephone ber		562 04 20
SECTION 2: Hazards id	dentification	
2.1 Classification of the	substance or mixtur	e
Classification (REG	ULATION (EC) No 12	272/2008)
Aerosols, Category 1		H222: Extremely flammable aerosol. H229: Pressurised container: May burst if heated.
Specific target organ posure, Category 3, C system		H336: May cause drowsiness or dizziness.

Specific target organ toxicity - single exposure, Category 3, Respiratory system





according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



A1/A /A/

OKS 49	1				
Version 3.2	Revision Date: 10.11.2022			ue: 21.01.2021 sue: 09.07.2016	Print Date: 11.11.2022
Aspir	ation hazard, Category	/ 1		H304: May be fatal if sw ways.	wallowed and enters air-
Long- egory	-term (chronic) aquatic / 3	: haz	ard, Cat-	H412: Harmful to aquate	tic life with long lasting ef-
2.2 Label	elements				
	Iling (REGULATION (Ird pictograms	(EC) :	No 1272/20		•
Signa	al word	:	Danger		
Hazard statements		:	H222 H229 H304		mable aerosol. ntainer: May burst if heated. swallowed and enters air-
			H335 H336 H412	May cause drov	biratory irritation. wsiness or dizziness. atic life with long lasting ef-
	lemental Hazard	:	EUH066	Repeated dryness or crac	exposure may cause skin king.
Preca	autionary statements	:	Preventio	n:	
			P210		n heat, hot surfaces, sparks, d other ignition sources. No
			P211	5	n an open flame or other
			P251	-	r burn, even after use.
			Response		
			P301 + P3 P331	10 IF SWALLOWE POISON CENT Do NOT induce	
					, vonnung.
			Storage: P410 + P4		nlight. Do not expose to xceeding 50 °C/ 122 °F.

Hazardous components which must be listed on the label:

Hydrocarbons, C9, aromatics

Naphtha (petroleum), hydrotreated light; Low boiling point hydrogen treated naphtha



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 491

Version	Revision Date:	Date of last issue: 21.01.2021	Print Date:
3.2	10.11.2022	Date of first issue: 09.07.2016	11.11.2022

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

1

3.2 Mixtures

Chemical nature

Active substance with propellant Mineral oil.

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concen- tration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
Hydrocarbons, C9, aromatics	918-668-5 01-2119455851-35- XXXX	Flam. Liq.3; H226 STOT SE3; H335 STOT SE3; H336 Asp. Tox.1; H304 Aquatic Chronic2; H411; EUH066	Note P	>= 20 - < 25
Naphtha (petroleum), hydrotreated light; Low boiling point hy- drogen treated naph- tha	64742-49-0 927-241-2 649-328-00-1 01-2119471843-32- xxxx	Flam. Liq.3; H226 STOT SE3; H336 Asp. Tox.1; H304 Aquatic Chronic3; H412; EUH066	Note P	>= 10 - < 20
Substances with a work	place exposure limit :			
Asphalt	8052-42-4 232-490-9 01-2119480172-44-	Not classified		>= 30 - < 50

Components



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 491

Version	Revision Date:	Date of last issue: 21.01.2021	Print Date:
3.2	10.11.2022	Date of first issue: 09.07.2016	11.11.2022

	XXXX			
butane	106-97-8 203-448-7 601-004-00-0 01-2119474691-32- XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1), Note C	>= 10 - < 20
propane	74-98-6 200-827-9 601-003-00-5 01-2119486944-21- XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1)	>= 1 - < 10
Graphite	7782-42-5 231-955-3	Not classified		>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled :	Call a physician or poison control centre immediately. Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respira- tion.
In case of skin contact :	Take off all contaminated clothing immediately. Get medical attention immediately if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse. Wash skin thoroughly with soap and water or use recognized skin cleanser.
In case of eye contact :	Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. Seek medical advice.
If swallowed :	Move the victim to fresh air. If accidentally swallowed obtain immediate medical attention.



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 491

0110 10	•		
Version 3.2	Revision Date: 10.11.2022	Date of last issue: 21.01.2021 Date of first issue: 09.07.2016	Print Date: 11.11.2022
		Keep respiratory tract clear. Do NOT induce vomiting. Rinse mouth with water. Aspiration hazard if swallowed - ca damage.	an enter lungs and cause
4.2 Most	important symptom	s and effects, both acute and delayed	
Symptoms :		 Inhalation may provoke the followi Unconsciousness Dizziness Drowsiness Headache Nausea Tiredness Skin contact may provoke the follo Erythema 	
Risks	3	 Aspiration may cause pulmonary of Central nervous system depression Can be absorbed through skin. Risk of product entering the lungs Health injuries may be delayed. 	'n

4.3 Indication of any immediate medical attention and special treatment needed

Treatment

: Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	:	ABC powder
Unsuitable extinguishing media	:	High volume water jet
5.2 Special hazards arising from	the	e substance or mixture
Specific hazards during fire- fighting	:	Fire Hazard Do not let product enter drains. Contains gas under pressure; may explode if heated. Beware of vapours accumulating to form explosive concentra- tions. Vapours can accumulate in low areas.
Hazardous combustion prod- ucts	:	Carbon oxides

5.3 Advice for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 491

Version 3.2	Revision Date: 10.11.2022	Date of last issue: 21.01.2021Print Date:Date of first issue: 09.07.201611.11.2022		
for firefighters		Use personal protective equipment. Exposure to decomposi- tion products may be a hazard to health.		
Further information		: Standard procedure for Collect contaminated fir must not be discharged Cool containers/tanks w	re extinguishing water separately. This I into drains.	

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions :	Evacuate personnel to safe areas. Ensure adequate ventilation. Remove all sources of ignition. Do not breathe vapours or spray mist. Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Refer to protective measures listed in sections 7 and 8. Only qualified personnel equipped with suitable protective equipment may intervene.
------------------------	--

6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Contain spillage, and then collect with non-combustible ab- sorbent material, (e.g. sand, earth, diatomaceous earth, ver- miculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal. Non-sparking tools should be used.
-------------------------	---	---

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	 Do not use in areas without adequate ventilation. Do not breathe vapours or spray mist. In case of insufficient ventilation, wear suitable respiratory
	equipment.
	Avoid contact with skin and eyes.
	For personal protection see section 8.



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 491

Version 3.2	Revision Date: 10.11.2022	Date of last issue: 21.01.2021 Date of first issue: 09.07.2016	Print Date: 11.11.2022
		Keep away from fire, sparks an Smoking, eating and drinking si plication area. Wash hands and face before be handling the product. Do not get in eyes or mouth or Do not get on skin or clothing. Do not ingest. Do not use sparking tools. These safety instructions also a may still contain product residu Pressurized container: protect f pose to temperatures exceedin even after use.	hould be prohibited in the ap- reaks and immediately after on skin. apply to empty packaging which es. from sunlight and do not ex-
Hyg	iene measures	: Wash face, hands and any exp handling.	osed skin thoroughly after
Req	litions for safe storag uirements for storage as and containers	 ge, including any incompatibilities BEWARE: Aerosol is pressurize exposure and temperatures ove or throw into fire even after use red-hot objects. Store in accord tional regulations. 	er 50 °C. Do not open by force . Do not spray on flames or
-	i fic end use(s) cific use(s)	: Specific instructions for handlin	g, not required.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Asphalt	8052-42-4	VLA-ED (Fumes)	0,5 mg/m3	ES VLA (2013-02-22)
butane	106-97-8	VLA-ED (gas)	1.000 ppm	ES VLA (2013-02-22)
propane	74-98-6	VLA-ED	1.000 ppm	ES VLA (2011-03-03)
Graphite	7782-42-5	VLA-ED (respira- ble dust fraction)	2 mg/m3	ES VLA (2017-02-01)

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
Hydrocarbons, C9, aromatics	Workers	Skin contact	Long-term systemic effects	25 mg/kg bw/day



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 491

Version 3.2	Revision Date: 10.11.2022	Date of last issue: 21.01.2021 Date of first issue: 09.07.2016	Print Date: 11.11.2022

	Workers	Inhalation	Long-term systemic effects	150 mg/m3
Graphite	Workers	Inhalation	Long-term local ef- fects	1,2 mg/m3

8.2 Exposure controls

Engineering measures

Use only in an area equipped with explosion proof exhaust ventilation. Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipmer	t
Eye protection :	Safety glasses with side-shields
Hand protection Material : Break through time : Protective index :	Fluorinated rubber > 10 min Class 1
Remarks :	Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. The selected protective gloves have to satisfy the specifica- tions of Regulation (EU) 2016/425 and the standard EN 374 derived from it.
Skin and body protection :	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.
Respiratory protection :	Use respiratory protection unless adequate local exhaust ven- tilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Short term only
Filter type :	Filter type A-P
Protective measures :	The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: aerosol
Colour	: black
Odour	: characteristic



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



Vers 3.2	sion	Revision Date: 10.11.2022		of last issue: 21.01.2021 of first issue: 09.07.2016	Print Date: 11.11.2022
	Odour	Threshold	:	No data available	
	Melting	g point/range	:	No data available	
	Boiling	point/boiling range	:	< -20 °C (1.013 hPa)	
	Flamm	ability (solid, gas)	:	Extremely flammable aerosol.	
		explosion limit / Upper ability limit	:	12,5 %(V)	
		explosion limit / Lower ability limit	:	0,6 %(V)	
	Flash p	point	:	< -20 °C Method: DIN 51755, closed cup	
	Auto-ig	nition temperature	:	> 235 °C	
	Decom	position temperature	:	No data available	
	рН		:	Not applicable substance/mixture is non-soluble	(in water)
	Viscosi Visc	ity cosity, dynamic	:	No data available	
	Viso	cosity, kinematic	:	< 20,5 mm2/s (40 °C)	
	Solubil Wat	ity(ies) ter solubility	:	insoluble	
	Solu	ubility in other solvents	3 :	No data available	
	Partitio octano	n coefficient: n- I/water	:	No data available	
	Vapou	r pressure	:	3.700 hPa (20 °C)	
	Relativ	e density	:	0,756 (20 °C) Reference substance: Water The value is calculated	
	Density	y	:	0,76 g/cm3 (20 °C)	
	Bulk de	ensity	:	No data available	



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 491

Version 3.2	Revision Date: 10.11.2022	Date of last issue: 21.01.2021 Date of first issue: 09.07.2016	Print Date: 11.11.2022
Relat	tive vapour density	: No data available	
• • • • • • •	information	: Not explosive	
Oxidi	izing properties	: No data available	
Self-i	ignition	: not auto-flammable	
Meta	l corrosion rate	: Not corrosive to metals	
Evap	oration rate	: No data available	
Subli	mation point	: No data available	

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid

: Heat, flames and sparks. Strong sunlight for prolonged periods. Risk of receptacle bursting.

10.5 Incompatible materials

Materials to avoid	:	Oxidizing agents
--------------------	---	------------------

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:

Acute oral toxicity : Remarks: Effects due to ingestion may include:



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



Version 3.2	Revision Date: 10.11.2022		e of last issue: 21.01.2021 e of first issue: 09.07.2016	Print Date: 11.11.2022
			Symptoms: Central nervous syste	em depression
Acute	inhalation toxicity	:	Remarks: Respiration of solvent v Irritating to respiratory system.	/apour may cause dizziness.
			Symptoms: Inhalation may provol Respiratory disorder, Local irritati Dizziness, Drowsiness, Vomiting, nervous system depression	on, Respiratory disorders,
Acute	e dermal toxicity	:	Remarks: Prolonged or repeated cause defatting resulting in drying tering.	
			Symptoms: Skin disorders	
Com	oonents:			
Hydro	ocarbons, C9, aroma	tics:		
Acute	oral toxicity	:	LD50 (Rat): 4.200 mg/kg Method: OECD Test Guideline 40)1
Acute	dermal toxicity	:	LD50 (Rabbit): > 2.000 mg/kg Method: OECD Test Guideline 40 Assessment: The component/mix single contact with skin.	
-	e oral toxicity		ted light; Low boiling point hydr LD50 Oral (Rat): > 5.000 mg/kg	rogen treated naphtha:
Asph	alt:			
•	oral toxicity	÷	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 40	01
Acute	e dermal toxicity	:	LD50 (Rabbit): > 2.000 mg/kg Method: OECD Test Guideline 40 Assessment: The substance or m toxicity	
butar	ne:			
Acute	inhalation toxicity	:	LC50 (Rat): 658 mg/l Exposure time: 4 h Test atmosphere: gas	
Grap	hite:			
-	oral toxicity	:	LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 40 Assessment: The substance or m icity	



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



ersion 2	Revision Date: 10.11.2022	Date of last issue: 21.01.2021 Date of first issue: 09.07.2016	Print Date: 11.11.2022
Ekin	corrosion/irritation		
-			
<u>Prod</u> Rema		: This information is not avai	ilable.
Com	ponents:		
Hydr	ocarbons, C9, arom	atics:	
Spec Meth		: Rabbit : OECD Test Guideline 404	
Resu		: Mild skin irritation	
Resu	lt	: Repeated exposure may ca	ause skin dryness or cracking.
Naph	ntha (petroleum), hy	drotreated light; Low boiling poir	nt hydrogen treated naphtha
Resu	lt	: Repeated exposure may ca	ause skin dryness or cracking.
Asph	nalt:		
Spec		: Rabbit	
	ssment	: No skin irritation	
Meth Resu		: OECD Test Guideline 404 : No skin irritation	
Resu	IL	. NO SKIN IMATION	

Product:

Remarks

: Contact with eyes may cause irritation.

Components:

Hydrocarbons, C9, aromatics:

Species	:	Rabbit
Assessment	:	No eye irritation
Result	:	No eye irritation

Asphalt:

Species	:	Rabbit
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Result	:	No eye irritation

Respiratory or skin sensitisation

Product:

Remarks :	: This information is not available.
-----------	--------------------------------------



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 491

Version	Revision Date:	Date of last issue: 21.01.2021	Print Date:
3.2	10.11.2022	Date of first issue: 09.07.2016	11.11.2022

Components:

Hydrocarbons, C9, aromatics	s:	
Test Type Species Assessment Method Result	:	Maximisation Test Guinea pig Does not cause skin sensitisation. OECD Test Guideline 406 Does not cause skin sensitisation.
Asphalt:		
Species Assessment Method Result	: : :	Guinea pig Does not cause skin sensitisation. OECD Test Guideline 406 Does not cause skin sensitisation.
Germ cell mutagenicity		
Product:		
Genotoxicity in vitro	:	Remarks: No data available
Genotoxicity in vivo	:	Remarks: No data available
Components:		
Hydrocarbons, C9, aromatics	s:	
Germ cell mutagenicity- As- sessment	:	Animal testing did not show any mutagenic effects.
Carcinogenicity		
Product:		
Remarks	:	No data available
Components:		
Hydrocarbons, C9, aromatics	s:	
Carcinogenicity - Assess- ment	:	Not classifiable as a human carcinogen.
Reproductive toxicity		
Product:		
Effects on fertility	:	Remarks: No data available
Effects on foetal develop- ment	:	Remarks: No data available



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



sion	Revision Date: 10.11.2022		e of last issue: 21.01.2021 e of first issue: 09.07.2016	Print Date: 11.11.2022
<u>Com</u>	oonents:			
Hydro	ocarbons, C9, aroma	tics:		
Repro	oductive toxicity - As-	:	- Fertility -	
sessn	nent		No toxicity to reproduction	
STOT	- single exposure			
<u>Com</u>	oonents:			
Hydro	ocarbons, C9, aroma	tics:		
	sure routes	:	Inhalation	
	et Organs	:	Respiratory system	
Asses	ssment	•	May cause respiratory irritation.	
Expos	sure routes	:	Inhalation	
	et Organs	:	Central nervous system	
Asses	ssment	:	May cause drowsiness or dizzines	SS.
Naph	tha (petroleum), hydi	rotrea	ated light; Low boiling point hydr	ogen treated naphtha:
	sure routes	:	Inhalation	
Asses	ssment	:	May cause drowsiness or dizzines	SS.
Asph	alt:			
Asses	ssment	:	The substance or mixture is not cl organ toxicant, single exposure.	assified as specific target
STOT	- repeated exposure	•		
<u>Comp</u>	oonents:			
Hydro	ocarbons, C9, aroma	tics:		
Asses	ssment	:	The substance or mixture is not cl organ toxicant, repeated exposure	
Asph	alt:			
Asses	ssment	:	The substance or mixture is not cl organ toxicant, repeated exposure	
Repe	ated dose toxicity			
-	-			
Repe Produ Rema	uct:	:	This information is not available.	
<u>Produ</u> Rema	uct:	:	This information is not available.	
Produ Rema	uct: arks	: tics:	This information is not available.	



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 491

Version	Revision Date:	Date of last issue: 21.01.2021	Print Date:
3.2	10.11.2022	Date of first issue: 09.07.2016	11.11.2022

Assessment

dermatitis, due to degreasing properties of the product.

Aspiration toxicity

Product:

May be fatal if swallowed and enters airways.

Components:

Hydrocarbons, C9, aromatics:

May be fatal if swallowed and enters airways.

Naphtha (petroleum), hydrotreated light; Low boiling point hydrogen treated naphtha:

May be fatal if swallowed and enters airways.

Asphalt:

No aspiration toxicity classification

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks

Information given is based on data on the components and the toxicology of similar products.

SECTION 12: Ecological information

12.1 Toxicity

Product:		
Toxicity to fish	•	Remarks: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic	:	Remarks: No data available



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



Un	3 491				
Ver 3.2	sion	Revision Date: 10.11.2022		e of last issue: 21.01.2021 e of first issue: 09.07.2016	Print Date: 11.11.2022
	plants				
	•				
	Toxicit	y to microorganisms	:	Remarks: No data available	
	Comp	onents:			
	Hydro	carbons, C9, aromat	ics:		
	Toxicit	y to fish	:	LC50 (Oncorhynchus mykiss (rainbow tro Exposure time: 96 h	out)): 9,22 mg/l
		y to daphnia and othe c invertebrates	r:	EC50 (Daphnia magna (Water flea)): 6,1 Exposure time: 48 h	4 mg/l
	Ecoto	xicology Assessmen	t		
		aquatic toxicity	:	Toxic to aquatic life.	
	Chroni	c aquatic toxicity	:	Toxic to aquatic life with long lasting effe	cts
	Onion		•	Toxic to aquatio me with long lasting end	
	Napht	ha (petroleum), hydro	otrea	ated light; Low boiling point hydrogen t	reated naphtha:
	Ecoto	xicology Assessmen	t		
	Chroni	c aquatic toxicity	:	Harmful to aquatic life with long lasting e	ffects.
12.2	2 Persis	tence and degradab	ility		
	Produ				
	Biodeg	gradability	:	Remarks: No data available	
	Physic ity	o-chemical removabil-	· :	Remarks: No data available	
	Comp	onents:			
	-	carbons, C9, aromat i gradability	:	Result: rapidly biodegradable	
	2.00.03		-		
	•		otrea	ated light; Low boiling point hydrogen t	reated naphtha:
	Biodeg	gradability	:	Result: rapidly biodegradable	
12.3	3 Bioac	cumulative potential			
	<u>Produ</u>				
	Вюасс	umulation	:	Remarks: This mixture contains no subst be persistent, bioaccumulating and toxic This mixture contains no substance cons persistent and very bioaccumulating (vPv	(PBT). idered to be very
				16 / 22	a brand of



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 101

OKS 49 ⁻	1			
Version 3.2	Revision Date: 10.11.2022		e of last issue: 21.01.2021 e of first issue: 09.07.2016	Print Date: 11.11.2022
Com	ponents:			
Hydr	ocarbons, C9, aromat	ics:		
Partit	ion coefficient: n- ol/water	:	log Pow: 3,7 - 4,5	
-	tha (petroleum), hydr ccumulation	otre: :	ated light; Low boiling point hydrog Remarks: No data available	jen treated naphtha:
	ion coefficient: n- ol/water	:	Remarks: No data available	
butar	ne:			
	ion coefficient: n- ol/water	:	log Pow: 2,89 Method: OECD Test Guideline 107	
propa	ane:			
	ion coefficient: n- ol/water	:	log Pow: 2,36	
Grap	hite:			
	ion coefficient: n- ol/water	:	Remarks: No data available	
12.4 Mobi	ility in soil			
Prod	uct:			
Mobil	ity	:	Remarks: No data available	
	bution among environ- al compartments	:	Remarks: No data available	
12.5 Resu	Ilts of PBT and vPvB a	asse	ssment	
Prod	uct:			
Asse	ssment	:	This substance/mixture contains no to be either persistent, bioaccumula very persistent and very bioaccumul 0.1% or higher.	tive and toxic (PBT), or
Com	ponents:			
Asph	alt:			
Asse	ssment	:	Non-classified vPvB substance. Nor	1-classified PBT substance
12.6 Endo	ocrine disrupting prop	oertie	2S	
Drod				

Product:



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 491

Version 3.2	Revision Date: 10.11.2022	Date of last issue: 21.01.2021Print DateDate of first issue: 09.07.201611.11.2	
Asse	ssment	 The substance/mixture does not contain compone ered to have endocrine disrupting properties accorn REACH Article 57(f) or Commission Delegated reg (EU) 2017/2100 or Commission Regulation (EU) 2 levels of 0.1% or higher. 	ding to Julation
12.7 Othe	er adverse effects		
<u>Prod</u> Addit	uct: ional ecological infor-	: Harmful to aquatic life with long lasting effects.	

mation

SECTION 13: Disposal considerations

13.1 Waste treatment methods				
Product :	Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.			
	Waste codes should be assigned by the user based on the application for which the product was used.			
Contaminated packaging :	Packaging that is not properly emptied must be disposed of as the unused product. Offer empty spray cans to an established disposal company. Pressurized container: Do not pierce or burn, even after use.			
	The following Waste Codes are only suggestions:			
Waste Code :	unused product, packagings not completely emptied 16 05 04*, gases in pressure containers (including halons) containing hazardous substances			

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	UN 1950
RID	:	UN 1950
IMDG	:	UN 1950
ΙΑΤΑ	:	UN 1950
14.2 UN proper shipping name		
ADR	:	AEROSOLS
RID	:	AEROSOLS



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



Version 3.2	Revision Date: 10.11.2022		e of last issue: 21.01.2021 e of first issue: 09.07.2016	Print Date: 11.11.2022
IMDG		:	AEROSOLS	
ΙΑΤΑ		:	Aerosols, flammable	
14.3 Trans	sport hazard class(es))		
ADR		:	2	
RID		:	2	
IMDG		:	2.1	
ΙΑΤΑ		:	2.1	
14.4 Packi	ng group			
Classi Labels	ng group ification Code s el restriction code	:	Not assigned by regulation 5F 2.1 (D)	
Classi	ng group ification Code d Identification Number S	: : r : :	Not assigned by regulation 5F 23 2.1	
IMDG Packir Labels EmS (ng group s	:	Not assigned by regulation 2.1 F-D, S-U	
Packir aircraf Packir	ng instruction (LQ) ng group	:	203 Y203 Not assigned by regulation Flammable Gas	
IATA Packir ger air Packir	(Passenger) ng instruction (passen- rcraft) ng instruction (LQ) ng group	:	203 Y203 Not assigned by regulation Flammable Gas	
14.5 Envir	onmental hazards			
ADR Enviro	onmentally hazardous	:	no	
RID Enviro	onmentally hazardous	:	no	
IMDG Marine	e pollutant	:	no	



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 491

Version	Revision Date:	Date of last issue: 21.01.2021	Print Date:
3.2	10.11.2022	Date of first issue: 09.07.2016	11.11.2022

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks

: Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing of the market and use of certain dangerous substance mixtures and articles (Annex XVII)		Not applicable
REACH - Candidate List of Substances of Very Hig Concern for Authorisation (Article 59). (EU SVHC)	h :	This product does not contain sub- stances of very high concern (Regu- lation (EC) No 1907/2006 (REACH), Article 57).
REACH - List of substances subject to authorisatior (Annex XIV) (EU. REACH-Annex XIV)	ו : ו	Not applicable
Regulation (EC) No 1005/2009 on substances that plete the ozone layer (EC 1005/2009)	de- :	Not applicable
Regulation (EU) 2019/1021 on persistent organic po tants (recast) (EU POP)	ollu- :	Not applicable
Regulation (EC) No 649/2012 of the European Parli ment and the Council concerning the export and im of dangerous chemicals (EU PIC)		Not applicable
	: P2	
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	P3a	FLAMMABLE AEROSOLS
	34	Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home
		a brand of



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 491

Version	Revision Date: 10.11.2022	Date of last issue: 21.01.2021	Print Date:
3.2		Date of first issue: 09.07.2016	11.11.2022
			heating oils and gas oil blending streams),(d) heavy fuel oils (e)

heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a) to (d)

18 Liquefied extremely flammable gases (including LPG) and natural gas

Volatile organic compounds	:	Directive 2010/75/EU of 24 November 2010 on industrial
		emissions (integrated pollution prevention and control)
		Volatile organic compounds (VOC) content: 64,3 %

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

EUH066	:	Repeated exposure may cause skin dryness or cracking.
H220	:	Extremely flammable gas.
H226	:	Flammable liquid and vapour.
H280	:	Contains gas under pressure; may explode if heated.
H304	:	May be fatal if swallowed and enters airways.
H335	:	May cause respiratory irritation.
H336	:	May cause drowsiness or dizziness.
H411	:	Toxic to aquatic life with long lasting effects.
H412	:	Harmful to aquatic life with long lasting effects.
EUH066	:	Repeated exposure may cause skin dryness or cracking.

Full text of other abbreviations

Note C

: Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 491

Version 3.2	Revision Date: 10.11.2022		e of last issue: 21.01.2021 e of first issue: 09.07.2016	Print Date: 11.11.2022
Note P	l (table 3.1)	:	The harmonised classification as a carcinapplies unless it can be shown that the seless than 0,1 % w/w benzene (Einecs Not case a classification in accordance with tion shall be performed also for those hat the substance is not classified as a carcine least the precautionary statements (P102) P310-P331 shall apply. When put on the market gases have to be sunder pressure, in one of the groups liquefied gas, refrigerated liquefied gas of group depends on the physical state in waged and therefore has to be assigned of following codes are assigned: Press. Gas (Liq.) Press. Gas (Ref. Liq.) Press. Gas (not be classified as gases under pressure	substance contains b 200-753-7), in which Title II of this Regula- zard classes. Where nogen or mutagen, at 2-)P260-P262-P301 + be classified as "Gas- compressed gas, or dissolved gas. The which the gas is pack- ase by case. The s (Comp.) Press. Gas (Diss.) Aerosols shall
ES VL	A	:	2, Section 2.3.2.1, Note 2). Spain. Environmental Limits for exposure - Table 1: Occupational Exposure Values	5
ES VL	A / VLA-ED	:	Environmental Daily Limit Value	,

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 491

Version	Revision Date: 10.11.2022	Date of last issue: 21.01.2021	Print Date:
3.2		Date of first issue: 09.07.2016	11.11.2022

Further information						
Classification of the m	nixture:	Classification procedure:				
Aerosol 1	H222, H229	Based on product data or assessment				
STOT SE 3	H336	Calculation method				
STOT SE 3	H335	Calculation method				
Asp. Tox. 1	H304	Based on product data or assessment				
Aquatic Chronic 3	H412	Calculation method				

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

