

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 589

Version	Revision Date:	Date of last issue: 20.08.2018	Print Date:
1.2	11.05.2022	Date of first issue: 09.07.2016	12.05.2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Product name : OKS 589

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Lubricant

Recommended restrictions : Restricted to professional users.  
on use

### 1.3 Details of the supplier of the safety data sheet

Company : OKS Spezialschmierstoffe GmbH  
Ganghoferstr. 47  
D-82216 Maisach-Gernlinden  
Tel.: +49 8142 3051 500  
Fax.: +49 8142 3051 599  
info@oks-germany.com

E-mail address of person : mcm@oks-germany.com  
responsible for the SDS Material Compliance Management

National contact :

### 1.4 Emergency telephone number

Emergency telephone num- : +49 8142 3051 517  
ber Warszawa: +48 22 619 66 54

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 2 H225: Highly flammable liquid and vapour.

Serious eye damage, Category 1 H318: Causes serious eye damage.

Specific target organ toxicity - single ex-  
posure, Category 3, Central nervous  
system H336: May cause drowsiness or dizziness.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)






## OKS 589

Version	Revision Date:	Date of last issue: 20.08.2018	Print Date:
1.2	11.05.2022	Date of first issue: 09.07.2016	12.05.2022

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:			
Signal word	:	Danger		
Hazard statements	:	H225 H318 H336	Highly flammable liquid and vapour. Causes serious eye damage. May cause drowsiness or dizziness.	
Supplemental Hazard Statements	:	EUH066	Repeated exposure may cause skin dryness or cracking.	
Precautionary statements	:	<b>Prevention:</b> P210  P233 P280	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Wear protective gloves/ protective clothing/ eye protection/ face protection.	
		<b>Response:</b> P305 + P351 + P338 + P310  P370 + P378	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. In case of fire: Use alcohol-resistant foam, carbon dioxide or water mist to extinguish.	
		<b>Storage:</b> P403 + P235	Store in a well-ventilated place. Keep cool.	

#### Hazardous components which must be listed on the label:

n-butyl acetate  
  
butanone  
  
ethyl acetate  
  
butan-1-ol

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 589

Version	Revision Date:	Date of last issue: 20.08.2018	Print Date:
1.2	11.05.2022	Date of first issue: 09.07.2016	12.05.2022

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Solvent mixture  
epoxy resin  
solid lubricant  
PTFE  
Molybdenum disulfide

#### Components

Chemical name	CAS-No. EC-No.  Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
n-butyl acetate	123-86-4 204-658-1  607-025-00-1 01-2119485493-29-XXXX	Flam. Liq.3; H226 STOT SE3; H336; EUH066		>= 30 - < 50
butanone	78-93-3 201-159-0  606-002-00-3 01-2119457290-43-XXXX	Flam. Liq.2; H225 Eye Irrit.2; H319 STOT SE3; H336; EUH066		>= 20 - < 30
ethyl acetate	141-78-6 205-500-4  607-022-00-5 01-21119475103-46-XXXX	Flam. Liq.2; H225 Eye Irrit.2; H319 STOT SE3; H336; EUH066		>= 10 - < 20
butan-1-ol	71-36-3 200-751-6	Flam. Liq.3; H226 Acute Tox.4; H302 Skin Irrit.2; H315		>= 3 - < 10

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 589

Version 1.2      Revision Date: 11.05.2022      Date of last issue: 20.08.2018      Print Date: 12.05.2022  
Date of first issue: 09.07.2016

	603-004-00-6 01-2119484630-38-XXXX	Eye Dam.1; H318 STOT SE3; H336 STOT SE3; H335		
aluminium dihydrogen triphosphate	13939-25-8 237-714-9  01-2119970565-28-XXXX	Eye Irrit.2; H319		$\geq 1 - < 10$
ethylene glycol mono-butyl ether	111-76-2 203-905-0  603-014-00-0 01-2119475108-36-XXXX	Acute Tox.4; H302 Acute Tox.4; H332 Skin Irrit.2; H315 Eye Irrit.2; H319	ATE (Oral): 1.200 mg/kg;	$\geq 1 - < 10$
Substances with a workplace exposure limit :				
molybdenum disulphide	1317-33-5 215-263-9	Not classified		$\geq 1 - < 10$
Graphite	7782-42-5 231-955-3	Not classified		$\geq 1 - < 10$

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- If inhaled : Call a physician or poison control centre immediately.  
Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Take off all contaminated clothing immediately.  
Get medical attention immediately if irritation develops and persists.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.  
Wash skin thoroughly with soap and water or use recognized

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 589

Version	Revision Date:	Date of last issue: 20.08.2018	Print Date:
1.2	11.05.2022	Date of first issue: 09.07.2016	12.05.2022

skin cleanser.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
Get medical attention immediately.

If swallowed : Move the victim to fresh air.  
If accidentally swallowed obtain immediate medical attention.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
Do NOT induce vomiting.  
Rinse mouth with water.  
Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Inhalation may provoke the following symptoms:  
Unconsciousness  
Dizziness  
Drowsiness  
Headache  
Nausea  
Tiredness  
Skin contact may provoke the following symptoms:  
Erythema

Risks : Central nervous system depression  
Can be absorbed through skin.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not let product enter drains.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Hazardous combustion products : Carbon oxides  
Sulphur oxides

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 589

Version	Revision Date:	Date of last issue: 20.08.2018	Print Date:
1.2	11.05.2022	Date of first issue: 09.07.2016	12.05.2022

Oxides of phosphorus  
Halogenated compounds  
Metal oxides

### 5.3 Advice for firefighters

- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.
- Further information : Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Cool containers/tanks with water spray.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Evacuate personnel to safe areas. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Do not breathe vapours or spray mist. Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Refer to protective measures listed in sections 7 and 8.

### 6.2 Environmental precautions

- Environmental precautions : Do not allow contact with soil, surface or ground water. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Non-sparking tools should be used.

### 6.4 Reference to other sections

For personal protection see section 8.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- Advice on safe handling : Use only in an area containing explosion proof equipment.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 589

Version	Revision Date:	Date of last issue: 20.08.2018	Print Date:
1.2	11.05.2022	Date of first issue: 09.07.2016	12.05.2022

Do not use in areas without adequate ventilation.  
Do not breathe vapours or spray mist.  
In case of insufficient ventilation, wear suitable respiratory equipment.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Keep away from fire, sparks and heated surfaces.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash hands and face before breaks and immediately after handling the product.  
Ensure all equipment is electrically grounded before beginning transfer operations.  
Do not get in eyes or mouth or on skin.  
Do not get on skin or clothing.  
Do not ingest.  
Do not use sparking tools.  
Do not enter areas where used or stored until adequately ventilated.  
Do not repack.  
Do not re-use empty containers.  
These safety instructions also apply to empty packaging which may still contain product residues.  
Keep container closed when not in use.

Advice on protection against fire and explosion : Keep away from heat and sources of ignition.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Keep container closed when not in use. Keep in a cool place away from oxidizing agents. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

### 7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
------------	---------	-------------------------------	--------------------	-------

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 589

Version 1.2      Revision Date: 11.05.2022      Date of last issue: 20.08.2018  
Date of first issue: 09.07.2016

Print Date:  
12.05.2022

n-butyl acetate	123-86-4	NDS	240 mg/m <sup>3</sup>	PL OEL (2018-07-07)
		NDSch	720 mg/m <sup>3</sup>	PL OEL (2018-07-07)
		STEL	150 ppm 723 mg/m <sup>3</sup>	2019/1831/E U (2019-10-31)
Further information: Indicative				
		TWA	50 ppm 241 mg/m <sup>3</sup>	2019/1831/E U (2019-10-31)
Further information: Indicative				
butanone	78-93-3	TWA	200 ppm 600 mg/m <sup>3</sup>	2000/39/EC (2000-06-16)
Further information: Indicative				
		STEL	300 ppm 900 mg/m <sup>3</sup>	2000/39/EC (2000-06-16)
Further information: Indicative				
		NDS	450 mg/m <sup>3</sup>	PL OEL (2018-07-07)
Further information: Skin				
		NDSch	900 mg/m <sup>3</sup>	PL OEL (2018-07-07)
Further information: Skin				
ethyl acetate	141-78-6	NDS	734 mg/m <sup>3</sup>	PL OEL (2018-07-07)
		NDSch	1.468 mg/m <sup>3</sup>	PL OEL (2018-07-07)
		STEL	400 ppm 1.468 mg/m <sup>3</sup>	2017/164/EU (2017-02-01)
Further information: Indicative				
		TWA	200 ppm 734 mg/m <sup>3</sup>	2017/164/EU (2017-02-01)
Further information: Indicative				
molybdenum di- sulphide	1317-33-5	NDS	4 mg/m <sup>3</sup> (Molybdenum)	PL OEL (2018-07-07)
		NDSch	10 mg/m <sup>3</sup> (Molybdenum)	PL OEL (2018-07-07)
butan-1-ol	71-36-3	NDS	50 mg/m <sup>3</sup>	PL OEL (2018-07-07)
Further information: Skin				
		NDSch	150 mg/m <sup>3</sup>	PL OEL (2018-07-07)
Further information: Skin				
ethylene glycol monobutyl ether	111-76-2	TWA	20 ppm 98 mg/m <sup>3</sup>	2000/39/EC (2000-06-16)
Further information: Identifies the possibility of significant uptake through the skin, Indicative				
		STEL	50 ppm 246 mg/m <sup>3</sup>	2000/39/EC (2000-06-16)
Further information: Identifies the possibility of significant uptake through the				



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 589

Version 1.2      Revision Date: 11.05.2022      Date of last issue: 20.08.2018      Print Date: 12.05.2022  
Date of first issue: 09.07.2016

	skin, Indicative			
		NDS	98 mg/m <sup>3</sup>	PL OEL (2018-07-07)
	Further information: Skin			
		NDSch	200 mg/m <sup>3</sup>	PL OEL (2018-07-07)
	Further information: Skin			
Graphite	7782-42-5	NDS (inhalable fraction)	4 mg/m <sup>3</sup>	PL OEL (2018-07-07)
		NDS (respirable fraction)	1 mg/m <sup>3</sup>	PL OEL (2018-07-07)

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
n-butyl acetate	Workers	Inhalation	Long-term systemic effects	300 mg/m <sup>3</sup>
	Workers	Inhalation	Acute systemic effects	600 mg/m <sup>3</sup>
	Workers	Dermal	Long-term local effects	11 mg/cm <sup>2</sup>
butanone	Workers	Inhalation	Long-term systemic effects	600 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	1161 mg/kg
butan-1-ol	Workers	Inhalation	Long-term local effects	310 mg/m <sup>3</sup>
ethylene glycol monobutyl ether	Workers	Inhalation	Long-term systemic effects	98 mg/m <sup>3</sup>
	Workers	Inhalation	Acute systemic effects	1091 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	125 mg/kg bw/day
	Workers	Skin contact	Acute systemic effects	89 mg/kg bw/day
	Workers	Inhalation	Acute local effects	246 mg/m <sup>3</sup>
Graphite	Workers	Inhalation	Long-term local effects	1,2 mg/m <sup>3</sup>

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
n-butyl acetate	Fresh water	0,18 mg/l
	Marine water	0,018 mg/l
	Microbiological Activity in Sewage Treatment Systems	35,6 mg/l
	Fresh water sediment	0,981 mg/kg
	Marine sediment	0,0981 mg/kg
	Soil	0,09 mg/kg
butanone	Fresh water	55,8 mg/l
	Marine water	55,8 mg/l
	Intermittent use/release	55,8 mg/l
	Sewage treatment plant	709 mg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 589

Version 1.2      Revision Date: 11.05.2022      Date of last issue: 20.08.2018      Print Date: 12.05.2022  
Date of first issue: 09.07.2016

	Fresh water sediment	284,7 mg/kg
	Marine sediment	284,7 mg/kg
	Soil	22,5 mg/kg
butan-1-ol	Fresh water	0,082 mg/l
	Marine water	0,008 mg/l
	Intermittent use/release	2,25 mg/l
	Microbiological Activity in Sewage Treatment Systems	2476 mg/l
	Fresh water sediment	0,324 mg/kg dry weight (d.w.)
	Marine sediment	0,032 mg/kg dry weight (d.w.)
	Soil	0,017 mg/kg dry weight (d.w.)
ethylene glycol monobutyl ether	Fresh water	8,8 mg/l
	Marine water	0,88 mg/l
	Sewage treatment plant	463 mg/l
	Fresh water sediment	34,6 mg/kg
	Marine sediment	3,46 mg/kg
	Soil	2,33 mg/kg
	Intermittent use/release	26,4 mg/l

## 8.2 Exposure controls

### Engineering measures

Use only in an area equipped with explosion proof exhaust ventilation.  
Handle only in a place equipped with local exhaust (or other appropriate exhaust).

### Personal protective equipment

Eye protection : Tightly fitting safety goggles

#### Hand protection

Material : butyl-rubber  
Break through time : > 10 min  
Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.  
The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Filter type A-P

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 589

Version	Revision Date:	Date of last issue: 20.08.2018	Print Date:
1.2	11.05.2022	Date of first issue: 09.07.2016	12.05.2022

at the specific workplace.  
Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	black
Odour	:	characteristic
Odour Threshold	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	76 °C
Flammability (solid, gas)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	0,5 °C(1.013 hPa) Method: Abel-Pensky, closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
pH	:	Not applicable substance/mixture is non-polar/aprotic
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Solubility(ies)		
Water solubility	:	immiscible
Solubility in other solvents	:	No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 589

Version	Revision Date:	Date of last issue: 20.08.2018	Print Date:
1.2	11.05.2022	Date of first issue: 09.07.2016	12.05.2022

Partition coefficient: n-octanol/water : No data available

Vapour pressure : < 1.100 hPa (20 °C)

Relative density : 1,0 (20 °C)  
Reference substance: Water  
The value is calculated

Density : 1,00 g/cm<sup>3</sup>  
(20 °C)

Bulk density : No data available

Relative vapour density : No data available

### 9.2 Other information

Explosives : Not explosive

Oxidizing properties : No data available

Self-ignition : No data available

Evaporation rate : No data available

Sublimation point : No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No hazards to be specially mentioned.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.  
Strong sunlight for prolonged periods.

### 10.5 Incompatible materials

Materials to avoid : Oxidizing agents

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 589

Version	Revision Date:	Date of last issue: 20.08.2018	Print Date:
1.2	11.05.2022	Date of first issue: 09.07.2016	12.05.2022

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

##### Product:

- Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg  
Method: Calculation method
- Remarks: Effects due to ingestion may include:
- Symptoms: Central nervous system depression
- Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: Calculation method
- Remarks: Respiration of solvent vapour may cause dizziness.
- Symptoms: Inhalation may provoke the following symptoms:,  
Dizziness, Drowsiness, Vomiting, Fatigue, Vertigo, Central  
nervous system depression
- Acute dermal toxicity : Remarks: Prolonged or repeated skin contact with liquid may  
cause defatting resulting in drying, redness and possible blis-  
tering.
- Symptoms: Skin disorders

##### Components:

##### **n-butyl acetate:**

- Acute oral toxicity : LD50 (Rat): 10.768 mg/kg
- Acute inhalation toxicity : LC50 (Rat): > 21 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: OECD Test Guideline 403  
GLP: yes  
Assessment: The substance or mixture has no acute inhala-  
tion toxicity
- Acute dermal toxicity : LD50 (Rabbit): > 17.600 mg/kg

##### **butanone:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 589

Version	Revision Date:	Date of last issue: 20.08.2018	Print Date:
1.2	11.05.2022	Date of first issue: 09.07.2016	12.05.2022

Acute oral toxicity : LD50 (Rat): 2.193 mg/kg  
Method: OECD Test Guideline 423  
GLP: yes

Acute inhalation toxicity : LC50 (Rat): 34 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg  
Method: OECD Test Guideline 402

### ethyl acetate:

Acute oral toxicity : LD50 (Rat): 5.620 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 20.000 mg/kg

### butan-1-ol:

Acute oral toxicity : LD50 (Rat): 2.292 mg/kg  
Method: OECD Test Guideline 401  
Assessment: The component/mixture is moderately toxic after single ingestion.

Acute inhalation toxicity : LC50 (Rat): > 17,76 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): 3.430 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes

### aluminium dihydrogen triphosphate:

Acute oral toxicity : LD50 Oral (Rat): > 2.500 mg/kg  
Method: OECD Test Guideline 420  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): > 3,46 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

### ethylene glycol monobutyl ether:

Acute oral toxicity : Acute toxicity estimate: 1.200 mg/kg  
Method: Converted acute toxicity point estimate

Assessment: The component/mixture is moderately toxic after

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 589

Version	Revision Date:	Date of last issue: 20.08.2018	Print Date:
1.2	11.05.2022	Date of first issue: 09.07.2016	12.05.2022

single ingestion.

Acute inhalation toxicity : Assessment: The component/mixture is moderately toxic after short term inhalation.

Acute dermal toxicity : LD50 (Guinea pig): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### **molybdenum disulphide:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 16.000 mg/kg

### **Graphite:**

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 401  
Assessment: The substance or mixture has no acute oral toxicity

### **Skin corrosion/irritation**

#### **Product:**

Remarks : This information is not available.

#### **Components:**

##### **n-butyl acetate:**

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : Repeated exposure may cause skin dryness or cracking.

##### **butanone:**

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation  
  
Result : Repeated exposure may cause skin dryness or cracking.

##### **ethyl acetate:**

Species : Rabbit  
Result : Mild skin irritation  
  
Result : Repeated exposure may cause skin dryness or cracking.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 589

Version	Revision Date:	Date of last issue: 20.08.2018	Print Date:
1.2	11.05.2022	Date of first issue: 09.07.2016	12.05.2022

### butan-1-ol:

Species : Rabbit  
Assessment : Irritating to skin.  
Result : Irritating to skin.

### aluminium dihydrogen triphosphate:

Assessment : No skin irritation  
Result : No skin irritation

### ethylene glycol monobutyl ether:

Species : Rabbit  
Assessment : Irritating to skin.  
Result : Irritating to skin.

### molybdenum disulphide:

Assessment : No skin irritation  
Result : No skin irritation

### Serious eye damage/eye irritation

#### Product:

Remarks : Risk of serious damage to eyes.

#### Components:

##### n-butyl acetate:

Species : Rabbit  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
Result : No eye irritation  
GLP : yes

##### butanone:

Species : Rabbit  
Assessment : Irritating to eyes.  
Method : OECD Test Guideline 405  
Result : Irritating to eyes.

##### ethyl acetate:

Assessment : Irritating to eyes.  
Result : Irritating to eyes.

##### butan-1-ol:

Species : Rabbit  
Assessment : Risk of serious damage to eyes.  
Method : OECD Test Guideline 405  
Result : Risk of serious damage to eyes.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 589

Version	Revision Date:	Date of last issue: 20.08.2018	Print Date:
1.2	11.05.2022	Date of first issue: 09.07.2016	12.05.2022

GLP : yes

### aluminium dihydrogen triphosphate:

Assessment : Irritating to eyes.  
Result : Irritating to eyes.

### ethylene glycol monobutyl ether:

Species : Rabbit  
Assessment : Irritating to eyes.  
Result : Irritating to eyes.

### molybdenum disulphide:

Assessment : No eye irritation  
Result : No eye irritation

### Respiratory or skin sensitisation

#### Product:

Remarks : This information is not available.

#### Components:

##### **n-butyl acetate:**

Test Type : Maximisation Test  
Exposure routes : Dermal  
Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.

##### **butanone:**

Test Type : Buehler Test  
Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.  
GLP : yes

##### **ethyl acetate:**

Test Type : Maximisation Test  
Exposure routes : Dermal  
Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 589

Version	Revision Date:	Date of last issue: 20.08.2018	Print Date:
1.2	11.05.2022	Date of first issue: 09.07.2016	12.05.2022

### butan-1-ol:

Species : Mouse  
Assessment : Did not cause sensitisation on laboratory animals.  
Method : OECD Test Guideline 429  
Result : Did not cause sensitisation on laboratory animals.

### aluminium dihydrogen triphosphate:

Assessment : Did not cause sensitisation on laboratory animals.  
Result : Did not cause sensitisation on laboratory animals.

### ethylene glycol monobutyl ether:

Test Type : Maximisation Test  
Species : Guinea pig  
Assessment : Did not cause sensitisation on laboratory animals.  
Result : Did not cause sensitisation on laboratory animals.

### molybdenum disulphide:

Assessment : Does not cause skin sensitisation.  
Result : Does not cause skin sensitisation.

### Germ cell mutagenicity

#### Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

#### Components:

#### **n-butyl acetate:**

Genotoxicity in vitro : Test Type: Ames test  
Test system: Salmonella typhimurium  
Method: OECD Test Guideline 471  
Result: negative

Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster cells  
Method: OECD Test Guideline 473  
Result: negative

Genotoxicity in vivo : Species: Mouse  
Application Route: Oral  
Method: OECD Test Guideline 474  
Result: negative

Germ cell mutagenicity- Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects., Animal testing did not show any mutagenic effects.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 589

Version 1.2	Revision Date: 11.05.2022	Date of last issue: 20.08.2018 Date of first issue: 09.07.2016	Print Date: 12.05.2022
----------------	------------------------------	---	---------------------------

### butanone:

Germ cell mutagenicity- Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

### ethylene glycol monobutyl ether:

Germ cell mutagenicity- Assessment : In vitro tests did not show mutagenic effects

### molybdenum disulphide:

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

## Carcinogenicity

### Product:

Remarks : No data available

### Components:

#### n-butyl acetate:

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

#### butanone:

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

#### ethylene glycol monobutyl ether:

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

#### molybdenum disulphide:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

## Reproductive toxicity

### Product:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

### Components:

#### n-butyl acetate:

Effects on fertility : Test Type: Two-generation study

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 589

Version	Revision Date:	Date of last issue: 20.08.2018	Print Date:
1.2	11.05.2022	Date of first issue: 09.07.2016	12.05.2022

Species: Rat  
Application Route: inhalation (vapour)  
General Toxicity - Parent: NOAEC: 750 mg/l  
General Toxicity F1: NOAEC: 750 mg/l  
General Toxicity F2: NOAEC: 750 mg/l  
Method: OECD Test Guideline 416  
Result: Embryotoxic effects and adverse effects on the offspring were detected.

Reproductive toxicity - Assessment : - Fertility -  
No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.  
- Teratogenicity -  
No toxicity to reproduction

### butanone:

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction  
- Teratogenicity -  
No effects on or via lactation

### aluminium dihydrogen triphosphate:

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction

### ethylene glycol monobutyl ether:

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction  
- Teratogenicity -  
Animal testing did not show any effects on foetal development.

## STOT - single exposure

### Components:

#### n-butyl acetate:

Exposure routes : Inhalation  
Target Organs : Central nervous system  
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

#### butanone:

Exposure routes : Inhalation  
Target Organs : Respiratory system  
Assessment : The substance or mixture is classified as specific target organ

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 589

Version	Revision Date:	Date of last issue: 20.08.2018	Print Date:
1.2	11.05.2022	Date of first issue: 09.07.2016	12.05.2022

toxicant, single exposure, category 3 with narcotic effects.,  
May cause drowsiness or dizziness.

### ethyl acetate:

Exposure routes : Inhalation  
Target Organs : Respiratory system  
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

### butan-1-ol:

Exposure routes : Inhalation  
Target Organs : Respiratory system  
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

Exposure routes : Inhalation  
Target Organs : Central nervous system  
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

### aluminium dihydrogen triphosphate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### ethylene glycol monobutyl ether:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### molybdenum disulphide:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### STOT - repeated exposure

#### Components:

#### n-butyl acetate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### butanone:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### ethyl acetate:

Assessment : The substance or mixture is not classified as specific target

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 589

Version	Revision Date:	Date of last issue: 20.08.2018	Print Date:
1.2	11.05.2022	Date of first issue: 09.07.2016	12.05.2022

organ toxicant, repeated exposure.

### butan-1-ol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### aluminium dihydrogen triphosphate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### ethylene glycol monobutyl ether:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### molybdenum disulphide:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

## Repeated dose toxicity

### Product:

Remarks : This information is not available.

### Components:

#### n-butyl acetate:

Species : Rat  
NOAEL : 125 mg/kg  
Application Route : Oral

## Aspiration toxicity

### Product:

This information is not available.

### Components:

#### n-butyl acetate:

No aspiration toxicity classification

#### butanone:

No aspiration toxicity classification

#### butan-1-ol:

No aspiration toxicity classification

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 589

Version	Revision Date:	Date of last issue: 20.08.2018	Print Date:
1.2	11.05.2022	Date of first issue: 09.07.2016	12.05.2022

### aluminium dihydrogen triphosphate:

No aspiration toxicity classification

### ethylene glycol monobutyl ether:

No aspiration toxicity classification

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### Further information

#### Product:

Remarks : Information given is based on data on the components and the toxicology of similar products.

#### Components:

### aluminium dihydrogen triphosphate:

Remarks : Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance.

### molybdenum disulphide:

Remarks : Information given is based on data on the components and the toxicology of similar products.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : Remarks: Harmful to aquatic organisms.

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae/aquatic plants : Remarks: No data available

Toxicity to microorganisms :

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 589

Version	Revision Date:	Date of last issue: 20.08.2018	Print Date:
1.2	11.05.2022	Date of first issue: 09.07.2016	12.05.2022

Remarks: No data available

### Components:

#### **n-butyl acetate:**

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 18 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia (water flea)): 44 mg/l  
Exposure time: 48 h  
Test Type: static test
- Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 397 mg/l  
Exposure time: 72 h  
Test Type: static test
- Toxicity to microorganisms : EC50 (Tetrahymena pyriformis): 356 mg/l  
Exposure time: 40 h  
Test Type: Growth inhibition
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 23 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test Type: Reproduction Test  
GLP: yes

#### **butanone:**

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 2.993 mg/l  
Exposure time: 96 h  
Test Type: static test
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 308 mg/l  
Exposure time: 48 h  
Test Type: static test
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 1.972 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201  
GLP: yes
- Toxicity to microorganisms : EC50 (Pseudomonas putida): 1.150 mg/l  
Exposure time: 16 h  
Test Type: static test  
Method: DIN 38 412 Part 8

#### **ethyl acetate:**

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 212,5 mg/l



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 589

Version	Revision Date:	Date of last issue: 20.08.2018	Print Date:
1.2	11.05.2022	Date of first issue: 09.07.2016	12.05.2022

Exposure time: 96 h  
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 154 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 2.500 mg/l  
Exposure time: 96 h

### butan-1-ol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 1.376 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.328 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 225 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 201  
GLP: yes

Toxicity to microorganisms : EC10 (Pseudomonas putida): 2.476 mg/l  
Exposure time: 17 h  
Test Type: static test  
Method: DIN 38 412 Part 8

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 4,1 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test Type: semi-static test  
Method: OECD Test Guideline 211  
GLP: yes

### ethylene glycol monobutyl ether:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.474 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.550 mg/l  
Exposure time: 48 h  
Test Type: Immobilization

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 589

Version	Revision Date:	Date of last issue: 20.08.2018	Print Date:
1.2	11.05.2022	Date of first issue: 09.07.2016	12.05.2022

Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 1.840 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC: > 100 mg/l  
Exposure time: 21 d  
Species: Danio rerio (zebra fish)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 100 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test Type: Reproduction Test  
Method: OECD Test Guideline 211

### **molybdenum disulphide:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h

## 12.2 Persistence and degradability

### **Product:**

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

### **Components:**

#### **n-butyl acetate:**

Biodegradability : Test Type: Primary biodegradation  
Result: rapidly biodegradable  
Biodegradation: 83 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D

#### **butanone:**

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge  
Result: rapidly biodegradable  
Biodegradation: 98 %

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 589

Version	Revision Date:	Date of last issue: 20.08.2018	Print Date:
1.2	11.05.2022	Date of first issue: 09.07.2016	12.05.2022

Exposure time: 28 d  
Method: OECD Test Guideline 301D  
GLP: yes

### ethyl acetate:

Biodegradability : Result: rapidly biodegradable

### butan-1-ol:

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge  
Result: rapidly biodegradable  
Biodegradation: > 92 %  
Exposure time: 28 d

### ethylene glycol monobutyl ether:

Biodegradability : Test Type: aerobic  
Result: rapidly biodegradable  
Biodegradation: 90 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

## 12.3 Bioaccumulative potential

### Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).  
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

### Components:

#### n-butyl acetate:

Partition coefficient: n-octanol/water : log Pow: 2,3 (25 °C)  
pH: 7  
Method: OECD Test Guideline 117  
GLP: yes

#### butanone:

Bioaccumulation : Remarks: Due to the distribution coefficient n-octanol/water, accumulation in organisms is not expected.

Partition coefficient: n-octanol/water : log Pow: 0,3 (40 °C)  
Method: OECD Test Guideline 117  
GLP: yes

#### ethyl acetate:

Partition coefficient: n-octanol/water : log Pow: 0,68 (25 °C)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 589

Version	Revision Date:	Date of last issue: 20.08.2018	Print Date:
1.2	11.05.2022	Date of first issue: 09.07.2016	12.05.2022

### butan-1-ol:

Partition coefficient: n-octanol/water : log Pow: 1 (25 °C)  
pH: 7  
Method: OECD Test Guideline 117  
GLP: yes

### ethylene glycol monobutyl ether:

Bioaccumulation : Bioconcentration factor (BCF): 2,5  
Partition coefficient: n-octanol/water : log Pow: 0,81 (25 °C)  
Method: OECD Test Guideline 107

### Graphite:

Partition coefficient: n-octanol/water : Remarks: No data available

## 12.4 Mobility in soil

### Product:

Mobility : Remarks: No data available  
Distribution among environmental compartments : Remarks: No data available

## 12.5 Results of PBT and vPvB assessment

### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### Components:

#### n-butyl acetate:

Assessment : Non-classified PBT substance. Non-classified vPvB substance

#### butanone:

Assessment : Non-classified PBT substance. Non-classified vPvB substance

## 12.6 Endocrine disrupting properties

### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 589

Version	Revision Date:	Date of last issue: 20.08.2018	Print Date:
1.2	11.05.2022	Date of first issue: 09.07.2016	12.05.2022

levels of 0.1% or higher.

### 12.7 Other adverse effects

**Product:**

Additional ecological information : No information on ecology is available.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not dispose of with domestic refuse.  
Dispose of as hazardous waste in compliance with local and national regulations.

Waste codes should be assigned by the user based on the application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Dispose of waste product or used containers according to local regulations.

The following Waste Codes are only suggestions:

Waste Code : used product, unused product  
08 01 11\*, waste paint and varnish containing organic solvents or other hazardous substances  
  
uncleaned packagings  
15 01 10, packaging containing residues of or contaminated by hazardous substances

---

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADN : UN 1263  
ADR : UN 1263  
RID : UN 1263  
IMDG : UN 1263  
IATA : UN 1263

### 14.2 UN proper shipping name

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 589

Version 1.2	Revision Date: 11.05.2022	Date of last issue: 20.08.2018 Date of first issue: 09.07.2016	Print Date: 12.05.2022
----------------	------------------------------	---	---------------------------

**ADN** : PAINT  
**ADR** : PAINT  
**RID** : PAINT  
**IMDG** : PAINT  
**IATA** : Paint

### 14.3 Transport hazard class(es)

**ADN** : 3  
**ADR** : 3  
**RID** : 3  
**IMDG** : 3  
**IATA** : 3

### 14.4 Packing group

**ADN**  
Packing group : II  
Classification Code : F1  
Hazard Identification Number : 33  
Labels : 3

**ADR**  
Packing group : II  
Classification Code : F1  
Hazard Identification Number : 33  
Labels : 3  
Tunnel restriction code : (D/E)

**RID**  
Packing group : II  
Classification Code : F1  
Hazard Identification Number : 33  
Labels : 3

**IMDG**  
Packing group : II  
Labels : 3  
EmS Code : F-E, S-E

**IATA (Cargo)**  
Packing instruction (cargo aircraft) : 364  
Packing instruction (LQ) : Y341  
Packing group : II  
Labels : Flammable Liquids

**IATA (Passenger)**  
Packing instruction (passenger aircraft) : 353  
Packing instruction (LQ) : Y341  
Packing group : II

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 589

Version	Revision Date:	Date of last issue: 20.08.2018	Print Date:
1.2	11.05.2022	Date of first issue: 09.07.2016	12.05.2022

Labels : Flammable Liquids

### 14.5 Environmental hazards

#### ADN

Environmentally hazardous : no

#### ADR

Environmentally hazardous : no

#### RID

Environmentally hazardous : no

#### IMDG

Marine pollutant : no

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: Number on list 3  ethylene glycol monobutyl ether (Number on list 3) formaldehyde (Number on list 72, 28)
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)	:	This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
REACH - List of substances subject to authorisation (Annex XIV) (EU. REACH-Annex XIV)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009)	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP)	:	Not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 589

Version	Revision Date:	Date of last issue: 20.08.2018	Print Date:
1.2	11.05.2022	Date of first issue: 09.07.2016	12.05.2022

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals (EU PIC) : Not applicable

: P5c

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. P5c FLAMMABLE LIQUIDS

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Volatile organic compounds (VOC) content: 69,92 %  
Volatile CMR compounds: 0,01 %

### Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

Act of 25 February 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2019, No. 0, item 1225)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2020/878

Ordinance of the Minister of Health of 10 August 2012 concerning the criteria and procedure of classification of chemical substances and their mixtures (consolidated text Dz. U. of 2015., pos. 208).

Ordinance of the Minister of Economy, Labour and Social Policy of 21st December 2005 concerning the basic requirements for personal protective equipment (Dz. U. Nr. 259, item 2173).

Ordinance of the Minister of Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 wraz z późn. zm.).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 589

Version	Revision Date:	Date of last issue: 20.08.2018	Print Date:
1.2	11.05.2022	Date of first issue: 09.07.2016	12.05.2022

related to chemical agents at work (Dz. U. from 2005, Nr. 11, item 86, as amended).  
Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).  
Act of 13 June 2013. On packaging and packaging waste Journal. U. of 2013. Item. 888, as amended).  
Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).  
Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)  
Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).  
Government Statement of 18 February 2019 on enforcing of changes Annexes A and B of Agreement concerning international transport of dangerous goods by road (ADR) (Dz. U. 2019, item 769).  
Ordinance of the Minister of Health of 20th April 2012 concerning labeling of containers of dangerous substances and dangerous mixtures and some mixtures ((consolidated text) Dz. U. z 2015 nr. 0 poz. 450).  
Ordinance of the Minister of Health of 11th June 2012 concerning categories of dangerous substances and dangerous mixtures for which containers must be fitted with child-resistant fastenings and a tactile warning of danger (Dz. U. from 2012, item 688 as amended).

### 15.2 Chemical safety assessment

This information is not available.

## SECTION 16: Other information

### Full text of H-Statements

EUH066	:	Repeated exposure may cause skin dryness or cracking.
H225	:	Highly flammable liquid and vapour.
H226	:	Flammable liquid and vapour.
H302	:	Harmful if swallowed.
H315	:	Causes skin irritation.
H318	:	Causes serious eye damage.
H319	:	Causes serious eye irritation.
H332	:	Harmful if inhaled.
H335	:	May cause respiratory irritation.
H336	:	May cause drowsiness or dizziness.
EUH066	:	Repeated exposure may cause skin dryness or cracking.

### Full text of other abbreviations

2000/39/EC	:	Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values
------------	---	--

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 589

Version	Revision Date:	Date of last issue: 20.08.2018	Print Date:
1.2	11.05.2022	Date of first issue: 09.07.2016	12.05.2022

2017/164/EU	:	Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values
2019/1831/EU	:	Europe. Commission Directive 2019/1831/EU establishing a fifth list of indicative occupational exposure limit values
PL OEL	:	Poland. Occupational exposure limits for airborne toxic substances
2000/39/EC / TWA	:	Limit Value - eight hours
2000/39/EC / STEL	:	Short term exposure limit
2017/164/EU / STEL	:	Short term exposure limit
2017/164/EU / TWA	:	Limit Value - eight hours
2019/1831/EU / TWA	:	Limit Value - eight hours
2019/1831/EU / STEL	:	Short term exposure limit
PL OEL / NDS	:	Maximal Admissible Concentration
PL OEL / NDSch	:	Maximal Admissible Temporary Concentration

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Flam. Liq. 2                                      H225

#### Classification procedure:

Based on product data or assessment

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 589

Version	Revision Date:	Date of last issue: 20.08.2018	Print Date:
1.2	11.05.2022	Date of first issue: 09.07.2016	12.05.2022

Eye Dam. 1	H318	Calculation method
STOT SE 3	H336	Calculation method

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.