

Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	21.03.2024	Date of first issue: 06.06.2016	21.03.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier Product name	:	OKS 601		
1.2	Relevant identified uses of th Use of the Substance/Mixture	ne s :	ubstance or mixture and uses advised against Lubricant spray		
	Recommended restrictions on use	:	Restricted to professional users.		
1.3	1.3 Details of the supplier of the safety data sheet				
	Company	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com		
	E-mail address of person responsible for the SDS	:	mcm@oks-germany.com		
	National contact	:			

1.4 Emergency telephone number

Emergency telephone	: +34 91 562 04 20
number	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)			
Aerosols, Category 1	H222: Extremely flammable aerosol. H229: Pressurised container: May burst if heated.		
Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters airways.		





OK	S 601					
Vers 2.4	sion	Revision Date: 21.03.2024		ate of last issue: 20. ate of first issue: 06.		Print Date: 21.03.2024
2.2 I	Label e	lements				
	Labell	ing (REGULATION (EC)	No 1272/2008)		
	Hazaro	d pictograms	:			
	Signal	word	:	Danger		
	Hazaro	d statements	:	H222 H229 H304	Extremely flammable a Pressurised container: May be fatal if swallow airways.	May burst if heated.
	Supple Staten	emental Hazard nents	:	EUH066	Repeated exposu dryness or cracking.	re may cause skin
	Precau	utionary statements	:	Prevention:		
				P210	Keep away from heat, open flames and other smoking.	
				P211	Do not spray on an op ignition source.	en flame or other
				P251	Do not pierce or burn,	even after use.
				Response:		
				P301 + P310	IF SWALLOWED: Imm POISON CENTER/ do	
				P331	Do NOT induce vomiti	ng.
				Storage:		

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Hazardous components which must be listed on the label:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Additional Labelling

EUH208

Contains Sulfonic acids, petroleum, calcium salts. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.





Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	21.03.2024	Date of first issue: 06.06.2016	21.03.2024

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Active substance with propellant Mineral oil.

Components				
Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
Hydrocarbons, C10- C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	918-481-9 01-2119457273-39- XXXX	Asp. Tox.1; H304; EUH066 ; EUH066	Note PNote P	>= 50 - < 70
Sulfonic acids, petroleum, calcium salts	61789-86-4 263-093-9 01-2119488992-18- 0000	Skin Sens.1B; H317	>= 10 % Skin Sens.1B,	>= 1 - < 10
Substances with a work butane	<pre>cplace exposure limit : 106-97-8 203-448-7 601-004-00-0 01-2119474691-32-</pre>	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1), Note C	>= 10 - < 20



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 601

Version 2.4	Revision Da 21.03.2024	te: Date of last issue: 20.12.2022 Date of first issue: 06.06.2016		Print Date: 21.03.2024	
		XXXX			
200-82		74-98-6 200-827-9 601-003-00-5 01-2119486944-21- XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1)	>= 1 - < 10
hydrotreated heavy 265-157 paraffinic; Baseoil — unspecified 649-467		64742-54-7 265-157-1 649-467-00-8 01-2119484627-25- XXXX	Not classified	Note L	>= 1 - < 10
solvent-de heavy par		64742-65-0 265-169-7 649-474-00-6 01-2119471299-27- XXXX	Not classified	Note L	>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled	 Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respiration.
In case of skin contact	 Take off all contaminated clothing immediately. Get medical attention immediately if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse. Wash skin thoroughly with soap and water or use recognized skin cleanser.
In case of eye contact	: Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. Seek medical advice.





OKS 601	1		
Version 2.4	Revision Date: 21.03.2024	Date of last issue: 20.12.2022 Date of first issue: 06.06.2016	Print Date: 21.03.2024
lf swa	illowed	: Move the victim to fresh air. Keep respiratory tract clear. Do NOT induce vomiting. Obtain medical attention. Rinse mouth with water. Aspiration hazard if swallowe damage.	ed - can enter lungs and cause
4.2 Most i	mportant symptom	s and effects, both acute and delay	ed
Symp	toms	 Inhalation may provoke the for Unconsciousness Dizziness Drowsiness Headache Nausea Tiredness Skin contact may provoke the Erythema 	
Risks		: Can be absorbed through ski	
4.3 Indica	tion of any immedia	Risk of product entering the le Health injuries may be delaye ate medical attention and special tre	

SECTION 5: Firefighting measures

Treatment

5.1 Extinguishing media Suitable extinguishing media	:	ABC powder		
Unsuitable extinguishing media	:	High volume water jet		
5.2 Special hazards arising from the substance or mixture				
Specific hazards during firefighting	:	Fire Hazard Do not let product enter drains. Contains gas under pressure; may explode if heated. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.		
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NOx)		

: Treat symptomatically.





OKS 601					
Version 2.4	Revision Date: 21.03.2024		e of last issue: 20.12.2022 e of first issue: 06.06.2016	Print Date: 21.03.2024	
			Sulphur oxides		
5.3 Advice	ofor firefighters				
Special protective equipment : for firefighters		t :	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.		
Further information		:	Standard procedure for chemical fires. Collect contaminated fire extinguishing w must not be discharged into drains. Cool containers/tanks with water spray.	ater separately. This	

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Evacuate personnel to safe areas. Ensure adequate ventilation. Remove all sources of ignition. Do not breathe vapours or spray mist. Refer to protective measures listed in sections 7 and 8. Only qualified personnel equipped with suitable protective equipment may intervene.
6.2 Environmental precautions		
Environmental precautions	:	Try to prevent the material from entering drains or water courses. Prevent further leakage or spillage if safe to do so. Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal. Non-sparking tools should be used.
-------------------------	---	---

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling





Version 2.4	Revision Date: 21.03.2024		t issue: 20.12.2022 t issue: 06.06.2016	Print Date: 21.03.2024
Advid	ce on safe handling	Do no In cas equip Avoid For pe Keep Smok applic Wash handl Do no Do no Do no Do no Press expos	contact with skin and eyes. ersonal protection see sectio away from fire, sparks and h ing, eating and drinking shou ation area. hands and face before brea ing the product. t get in eyes or mouth or on t get on skin or clothing. t ingest. t use sparking tools.	nist. wear suitable respiratory in 8. heated surfaces. uld be prohibited in the ks and immediately after skin.
Hygi	Hygiene measures :		face, hands and any expose ing.	ed skin thoroughly after
Requ	itions for safe storage uirements for storage s and containers	: BEW/ expos or thre red-he	any incompatibilities ARE: Aerosol is pressurized. Sure and temperatures over 5 bw into fire even after use. D bt objects. Store in accordan hal regulations.	50 °C. Do not open by force to not spray on flames or
-	f ic end use(s) sific use(s)	: Speci	fic instructions for handling, i	not required.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
butane	106-97-8	VLA- EDEnvironmental Daily Limit Value (gas)	1.000 ppm	ES VLA (2013-02-22)
propane	74-98-6	VLA- EDEnvironmental	1.000 ppm	ES VLA (2011-03-03)





Version	Revision Date:
2.4	21.03.2024

Date of last issue: 20.12.2022 Date of first issue: 06.06.2016 Print Date: 21.03.2024

		Daily Limit Value		
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7	VLA- EDEnvironmental Daily Limit Value (Mist)	5 mg/m3	ES VLA (2019-02-20)
		VLA- ECEnvironmental Short Term Value (Mist)	10 mg/m3	ES VLA (2019-02-20)
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified	64742-65-0	VLA- EDEnvironmental Daily Limit Value (Mist)	5 mg/m3	ES VLA (2019-02-20)
		VLA- ECEnvironmental Short Term Value (Mist)	10 mg/m3	ES VLA (2019-02-20)

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	Workers	Inhalation	Long-term local effects	5,58 mg/m3
	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,97 mg/kg
Distillates (petroleum), solvent- dewaxed heavy paraffinic; Baseoil — unspecified	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,97 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Distillates (petroleum),	Oral	9,33 mg/kg
hydrotreated heavy paraffinic;		
Baseoil — unspecified		
Distillates (petroleum), solvent- dewaxed heavy paraffinic; Baseoil — unspecified	Oral	9,33 mg/kg





Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	21.03.2024	Date of first issue: 06.06.2016	21.03.2024

8.2 Exposure controls

Engineering measures

Use only in an area equipped with explosion proof exhaust ventilation. Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment			
Eye/face protection :	Safety glasses with side-shields		
	Nitrile rubber > 10 min Class 1		
Remarks :	Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.		
Skin and body protection :	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.		
Respiratory protection :	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Short term only		
Filter type :	Filter type A-P		
Protective measures :	The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.		

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	aerosol
Colour	:	brown
Odour	:	characteristic
Odour Threshold	:	No data available





Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	21.03.2024	Date of first issue: 06.06.2016	21.03.2024

Melting point/range	:	No data available
Boiling point/boiling range	:	< -20 °C (1.013 hPa)
Flammability (solid, gas)	:	Extremely flammable aerosol.
Upper explosion limit / Upper flammability limit	:	9,4 %(V)
Lower explosion limit / Lower flammability limit	:	0,7 %(V)
Flash point	:	-20 °C Method: Abel-Pensky, closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	Not applicable substance/mixture is non-soluble (in water)
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	< 20,5 mm2/s (40 °C)
Solubility(ies) Water solubility	:	insoluble
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	2.800 hPa (20 °C)
Relative density	:	0,741 (20 °C) Reference substance: Water The value is calculated
Density	:	0,74 g/cm3 (20 °C)
Bulk density	:	No data available





Version 2.4	Revision Date: 21.03.2024	Date of last issue: 20.12.2022Print Date:Date of first issue: 06.06.201621.03.2024	
Rela	ative vapour density	: No data available	
9.2 Othe	er information		
Exp	losives	: Not explosive	
Oxi	dizing properties	: No data available	
Self	-ignition	: No data available	
Met	al corrosion rate	: Not corrosive to metals	
Eva	poration rate	: No data available	
Sub	limation point	: No data available	

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid

: Heat, flames and sparks. Strong sunlight for prolonged periods. Risk of receptacle bursting.

10.5 Incompatible materials

Materials to avoid	: Oxidizing agents
--------------------	--------------------

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:





OK	S 601				
Versi 2.4	ion	Revision Date: 21.03.2024		e of last issue: 20.12.2022 e of first issue: 06.06.2016	Print Date: 21.03.2024
	Acute o	ral toxicity	:	Remarks: This information is not available	Э.
	Acute ir	nhalation toxicity	:	Symptoms: Inhalation may provoke the for Respiratory disorder	llowing symptoms:,
	Acute d	ermal toxicity	:	Remarks: Prolonged or repeated skin cor cause defatting resulting in drying, rednes blistering.	
				Symptoms: Skin disorders	
	<u>Compo</u>	nents:			
l	Hydroc	arbons, C10-C13, n	-alka	nes, isoalkanes, cyclics, < 2% aromatic	S:
	Acute o	ral toxicity	:	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401	
	Acute d	ermal toxicity	:	LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 402	
	butane	:			
	Acute ir	nhalation toxicity	:	LC50 (Rat): 658 mg/l Exposure time: 4 h Test atmosphere: gas	
	Distilla	tes (petroleum), hvo	drotre	eated heavy paraffinic; Baseoil — unspe	ecified:
		ral toxicity	:	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 GLP: yes	
	Acute ir	nhalation toxicity	:	LC50 (Rat): > 5,53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has inhalation toxicity	as no acute
,	Acute d	ermal toxicity	:	LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 402	
	Distilla	tes (petroleum). sol	vent-	dewaxed heavy paraffinic; Baseoil — u	nspecified:
		ral toxicity	:	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401	
	Acute d	ermal toxicity	:	LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 402	





OKS 601 Version Date of last issue: 20.12.2022 Revision Date: Print Date: 21.03.2024 Date of first issue: 06.06.2016 21.03.2024 2.4 Skin corrosion/irritation **Product:** : This information is not available. Remarks **Components:** Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics: Species Rabbit Assessment No skin irritation **OECD** Test Guideline 404 Method 5 Result Mild skin irritation • Result Repeated exposure may cause skin dryness or cracking. : Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified: Species 2 Rabbit Assessment No skin irritation Method **OECD** Test Guideline 404 Result No skin irritation 5 GLP : yes Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified: Species : Rabbit Assessment No skin irritation Method **OECD** Test Guideline 404 Result 5 No skin irritation GLP : yes Serious eye damage/eye irritation Product: Remarks Contact with eyes may cause irritation. : Components: Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics: Species Rabbit Assessment No eye irritation 2 **OECD** Test Guideline 405 Method : No eye irritation Result 2 Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified: Species : Rabbit Assessment No eye irritation 2 Method : **OECD Test Guideline 405** No eye irritation Result 2





sion	Revision Date: 21.03.2024	Date of last issue: 20.12.2022 Date of first issue: 06.06.2016	Print Date: 21.03.2024
GLP		: yes	
U LI		. ,00	
Distil	lates (petroleum), s	olvent-dewaxed heavy paraffinic; Ba	seoil — unspecified:
Speci		: Rabbit	
	ssment	: No eye irritation	
Metho Resul		: OECD Test Guideline 405 : No eye irritation	
GLP	L .	: yes	
Resp	iratory or skin sens	itisation	
Produ			
Rema	arks	: This information is not available	9.
<u>Com</u>	oonents:		
Hydro	ocarbons, C10-C13	, n-alkanes, isoalkanes, cyclics, < 2%	aromatics:
Speci		: Guinea pig	
	ssment	: Does not cause skin sensitisati	on.
Metho Resul		 OECD Test Guideline 406 Does not cause skin sensitisati 	on
Resul	l .	. Does not cause skin sensitisati	011.
	nic acids, petroleu		
Asses	ssment	: The product is a skin sensitiser	, sub-category 1B.
Distil	lates (petroleum), h	ydrotreated heavy paraffinic; Baseoi	I — unspecified:
Speci		: Guinea pig	
	ssment	: Does not cause skin sensitisati	on.
Metho		: OECD Test Guideline 406	on.
Resul GLP	l	: Does not cause skin sensitisati : yes	011.
		. 903	
Distil	lates (petroleum), s	olvent-dewaxed heavy paraffinic; Ba	seoil — unspecified:
Speci		: Guinea pig	
	ssment	: Does not cause skin sensitisati	on.
Metho		: OECD Test Guideline 406	
Resul GLP	τ	 Does not cause skin sensitisati yes 	on.
GLF		. yes	
Germ	cell mutagenicity		
<u>Prod</u>			
	toxicity in vitro	: Remarks: No data available	
Geno			



OK	S 601				
Vers 2.4		Revision Date: 21.03.2024		of last issue: 20.12.2022 of first issue: 06.06.2016	Print Date: 21.03.2024
	Genoto	xicity in vivo	:	Remarks: No data available	
	Compo	onents:			
	Hydroc	arbons, C10-C13, n⋅	alkar	nes, isoalkanes, cyclics, < 2% aromatics	s:
	•	ell mutagenicity-		Tests on bacterial or mammalian cell culto mutagenic effects.	
	Distilla	tes (netroleum) solv	vent-	dewaxed heavy paraffinic; Baseoil — u	nspecified:
		xicity in vitro		Test system: Salmonella typhimurium Metabolic activation: with and without met Method: OECD Test Guideline 471 Result: negative	
	Genoto	xicity in vivo	:	Species: Mouse Application Route: Oral Method: OECD Test Guideline 474 Result: negative	
	Carcin	ogenicity			
	Produc	:t:			
	Remark		:	No data available	
	Compo	onents:			
	Hydroc	arbons, C10-C13, n-	alkar	nes, isoalkanes, cyclics, < 2% aromatics	S:
	Carcino Assess	ogenicity - ment	:	Not classifiable as a human carcinogen.	
	Distilla	tes (netroleum) hvd	Irotre	ated heavy paraffinic; Baseoil — unspe	ecified:
		ogenicity -		Not classifiable as a human carcinogen.	
	Distilla	tes (petroleum), solv	vent-	dewaxed heavy paraffinic; Baseoil — u	nspecified:
	Species		:	Mouse	•
		tion Route	:	Dermal	
	Method Result			OECD Test Guideline 451 negative	
	Reproc	luctive toxicity			
	Produc	:t:			
		on fertility	:	Remarks: No data available	
	Effects	on foetal	:	Remarks: No data available	





ersion Revision Date: 4 21.03.2024		Date of last issue: 20.12.2022Print Date:Date of first issue: 06.06.201621.03.2024		
devel	opment			
<u>Com</u>	ponents:			
Hydro	ocarbons, C10-C13	n-alkanes, isoalkanes, cyclics, < 2% ard	omatics:	
	oductive toxicity -	: - Fertility -		
Asses	ssment	No toxicity to reproduction - Teratogenicity -		
		No toxicity to reproduction		
Distil	lates (petroleum), h	ydrotreated heavy paraffinic; Baseoil –	- unspecified:	
Reproductive toxicity - Assessment	: - Fertility -			
Asses	ssment	No toxicity to reproduction		
Distil	lates (petroleum), s	olvent-dewaxed heavy paraffinic; Based	oil — unspecified:	
	ts on foetal opment	: Species: Rat Application Route: Dermal General Toxicity Maternal: NOAEL Developmental Toxicity: NOAEL: 3 Method: OECD Test Guideline 414	30 mg/kg body weight	
STO	Γ - single exposure			
Prod	uct:			
Rema	arks	: No data available		
<u>Com</u>	ponents:			
Hydro	ocarbons, C10-C13	n-alkanes, isoalkanes, cyclics, < 2% ard	omatics:	
Asses	ssment	: The substance or mixture is not cla organ toxicant, single exposure.	assified as specific targe	
STO	F - repeated exposu	re		
Prod	uct:			
Rema	arks	: No data available		
<u>Com</u>	ponents:			
Hydro	ocarbons, C10-C13	n-alkanes, isoalkanes, cyclics, < 2% ard	omatics:	
Asses	ssment	: The substance or mixture is not cla organ toxicant, single exposure.	assified as specific targe	





Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	21.03.2024	Date of first issue: 06.06.2016	21.03.2024

Repeated dose toxicity

Product:

Remarks

: This information is not available.

Aspiration toxicity

Product:

May be fatal if swallowed and enters airways.

May be fatal if swallowed and enters airways.

Components:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics: May be fatal if swallowed and enters airways.

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified:

No aspiration toxicity classification

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified: No aspiration toxicity classification

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks

: Information given is based on data on the components and the toxicology of similar products.





Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	21.03.2024	Date of first issue: 06.06.2016	21.03.2024

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available
Components:		
Hvdrocarbons, C10-C13, n-a	lka	nes, isoalkanes, cyclics, < 2% aromatics:
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h
Distillates (petroleum), hydro	otr	eated heavy paraffinic; Baseoil — unspecified:
Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 10.000 mg/l Exposure time: 48 h Test Type: Immobilization Method: OECD Test Guideline 202 GLP: yes
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 10 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Test Type: semi-static test Method: OECD Test Guideline 211 GLP: yes





OKS 60 ²	1			
Version 2.4	Revision Date: 21.03.2024		e of last issue: 20.12.2022 e of first issue: 06.06.2016	Print Date: 21.03.2024
	llates (petroleum), solv ity to fish	/ent :	-dewaxed heavy paraffinic; Based LC50 (Pimephales promelas (fath Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 20 GLP: yes	ead minnow)): > 100 mg/l
	ity to daphnia and other tic invertebrates	• :	EC50 (Daphnia magna (Water flea Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 20	
Toxic plants	ity to algae/aquatic s	:	NOEC (Pseudokirchneriella subca mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 20	
aquat	ity to daphnia and other tic invertebrates onic toxicity)	• :	NOEC: 10 mg/l Exposure time: 21 d Species: Daphnia magna (Water f	flea)
12.2 Persi	istence and degradabi	lity		
Prod	uct:			
Biode	egradability	:	Remarks: No data available	
	ico-chemical vability	:	Remarks: No data available	
Com	ponents:			
Distil	llates (petroleum), hyd	rotr	eated heavy paraffinic; Baseoil –	- unspecified:
Biode	egradability	:	Test Type: aerobic Inoculum: activated sludge Result: Not rapidly biodegradable Biodegradation: 3 % Exposure time: 28 d Method: OECD Test Guideline 30 GLP: yes	1В
Distil	llates (petroleum), solv	vent	-dewaxed heavy paraffinic; Base	oil — unspecified:
Biode	egradability	:	Test Type: aerobic Inoculum: activated sludge Result: Not rapidly biodegradable Biodegradation: 31 % Exposure time: 28 d Method: OECD Test Guideline 30 GLP: yes	1B





Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	21.03.2024	Date of first issue: 06.06.2016	21.03.2024

12.3 Bioaccumulative potential

12.5 Dioaccumulative potential		
Product:		
Bioaccumulation	:	Remarks: Product does not contain substances which are persistent, bioaccumulative, and toxic (PBT) at levels of 0.1% or higher. Product does not contain substances which are very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
Components:		
butane:		
Partition coefficient: n- octanol/water	:	log Pow: 2,89 Method: OECD Test Guideline 107
propane:		
Partition coefficient: n- octanol/water	:	log Pow: 2,36
Distillates (petroleum), hydr	otr	eated heavy paraffinic; Baseoil — unspecified:
Partition coefficient: n- octanol/water	:	log Pow: > 2
12.4 Mobility in soil		
Product:		
Mobility	:	Remarks: No data available
Distribution among environmental compartments	:	Remarks: No data available
12.5 Results of PBT and vPvB as	sse	ssment
Deschart		

Product:

Assessment	:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of
		0.1% or higher.

Components:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:				
Assessment	:	Non-classified PBT substance. Non-classified vPvB substance		





OKS 60	1			
Version 2.4	Revision Date: 21.03.2024		e of last issue: 20.12.2022 e of first issue: 06.06.2016	Print Date: 21.03.2024
	llates (petroleum), ł essment	nydrotr :	eated heavy paraffinic; Baseoil – Non-classified vPvB substance. N	•
12.6 End	ocrine disrupting pr	opertie	95	
Prod	luct:			
	ssment	:	The substance/mixture does not c considered to have endocrine dist to REACH Article 57(f) or Commis (EU) 2017/2100 or Commission R levels of 0.1% or higher.	rupting properties according ssion Delegated regulation
12.7 Othe	er adverse effects			
	l <u>uct:</u> tional ecological mation	:	No information on ecology is avail	lable.
SECTIO	N 13: Disposal cor	nsider	ations	
13.1 Was	te treatment method	ds		
Prod	uct	:	Do not dispose of with domestic re Dispose of as hazardous waste in national regulations.	
			Waste codes should be assigned	by the user based on the

	application for which the product was used.
Contaminated packaging	 Packaging that is not properly emptied must be disposed of as the unused product. Offer empty spray cans to an established disposal company. Pressurized container: Do not pierce or burn, even after use.
	The following Waste Codes are only suggestions:
Waste Code	 unused product, packagings not completely emptied 16 05 04**, gases in pressure containers (including halons)

containing hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADR : UN 1950





0110 001	OKS	601
----------	-----	-----

Version 2.4	Revision Date: 21.03.2024	Date of last issue: 20.12.2022 Date of first issue: 06.06.2016	Print Date: 21.03.2024
2.4	21.03.2024	Date of first issue. 00.00.2016	21.03.2024
RID		: UN 1950	
IMDG	ì	: UN 1950	
ΙΑΤΑ		: UN 1950	
14.2 UN p	roper shipping name		
ADR		: AEROSOLS	
RID		: AEROSOLS	
IMDG	ì	: AEROSOLS	
ΙΑΤΑ		: Aerosols, flammable	
14.3 Trans	sport hazard class(es)		
ADR		: 2	
RID		: 2	
IMDG	ì	: 2.1	
ΙΑΤΑ		: 2.1	
14.4 Pack	ing group		
Class Label	ng group ification Code s el restriction code	 Not assigned by regulation 5F 2.1 (D) 	
Class	ng group ification Code rd Identification Numbe s	 Not assigned by regulation 5F r : 23 : 2.1 	
IMDG Packi Label EmS	ng group s	 Not assigned by regulation 2.1 F-D, S-U 	
Packi aircra Packi	ng instruction (LQ) ng group	 203 Y203 Not assigned by regulation Flammable Gas 	
IATA Packi (pass Packi	(Passenger) ng instruction enger aircraft) ng instruction (LQ) ng group	 Y203 Y203 Not assigned by regulation Flammable Gas 	





Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	21.03.2024	Date of first issue: 06.06.2016	21.03.2024

14.5 Environmental hazards

ADR Environmentally hazardous	:	no
RID Environmentally hazardous	:	no
IMDG Marine pollutant	:	no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks

: Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

the	ACH - Restrictions on the manufacture, placing on market and use of certain dangerous substances, ctures and articles (Annex XVII)	:	Not applicable
Co	ACH - Candidate List of Substances of Very High ncern for Authorisation (Article 59). U SVHC)	:	This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
dep	gulation (EC) No 1005/2009 on substances that blete the ozone layer C 1005/2009)	:	Not applicable
pol	gulation (EU) 2019/1021 on persistent organic lutants (recast) U POP)	:	Not applicable
Pai imp	gulation (EU) No 649/2012 of the European rliament and the Council concerning the export and port of dangerous chemicals U PIC)	:	Not applicable
	gulation (EU) 2019/1148 on the marketing and use of blosives precursors	:	Not applicable





OKS 60	1			
Version 2.4	Revision Date: 21.03.2024	Date of last issue: 20. Date of first issue: 06.	-	Print Date: 21.03.2024
			P2	
Parlia majo	so III: Directive 2012/ ament and of the Cour r-accident hazards inv ances.		P3a	FLAMMABLE AEROSOLS
			34	Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a) to (d)
			18	Liquefied flammable gases (including LPG) and natural gas
Volat	ile organic compound	emissions (integ	rated pollu	4 November 2010 on industrial ution prevention and control) ds (VOC) content: 83,88 %

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

EUH066	:	Repeated exposure may cause skin dryness or cracking.
H220	:	Extremely flammable gas.
H280	:	Contains gas under pressure; may explode if heated.
H304	:	May be fatal if swallowed and enters airways.





OKS 60	1		
Version 2.4	Revision Date: 21.03.2024		t Date: 03.2024
H317 EUH		May cause an allergic skin reaction.Repeated exposure may cause skin dryness o	r cracking.
Full	text of other abbrevi	ons	
Note	C	: Some organic substances may be marketed ei specific isomeric form or as a mixture of severa this case the supplier must state on the label w substance is a specific isomer or a mixture of is	al isomers. In hether the
Note	L	 The harmonised classification as a carcinogen it can be shown that the substance contains les dimethyl sulphoxide extract as measured by IP ("Determination of polycyclic aromatics in unus base oils and asphaltene free petroleum fractic sulphoxide extraction refractive index method" Petroleum, London), in which case a classifica accordance with Title II of this Regulation shall also for that hazard class. 	applies unless ss than 3 % of 346 ed lubricating ons - Dimethyl nstitute of tion in
Note	Ρ	: The harmonised classification as a carcinogen applies unless it can be shown that the substan less than 0,1 % w/w benzene (Einecs No 200- case a classification in accordance with Title II Regulation shall be performed also for those have Where the substance is not classified as a carc mutagen, at least the precautionary statements P262-P301 + P310-P331 shall apply.	nce contains 753-7), in which of this azard classes. cinogen or
	U (table 3.1)	: When put on the market gases have to be class "Gases under pressure", in one of the groups of gas, liquefied gas, refrigerated liquefied gas or The group depends on the physical state in wh packaged and therefore has to be assigned ca following codes are assigned: Press. Gas (Cor (Liq.) Press. Gas (Ref. Liq.) Press. Gas (Diss.) not be classified as gases under pressure (See 2, Section 2.3.2.1, Note 2).	compressed dissolved gas. ich the gas is se by case. The np.) Press. Gas Aerosols shall e Annex I, Part
ES V	'LA	: Spain. Environmental Limits for exposure to Ch - Table 1: Occupational Exposure Values	emical agents
	′LA / VLA-ED ′LA / VLA-EC	 Environmental Daily Limit Value Environmental Short Term Value 	

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -





Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	21.03.2024	Date of first issue: 06.06.2016	21.03.2024

Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate: NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:		Classification procedure:
Aerosol 1	H222, H229	Based on product data or assessment
Asp. Tox. 1	H304	Based on product data or assessment

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.





Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	21.03.2024	Date of first issue: 06.06.2016	21.03.2024

