According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



## **OKS 601**

Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	21.03.2024	Date of first issue: 30.03.2013	21.03.2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
Product name	:	OKS 601
1.2 Relevant identified uses	of the s	ubstance or mixture and uses advised against
Use of the Substance/Mixture	:	Lubricant spray
Recommended restriction on use	IS :	Restricted to professional users.
1.3 Details of the supplier of	the saf	ety data sheet
Company	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com
E-mail address of person responsible for the SDS	:	mcm@oks-germany.com
National contact	:	
1.4 Emergency telephone nu	ımber	
Emergency telephone number	:	+49 8142 3051 517 (24/7 service)

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Aerosols, Category 1	H222: Extremely flammable aerosol. H229: Pressurised container: May burst if heated.
Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters airways.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



## **OKS 601**

Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	21.03.2024	Date of first issue: 30.03.2013	21.03.2024

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms	:		
Signal word	:	Danger	
Hazard statements	:	H222 H229 H304	Extremely flammable aerosol. Pressurised container: May burst if heated. May be fatal if swallowed and enters airways.
Supplemental Hazard Statements	:	EUH066	Repeated exposure may cause skin dryness or cracking.
Precautionary statements	:	Prevention:	
		P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
		P211	Do not spray on an open flame or other ignition source.
		P251	Do not pierce or burn, even after use.
		Response:	
		P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
		P331	Do NOT induce vomiting.
		Storage:	
		P410 + P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

#### Hazardous components which must be listed on the label:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics

#### **Additional Labelling**

EUH208 Contains Sulfonic acids, petroleum, calcium salts. May produce an allergic reaction.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



## **OKS 601**

Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	21.03.2024	Date of first issue: 30.03.2013	21.03.2024

### **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

Chemical nature

: Active substance with propellant Mineral oil.

### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
Hydrocarbons, C10- C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	918-481-9	Asp. Tox.1; H304; EUH066	Note P	>= 50 - < 70
propane	74-98-6 200-827-9 601-003-00-5	Flam. Gas1; H220 Press. GasCompr. Gas; H280	Note U (table 3.1)	>= 1 - < 10
Sulfonic acids, petroleum, calcium salts	61789-86-4 263-093-9	Skin Sens.1B; H317	>= 10 % Skin Sens.1B,	>= 1 - < 10
Substances with a work butane	place exposure limit : 106-97-8	Flam. Gas1; H220		>= 10 - < 20
	203-448-7 601-004-00-0	Press. GasCompr. Gas; H280	Note U (table 3.1), Note C	2-10 20

For explanation of abbreviations see section 16.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



## **OKS 601**

Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	21.03.2024	Date of first issue: 30.03.2013	21.03.2024

### **SECTION 4: First aid measures**

4.1 Description of first aid mea	asures
If inhaled	<ul> <li>Remove person to fresh air. If signs/symptoms continue, get medical attention.</li> <li>Keep patient warm and at rest.</li> <li>If unconscious, place in recovery position and seek medical advice.</li> <li>Keep respiratory tract clear.</li> <li>If breathing is irregular or stopped, administer artificial respiration.</li> </ul>
In case of skin contact	<ul> <li>Take off all contaminated clothing immediately. Get medical attention immediately if irritation develops and persists.</li> <li>Wash clothing before reuse.</li> <li>Thoroughly clean shoes before reuse.</li> <li>Wash skin thoroughly with soap and water or use recognized skin cleanser.</li> </ul>
In case of eye contact	<ul> <li>Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.</li> <li>Seek medical advice.</li> </ul>
If swallowed	<ul> <li>Move the victim to fresh air.</li> <li>Keep respiratory tract clear.</li> <li>Do NOT induce vomiting.</li> <li>Obtain medical attention.</li> <li>Rinse mouth with water.</li> <li>Aspiration hazard if swallowed - can enter lungs and cause damage.</li> </ul>
4.2 Most important symptoms	and effects, both acute and delayed
Symptoms	<ul> <li>Inhalation may provoke the following symptoms: Unconsciousness</li> <li>Dizziness</li> <li>Drowsiness</li> <li>Headache</li> <li>Nausea</li> <li>Tiredness</li> <li>Skin contact may provoke the following symptoms: Erythema</li> <li>Aspiration may cause pulmonary oedema and pneumonitis.</li> </ul>
Risks	<ul> <li>Can be absorbed through skin.</li> <li>Risk of product entering the lungs on vomiting after ingestion.</li> </ul>



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 601	1			
Version 2.4			e of last issue: 20.12.2022 e of first issue: 30.03.2013	Print Date: 21.03.2024
			Health injuries may be delayed.	
4.3 Indica	tion of any immediate	med	lical attention and special treatm	nent needed
Treat	ment	:	Treat symptomatically.	
SECTION	1 5: Firefighting mea	sur	es	
5.1 Exting	uishing media			
Suitat	ble extinguishing media	:	ABC powder	
Unsui media	itable extinguishing a	:	High volume water jet	
5.2 Specia	al hazards arising from	n the	substance or mixture	
Speci firefig	fic hazards during hting	:	Fire Hazard Do not let product enter drains. Contains gas under pressure; ma Beware of vapours accumulating concentrations. Vapours can accu	to form explosive
Hazardous combustion products		:	Carbon oxides Nitrogen oxides (NOx) Sulphur oxides	
5.3 Advice	e for firefighters			
•	al protective equipment efighters	:	In the event of fire, wear self-cont Use personal protective equipment decomposition products may be a	nt. Exposure to
Furthe	er information	:	Standard procedure for chemical Collect contaminated fire extingui must not be discharged into drain Cool containers/tanks with water	shing water separately. This s.

## **SECTION 6: Accidental release measures**

Personal precautions	Evacuate personnel to safe areas.
	Ensure adequate ventilation.
	Remove all sources of ignition.
	Do not breathe vapours or spray mist.
	Refer to protective measures listed in sections 7 and 8.
	Only qualified personnel equipped with suitable protective



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



<b>OKS 60</b> <sup>-</sup>	OKS 601					
Version 2.4	Revision Date: 21.03.2024	Date of last issue: 20.12.2022Print Date:Date of first issue: 30.03.201321.03.2024				
		equipment may intervene.				
6.2 Enviro	onmental precaution					
Environmental precautions		<ul> <li>Try to prevent the material from entering drains or wat courses.</li> <li>Prevent further leakage or spillage if safe to do so.</li> <li>Local authorities should be advised if significant spillage cannot be contained.</li> </ul>				
6.3 Metho	6.3 Methods and material for containment and cleaning up					
Meth	ods for cleaning up	<ul> <li>Contain spillage, and then collect with non-combustibl absorbent material, (e.g. sand, earth, diatomaceous e vermiculite) and place in container for disposal accord local / national regulations (see section 13).</li> <li>Keep in suitable, closed containers for disposal.</li> </ul>	arth,			

Non-sparking tools should be used.

#### 6.4 Reference to other sections

For personal protection see section 8.

### **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Advice on safe handling	:	Do not use in areas without adequate ventilation. Do not breathe vapours or spray mist. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin and eyes. For personal protection see section 8. Keep away from fire, sparks and heated surfaces. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not use sparking tools. These safety instructions also apply to empty packaging which may still contain product residues. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.
Hygiene measures	:	Wash face, hands and any exposed skin thoroughly after handling.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



## **OKS 601**

Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	21.03.2024	Date of first issue: 30.03.2013	21.03.2024

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Store in accordance with the particular national regulations.
7.3 Specific end use(s) Specific use(s)	:	Specific instructions for handling, not required.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
butane	106-97-8	STEL	750 ppm 1,810 mg/m3	GB EH40 (2007-08-01)	
	Further inform damage.	nation: Capable of ca	ausing cancer and/or heritabl	e genetic	
		TWA 600 ppm 1,450 mg/m3		GB EH40 (2007-08-01)	
	Further inform damage.	rther information: Capable of causing cancer and/or heritable genetic mage.			

#### Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health effects	Value
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	Workers	Inhalation	Long-term local effects	5.58 mg/m3
	Workers	Inhalation	Long-term systemic effects	2.73 mg/m3
	Workers	Skin contact	Long-term systemic effects	0.97 mg/kg
Distillates (petroleum), solvent- dewaxed heavy paraffinic; Baseoil — unspecified	Workers	Inhalation	Long-term systemic effects	2.73 mg/m3
	Workers	Skin contact	Long-term systemic effects	0.97 mg/kg

Predicted No Effect Concentration (PNEC):



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



## **OKS 601**

Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	21.03.2024	Date of first issue: 30.03.2013	21.03.2024

Substance name	Environmental Compartment	Value
Distillates (petroleum),	Oral	9.33 mg/kg
hydrotreated heavy paraffinic;		
Baseoil — unspecified		
Distillates (petroleum), solvent-	Oral	9.33 mg/kg
dewaxed heavy paraffinic;		
Baseoil — unspecified		

#### 8.2 Exposure controls

#### **Engineering measures**

Use only in an area equipped with explosion proof exhaust ventilation. Handle only in a place equipped with local exhaust (or other appropriate exhaust).

#### Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields
Break through time		Nitrile rubber > 10 min Class 1
Remarks	:	Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.
Skin and body protection	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Short term only
Filter type	:	Filter type A-P
Protective measures	:	The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Appearance : aerosol

Colour

: brown



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



### **OKS 601**

UN3 00	1			
Version 2.4	Revision Date: 21.03.2024		of last issue: 20.12.2022 of first issue: 30.03.2013	Print Date: 21.03.2024
Odou	ır	:	characteristic	
Odou	ur Threshold	:	No data available	
рН		:	Not applicable substance/mixture is non-soluble (ir	n water)
Melti	ng point/range	:	No data available	
Boilir	ng point/boiling range	:	< -20 °C (1,013 hPa)	
Flash	n point	:	-20 °C Method: Abel-Pensky, closed cup	
Evap	oration rate	:	No data available	
Flam	mability (solid, gas)	:	Extremely flammable aerosol.	
	er explosion limit / Upper nability limit	:	9.4 %(V)	
	er explosion limit / Lower nability limit	· :	0.7 %(V)	
Vapo	our pressure	:	2,800 hPa (20 °C)	
Relat	tive vapour density	:	No data available	
Relat	tive density	:	0.741 (20 °C) Reference substance: Water The value is calculated	
Dens	sity	:	0.74 g/cm3 (20 °C)	
Bulk	density	:	No data available	
	bility(ies) /ater solubility	:	insoluble	
S	olubility in other solvents	6 :	No data available	
	tion coefficient: n- nol/water	:	No data available	
Auto-	-ignition temperature	:	No data available	



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



## **OKS 601**

Versio 2.4	n Revision Date: 21.03.2024	Date of last issue: 20.12.2022Print Date:Date of first issue: 30.03.201321.03.2024	
D	ecomposition temperature	: No data available	
V	iscosity Viscosity, dynamic	: No data available	
	Viscosity, kinematic	: < 20.5 mm2/s (40 °C)	
E	xplosive properties	: Not explosive	
C	oxidizing properties	: No data available	
	her information ublimation point	: No data available	
Ν	letal corrosion rate	: Not corrosive to metals	
S	elf-ignition	: No data available	

## **SECTION 10: Stability and reactivity**

<ul> <li>10.1 Reactivity No hazards to be specially mentioned. </li> <li>10.2 Chemical stability Stable under normal conditions. </li> </ul>				
10.3 Possibility of hazardous reactio	ns			
Hazardous reactions :	No dangerous reaction known under conditions of normal use.			
<b>10.4 Conditions to avoid</b> Conditions to avoid :	Heat, flames and sparks. Strong sunlight for prolonged periods. Risk of receptacle bursting.			
<b>10.5 Incompatible materials</b> Materials to avoid       : Oxidizing agents				
10.6 Hazardous decomposition products				

No decomposition if stored and applied as directed.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



## **OKS 601**

Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	21.03.2024	Date of first issue: 30.03.2013	21.03.2024

### **SECTION 11: Toxicological information**

#### **11.1 Information on toxicological effects**

Acute toxicity		
Product:		
Acute oral toxicity	:	Remarks: This information is not available.
Acute inhalation toxicity	:	Symptoms: Inhalation may provoke the following symptoms:, Respiratory disorder
Acute dermal toxicity	:	Remarks: Prolonged or repeated skin contact with liquid may cause defatting resulting in drying, redness and possible blistering.
		Symptoms: Skin disorders
Components:		
Hydrocarbons, C10-C13, n-	alka	anes, isoalkanes, cyclics, < 2% aromatics:
Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401
Acute dermal toxicity	:	LD50 (Rabbit): > 5,000 mg/kg Method: OECD Test Guideline 402
butane:		
Acute inhalation toxicity	:	LC50 (Rat): 658 mg/l Exposure time: 4 h Test atmosphere: gas
Skin corrosion/irritation		
Product:		
Remarks	:	This information is not available.
Components:		
Hydrocarbons, C10-C13, n-	alka	anes, isoalkanes, cyclics, < 2% aromatics:
Species	:	Rabbit
Assessment	:	No skin irritation
Method Result	÷	OECD Test Guideline 404 Mild skin irritation
กรอนแ	•	
Result	:	Repeated exposure may cause skin dryness or cracking.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



## **OKS 601**

Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	21.03.2024	Date of first issue: 30.03.2013	21.03.2024

#### Serious eye damage/eye irritation

#### Product:

Remarks

: Contact with eyes may cause irritation.

#### **Components:**

#### Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:

Species	: Rabbit
Assessment	: No eye irritation
Method	: OECD Test Guideline 405
Result	: No eye irritation

#### Respiratory or skin sensitisation

#### Product:

Remarks

: This information is not available.

#### **Components:**

#### Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:

Åssessment Method	:	Guinea pig Does not cause skin sensitisation. OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.

#### Sulfonic acids, petroleum, calcium salts:

Assessment	:	The product is a skin sensitiser, sub-category 1B.	

#### Germ cell mutagenicity

#### **Product:**

Genotoxicity in vitro	:	Remarks: No data available
Genotoxicity in vivo	:	Remarks: No data available

#### **Components:**

#### Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:

Germ cell mutagenicity-	:	Tests on bacterial or mammalian cell cultures did not show
Assessment		mutagenic effects.

#### Carcinogenicity

#### Product: Remarks

: No data available



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



## **OKS 601**

Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	21.03.2024	Date of first issue: 30.03.2013	21.03.2024

#### **Components:**

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics: Carcinogenicity - : Not classifiable as a human carcinogen. Assessment					
Reproductive toxicity					
Product:					
Effects on fertility	Remarks: No data ava	ilable			
Effects on foetal development	Remarks: No data ava	ilable			
Components:					
Hydrocarbons, C10-C13, n-a	ines, isoalkanes, cycli	cs, < 2% aromatics:			
Reproductive toxicity -	- Fertility -				
Assessment	No toxicity to reproduc - Teratogenicity -	tion			
	No toxicity to reproduc	tion			
STOT - single exposure					
Product:					
Remarks	No data available				
Components:					
Hydrocarbons, C10-C13, n-a	ines, isoalkanes, cycli	cs, < 2% aromatics:			
Assessment	The substance or mixt organ toxicant, single	ure is not classified as specific target exposure.			
STOT - repeated exposure					
Product:					
Remarks	No data available				
Components:					
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:					
Assessment	The substance or mixt organ toxicant, single	ure is not classified as specific target exposure.			



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



## **OKS 601**

Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	21.03.2024	Date of first issue: 30.03.2013	21.03.2024

#### **Repeated dose toxicity**

#### Product:

Remarks

: This information is not available.

#### Aspiration toxicity

#### Product:

May be fatal if swallowed and enters airways.

May be fatal if swallowed and enters airways.

#### **Components:**

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics: May be fatal if swallowed and enters airways.

#### **Further information**

#### Product:

Remarks

: Information given is based on data on the components and the toxicology of similar products.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Produ	uct:		
Toxic	ity to fish	:	Remarks: No data available
	ity to daphnia and other ic invertebrates	:	Remarks: No data available
Toxic plants	ity to algae/aquatic	:	Remarks: No data available
Toxic	ity to microorganisms	:	Remarks: No data available

### 12.2 Persistence and degradability

#### Product:

Biodegradability	:	Remarks: No data available
Physico-chemical removability	:	Remarks: No data available



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



## **OKS 601**

Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	21.03.2024	Date of first issue: 30.03.2013	21.03.2024

#### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation	:	Remarks: Product does not contain substances which are persistent, bioaccumulative, and toxic (PBT) at levels of 0.1% or higher. Product does not contain substances which are very persistent and very bioaccumulative (vPvB) at levels of 0.1%
		or higher.

### 12.4 Mobility in soil

Product:		
Mobility	:	Remarks: No data available
Distribution among environmental compartments	:	Remarks: No data available

#### 40 E D. A DOT

12.5 Results of PBT and vPvE	3 assessment
Product:	
Assessment	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
12.6 Other adverse effects	
Product:	
Endocrine disrupting potential	: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Additional ecological information	: No information on ecology is available.

## **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

Product

: Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.



OKE 601

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 60	1		
Version 2.4	Revision Date: 21.03.2024	Date of last issue: 20.12.2022 Date of first issue: 30.03.2013	Print Date: 21.03.2024
Conta	aminated packaging	<ul> <li>application for which the proc</li> <li>Packaging that is not properly the unused product.</li> <li>Offer empty spray cans to an</li> </ul>	ned by the user based on the luct was used. y emptied must be disposed of as established disposal company. t pierce or burn, even after use.
Wast	e Code	<ul> <li>The following Waste Codes a</li> <li>unused product, packagings 16 05 04**, gases in pressure containing hazardous substated</li> </ul>	not completely emptied e containers (including halons)

## **SECTION 14: Transport information**

### 14.1 UN number or ID number

	ADR	:	UN 1950
	RID	:	UN 1950
	IMDG	:	UN 1950
	ΙΑΤΑ	:	UN 1950
14.2	2 UN proper shipping name		
	ADR	:	AEROSOLS
	RID	:	AEROSOLS
	IMDG	:	AEROSOLS
	ΙΑΤΑ	:	Aerosols, flammable
14.3	B Transport hazard class(es)		
	ADR	:	2
	RID	:	2
	IMDG	:	2.1
	ΙΑΤΑ	:	2.1
14.4	Packing group		
	ADR Packing group Classification Code Labels Tunnel restriction code RID Packing group	:	Not assigned by regulation 5F 2.1 (D) Not assigned by regulation



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



### **OKS 601**

2.4	21.03.2024		e of last issue: 20.12.2022 e of first issue: 30.03.2013	Print Date: 21.03.2024
	fication Code d Identification Number		5F 23 2.1	
IMDG Packir Labels EmS (		:	Not assigned by regulation 2.1 F-D, S-U	
Packir aircraf Packir	ng instruction (LQ)	: : : :	203 Y203 Not assigned by regulation Flammable Gas	
Packir (passe Packir	(Passenger) ng instruction enger aircraft) ng instruction (LQ) ng group	:	203 Y203 Not assigned by regulation Flammable Gas	
14.5 Envir	onmental hazards			
	onmentally hazardous	:	no	
<b>RID</b> Enviro	nmentally hazardous	:	no	
<b>IMDG</b> Marine	e pollutant	:	no	

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

```
Remarks
```

arks : Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

Regulation (EC) No 1005/2009 on substances that : Not applicable deplete the ozone layer (EC 1005/2009)



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



<b>OKS 60</b> <sup>2</sup>	1		
Version 2.4	Revision Date: 21.03.2024	Date of last issue: 20.12.2022 Date of first issue: 30.03.2013	Print Date: 21.03.2024
(Anne	EACH List of substand x XIV) REACH Annex XIV)	es subject to authorisation : Not applicable	9
	ned Consent (PIC) Re	zardous chemicals - Prior : Not applicable gulation	9
	lation (EU) 2019/1148 sives precursors	on the marketing and use of : Not applicable	9
Volati	le organic compounds	: Directive 2010/75/EU of 24 November 20 emissions (integrated pollution preventior Volatile organic compounds (VOC) conte	n and control)
15.2 Chen	nical safety assessm	ent	

This information is not available.

### **SECTION 16: Other information**

Full text of R-Phrases		
Note C	:	Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.
Note P	:	The harmonised classification as a carcinogen or mutagen applies unless it can be shown that the substance contains less than 0,1 % w/w benzene (Einecs No 200-753-7), in which case a classification in accordance with Title II of this Regulation shall be performed also for those hazard classes. Where the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-)P260- P262-P301 + P310-P331 shall apply.
Note U (table 3.1)	:	When put on the market gases have to be classified as "Gases under pressure", in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case. The following codes are assigned: Press. Gas (Comp.) Press. Gas (Liq.) Press. Gas (Ref. Liq.) Press. Gas (Diss.) Aerosols shall not be classified as gases under pressure (See Annex I, Part 2, Section 2.3.2.1, Note 2).



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



### **OKS 601**

Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	21.03.2024	Date of first issue: 30.03.2013	21.03.2024

Full text of H-Statements EUH066 H220 H280 H304 H317 Full text of other abbreviatio	ons	Repeated exposure may cause skin dryness or cracking. Extremely flammable gas. Contains gas under pressure; may explode if heated. May be fatal if swallowed and enters airways. May cause an allergic skin reaction.
Note C	:	Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.
Note P	:	The harmonised classification as a carcinogen or mutagen applies unless it can be shown that the substance contains less than 0,1 % w/w benzene (Einecs No 200-753-7), in which case a classification in accordance with Title II of this Regulation shall be performed also for those hazard classes. Where the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-)P260- P262-P301 + P310-P331 shall apply.
Note U (table 3.1)	:	When put on the market gases have to be classified as "Gases under pressure", in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case. The following codes are assigned: Press. Gas (Comp.) Press. Gas (Liq.) Press. Gas (Ref. Liq.) Press. Gas (Diss.) Aerosols shall not be classified as gases under pressure (See Annex I, Part
GB EH40 GB EH40 / TWA GB EH40 / STEL	::	2, Section 2.3.2.1, Note 2). UK. EH40 WEL - Workplace Exposure Limits Long-term exposure limit (8-hour TWA reference period) Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



### **OKS 601**

Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	21.03.2024	Date of first issue: 30.03.2013	21.03.2024

International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG -United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

H222, H229

H304

#### **Classification of the mixture:**

Aerosol 1

Asp. Tox. 1

## Classification procedure: Based on product data or assessment Based on product data or assessment

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

