

Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	21.03.2024	Date of first issue: 22.02.2018	21.03.2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier				
Product name	:	OKS 601		
Relevant identified uses of the	ne s	ubstance or mixture and uses advised against		
Use of the Substance/Mixture	:	Lubricant spray		
Recommended restrictions on use	:	Restricted to professional users.		
Details of the supplier of the	saf	etv data sheet		
Company	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com		
E-mail address of person responsible for the SDS	:	mcm@oks-germany.com		
National contact	:			
	Product name Relevant identified uses of th Use of the Substance/Mixture Recommended restrictions on use Details of the supplier of the Company E-mail address of person responsible for the SDS	Product name       :         Relevant identified uses of the s         Use of the       :         Substance/Mixture         Recommended restrictions       :         on use         Details of the supplier of the saf         Company       :         E-mail address of person       :         responsible for the SDS       :		

## 1.4 Emergency telephone number

Emergency telephone	:	+49 8142 3051 517
number		Warszawa: +48 22 619 66 54

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)		
Aerosols, Category 1	H222: Extremely flammable aerosol. H229: Pressurised container: May burst if heated.	
Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters airways.	





Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	21.03.2024	Date of first issue: 22.02.2018	21.03.2024

#### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
Signal word	:	Danger	
Hazard statements	:	H222 H229 H304	Extremely flammable aerosol. Pressurised container: May burst if heated. May be fatal if swallowed and enters airways.
Supplemental Hazard Statements	:	EUH066	Repeated exposure may cause skin dryness or cracking.
Precautionary statements	:	Prevention:	
		P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
		P211	Do not spray on an open flame or other ignition source.
		P251	Do not pierce or burn, even after use.
		Response:	
		P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
		P331	Do NOT induce vomiting.
		Storage:	
		P410 + P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

#### Hazardous components which must be listed on the label:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics

#### **Additional Labelling**

EUH208

Contains Sulfonic acids, petroleum, calcium salts. May produce an allergic reaction.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.





Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	21.03.2024	Date of first issue: 22.02.2018	21.03.2024

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature

: Active substance with propellant Mineral oil.

Components Chemical name	CAS-No.	Classification	specific	Concentration
	EC-No.	Classification	concentration	(% w/w)
			limit	(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	Index-No.		M-Factor	
	Registration number		Notes	
			Acute toxicity	
			estimate	50 70
Hydrocarbons, C10-	918-481-9	Asp. Tox.1; H304; EUH066		>= 50 - < 70
C13, n-alkanes, isoalkanes, cyclics, <	918-481-9	EUHU66	Note PNote P	
2% aromatics		:	NOTETINOTET	
	01-2119457273-39-	, EUH066		
	XXXX			
Sulfonic acids,	61789-86-4	Skin Sens.1B;	>= 10 %	>= 1 - < 10
petroleum, calcium salts	263-093-9	H317	Skin Sens.1B,	
sans	01-2119488992-18-			
	0000			
Substances with a wor	kplace exposure limit :	1	1	1
butane	106-97-8	Flam. Gas1A;		>= 10 - < 20
	203-448-7	H220		
		Press. GasCompr.	Note U (table	
	601-004-00-0	Gas; H280	3.1), Note C	
	01-2119474691-32-			





## **OKS 601**

	Revision Da 1.03.2024		ssue: 20.12.2022 ssue: 22.02.2018	Print I 21.03	
		XXXX			
		200-827-9 601-003-00-5 01-2119486944-21-	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1)	>= 1 - < 10
hydrotreated heavy 26 paraffinic; Baseoil — unspecified 64		64742-54-7 265-157-1 649-467-00-8 01-2119484627-25- XXXX	Not classified	Note L	>= 1 - < 10
solvent-dewa	istillates (petroleum), olvent-dewaxed eavy paraffinic; aseoil — unspecified 01-2119471299-27- XXXX		Not classified	Note L	>= 1 - < 10

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

If inhaled	<ul> <li>Remove person to fresh air. If signs/symptoms continue, get medical attention.</li> <li>Keep patient warm and at rest.</li> <li>If unconscious, place in recovery position and seek medical advice.</li> <li>Keep respiratory tract clear.</li> <li>If breathing is irregular or stopped, administer artificial respiration.</li> </ul>
In case of skin contact	<ul> <li>Take off all contaminated clothing immediately. Get medical attention immediately if irritation develops and persists.</li> <li>Wash clothing before reuse.</li> <li>Thoroughly clean shoes before reuse.</li> <li>Wash skin thoroughly with soap and water or use recognized skin cleanser.</li> </ul>
In case of eye contact	: Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. Seek medical advice.





<b>OKS 60</b> <sup>-</sup>	OKS 601				
Version 2.4	Revision Date: 21.03.2024	Date of last issue: 20.12.2022 Date of first issue: 22.02.2018	Print Date: 21.03.2024		
lf swa	allowed	: Move the victim to fresh air. Keep respiratory tract clear. Do NOT induce vomiting. Obtain medical attention. Rinse mouth with water. Aspiration hazard if swallowed - c damage.	can enter lungs and cause		
4.2 Most i	important symptom	s and effects, both acute and delayed			
Symptoms		<ul> <li>Inhalation may provoke the follow Unconsciousness Dizziness Drowsiness Headache Nausea Tiredness Skin contact may provoke the follo Erythema</li> <li>Aspiration may cause pulmonary</li> </ul>	owing symptoms:		
Risks	3	: Can be absorbed through skin. Risk of product entering the lungs Health injuries may be delayed.	s on vomiting after ingestion.		
4.3 Indication of any immediate medical attention and special treatment needed					

Treatment : Treat symptomatically.

## **SECTION 5: Firefighting measures**

<b>5.1 Extinguishing media</b> Suitable extinguishing media	:	ABC powder		
Unsuitable extinguishing media	:	High volume water jet		
5.2 Special hazards arising from the substance or mixture				
Specific hazards during firefighting	:	Fire Hazard Do not let product enter drains. Contains gas under pressure; may explode if heated. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.		
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NOx)		





<b>OKS 601</b>				
Version 2.4	Revision Date: 21.03.2024		e of last issue: 20.12.2022 e of first issue: 22.02.2018	Print Date: 21.03.2024
			Sulphur oxides	
5.3 Advice	o for firefighters			
		t :	In the event of fire, wear self-contained b Use personal protective equipment. Expo decomposition products may be a hazard	osure to
Furthe	er information	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing w must not be discharged into drains. Cool containers/tanks with water spray.	ater separately. This

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Evacuate personnel to safe areas. Ensure adequate ventilation. Remove all sources of ignition. Do not breathe vapours or spray mist. Refer to protective measures listed in sections 7 and 8. Only qualified personnel equipped with suitable protective equipment may intervene.
6.2 Environmental precautions		
Environmental precautions	:	Try to prevent the material from entering drains or water courses. Prevent further leakage or spillage if safe to do so. Local authorities should be advised if significant spillages cannot be contained.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal. Non-sparking tools should be used.
-------------------------	---	---

#### 6.4 Reference to other sections

For personal protection see section 8.

#### **SECTION 7: Handling and storage**

7.1 Precautions for safe handling





## **OKS 601**

Version 2.4	Revision Date: 21.03.2024		e of last issue: 20.12.2022 e of first issue: 22.02.2018	Print Date: 21.03.2024
Advi	ice on safe handling	:	Do not use in areas without adequa Do not breathe vapours or spray mi In case of insufficient ventilation, we equipment. Avoid contact with skin and eyes. For personal protection see section Keep away from fire, sparks and he Smoking, eating and drinking should application area. Wash hands and face before break handling the product. Do not get in eyes or mouth or on s Do not get on skin or clothing. Do not ingest. Do not use sparking tools. These safety instructions also apply may still contain product residues. Pressurized container: protect from expose to temperatures exceeding burn, even after use.	<ul> <li>ast.</li> <li>ast suitable respiratory</li> <li>8.</li> <li>bated surfaces.</li> <li>d be prohibited in the</li> <li>s and immediately after</li> <li>kin.</li> <li>v to empty packaging which</li> <li>sunlight and do not</li> </ul>
Hygi	iene measures	:	Wash face, hands and any exposed handling.	d skin thoroughly after
Req	litions for safe storage uirements for storage as and containers	e, incl :	uding any incompatibilities BEWARE: Aerosol is pressurized. A exposure and temperatures over 50 or throw into fire even after use. Do red-hot objects. Store in accordance national regulations.	) °C. Do not open by force not spray on flames or
-	i <b>fic end use(s)</b> cific use(s)	:	Specific instructions for handling, no	ot required.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

## **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Hydrocarbons, C10-C13, n- alkanes, isoalkanes, cyclics, < 2% aromatics	Not Assigned	NDSMaximal Admissible Concentration	300 mg/m3	PL OEL (2018-07-07)
		NDSchMaximal	900 mg/m3	PL OEL





## **OKS 601**

Version 2.4	Revision Dat 21.03.2024		of last issue: 20.12.2 of first issue: 22.02.2		Print Date: 21.03.2024
			Admissible Temporary Concentration		(2018-07-07)
butane		106-97-8	NDSMaximal Admissible Concentration	1.900 mg/m3	PL OEL (2018-07-07)
			NDSchMaximal Admissible Temporary Concentration	3.000 mg/m3	PL OEL (2018-07-07)
propan	e	74-98-6	NDSMaximal Admissible Concentration	1.800 mg/m3	PL OEL (2018-07-07)
paraffir		64742-54-7	NDSMaximal Admissible Concentration (inhalable fraction)	5 mg/m3	PL OEL (2021-02-19)
	eum), -dewaxed paraffinic; I —	64742-65-0	NDSMaximal Admissible Concentration (inhalable fraction)	5 mg/m3	PL OEL (2021-02-19)

## Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	Workers	Inhalation	Long-term local effects	5,58 mg/m3
	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,97 mg/kg
Distillates (petroleum), solvent- dewaxed heavy paraffinic; Baseoil — unspecified	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,97 mg/kg

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Distillates (petroleum),	Oral	9,33 mg/kg
hydrotreated heavy paraffinic;		
Baseoil — unspecified		





OKS 601	ĺ				
Version 2.4	Revision Date: 21.03.2024		of last issue: 20.12.2022 of first issue: 22.02.2018	Print D 21.03.2	
dewa	ates (petroleum), solve xed heavy paraffinic; pil — unspecified	ent-	Oral	9	,33 mg/kg
8.2 Expos	ure controls				
Engir	neering measures				
			explosion proof exhaust ventilation ith local exhaust (or other appropr		
Perso	onal protective equip	ment			
Eye/fa	ace protection	:	Safety glasses with side-shields		
Ma Bro	protection aterial eak through time otective index	:	Nitrile rubber > 10 min Class 1		
Re	emarks	:	Wear protective gloves. The break amongst other things on the mate type of glove and therefore has to case. The selected protective gloves ha specifications of Regulation (EU) 2 EN 374 derived from it.	rial, the thickness be measured for ve to satisfy the	ss and the or each
Skin a	and body protection	:	Choose body protection in relation concentration and amount of dang the specific work-place.		
Respi	ratory protection	:	Use respiratory protection unless ventilation is provided or exposure that exposures are within recomm Short term only	assessment de	emonstrates
Fil	ter type	:	Filter type A-P		
Protec	ctive measures	:	The type of protective equipment to the concentration and amount of at the specific workplace.		

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state :	aerosol
------------------	---------

Colour : brown





## **OKS 601**

Versior 2.4	Revision Date: 21.03.2024		e of last issue: 20.12.2022 of first issue: 22.02.2018	Print Date: 21.03.2024
Oc	lour	:	characteristic	
Oc	dour Threshold	:	No data available	
Me	elting point/range	:	No data available	
Bo	iling point/boiling range	:	< -20 °C (1.013 hPa)	
Fla	ammability (solid, gas)	:	Extremely flammable aerosol.	
	pper explosion limit / Upper mmability limit	· :	9,4 %(V)	
	wer explosion limit / Lower mmability limit	• :	0,7 %(V)	
Fla	ash point	:	-20 °C Method: Abel-Pensky, closed cup	)
Au	to-ignition temperature	:	No data available	
De	ecomposition temperature	:	No data available	
p⊦	I	:	Not applicable substance/mixture is non-soluble	(in water)
Vi	scosity Viscosity, dynamic	:	No data available	
	Viscosity, kinematic	:	< 20,5 mm2/s (40 °C)	
Sc	lubility(ies) Water solubility	:	insoluble	
	Solubility in other solvents	<b>3</b> :	No data available	
	rtition coefficient: n- tanol/water	:	No data available	
Va	pour pressure	:	2.800 hPa (20 °C)	
Re	elative density	:	0,741 (20 °C) Reference substance: Water The value is calculated	
De	ensity	:	0,74 g/cm3 (20 °C)	





Versior 2.4	Revision Date: 21.03.2024	Date of last issue: 20.12.2022Print Date:Date of first issue: 22.02.201821.03.2024	
Bu	lk density	: No data available	
Re	lative vapour density	: No data available	
9.2 Oth	er information		
Ex	plosives	: Not explosive	
0>	idizing properties	: No data available	
Se	lf-ignition	: No data available	
Me	etal corrosion rate	: Not corrosive to metals	
Ev	aporation rate	: No data available	
Su	blimation point	: No data available	

## **SECTION 10: Stability and reactivity**

<b>10.1 Reactivity</b> No hazards to be specially mentio	ned.
<b>10.2 Chemical stability</b> Stable under normal conditions.	
10.3 Possibility of hazardous reaction	ns
Hazardous reactions :	No dangerous reaction known under conditions of normal use.
<b>10.4 Conditions to avoid</b> Conditions to avoid :	Heat, flames and sparks. Strong sunlight for prolonged periods. Risk of receptacle bursting.
<b>10.5 Incompatible materials</b> Materials to avoid :	Oxidizing agents
<b>10.6 Hazardous decomposition prod</b> No decomposition if stored and ap	





Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	21.03.2024	Date of first issue: 22.02.2018	21.03.2024

## **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity		
Product:		
Acute oral toxicity	•	Remarks: This information is not available.
Acute inhalation toxicity	:	Symptoms: Inhalation may provoke the following symptoms:, Respiratory disorder
Acute dermal toxicity	:	Remarks: Prolonged or repeated skin contact with liquid may cause defatting resulting in drying, redness and possible blistering.
		Symptoms: Skin disorders
Components:		
	-alka	anes, isoalkanes, cyclics, < 2% aromatics:
Acute oral toxicity	:	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401
Acute dermal toxicity	:	LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 402
butane:		
Acute inhalation toxicity	:	LC50 (Rat): 658 mg/l Exposure time: 4 h Test atmosphere: gas
Distillates (petroleum), hy	drotr	eated heavy paraffinic; Baseoil — unspecified:
Acute oral toxicity	:	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 GLP: yes
Acute inhalation toxicity	:	LC50 (Rat): > 5,53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 402





KS 601			
ersion 4	Revision Date: 21.03.2024	Date of last issue: 20.12.2022 Date of first issue: 22.02.2018	Print Date: 21.03.2024
Distil	lates (petroleum), s	olvent-dewaxed heavy paraffinic;	Baseoil — unspecified:
	e oral toxicity	: LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guidel	
Acute	e dermal toxicity	: LD50 (Rabbit): > 5.000 mg/ Method: OECD Test Guidel	•
Skin	corrosion/irritation		
Prod	uct:		
Rema		: This information is not available	able.
<u>Com</u>	ponents:		
Hydro	ocarbons, C10-C13	, n-alkanes, isoalkanes, cyclics, <	2% aromatics:
Speci		: Rabbit	
•	ssment	: No skin irritation	
Metho	bd	: OECD Test Guideline 404	
Resu	lt	: Mild skin irritation	
Resu	lt	: Repeated exposure may ca	use skin dryness or cracking.
Distil	lates (petroleum), I	nydrotreated heavy paraffinic; Bas	eoil — unspecified:
Speci	ies	: Rabbit	
	ssment	: No skin irritation	
Metho		: OECD Test Guideline 404	
Resu	lt	: No skin irritation	
GLP		: yes	
Distil	lates (petroleum), s	olvent-dewaxed heavy paraffinic;	Baseoil — unspecified:
Speci	ies	: Rabbit	
	ssment	: No skin irritation	
Metho		: OECD Test Guideline 404	
Resu	lt	: No skin irritation	
GLP		: yes	
Serio	ous eye damage/eye	irritation	
Prod	uct:		
Rema	arks	: Contact with eyes may caus	se irritation.
Com	ponents:		
Hydro	ocarbons, C10-C13	, n-alkanes, isoalkanes, cyclics, <	2% aromatics:
Speci	ies	: Rabbit	
Asses	ssment	: No eye irritation	
Metho	od	: OECD Test Guideline 405	
			a brand of



	4		
KS 60 <sup>°</sup>	1		
ersion 1	Revision Date: 21.03.2024	Date of last issue: 20.12.2022 Date of first issue: 22.02.2018	Print Date: 21.03.2024
Resu	ılt	: No eye irritation	
Disti	llates (petroleum), ł	ydrotreated heavy paraffinic; Base	oil — unspecified:
Spec		: Rabbit	
•	ssment	: No eye irritation	
Meth	od	: OECD Test Guideline 405	
Resu	ılt	: No eye irritation	
GLP		: yes	
Disti	llates (petroleum), s	olvent-dewaxed heavy paraffinic; B	Baseoil — unspecified:
Spec	eies	: Rabbit	
Asse	ssment	: No eye irritation	
Meth		: OECD Test Guideline 405	
Resu	ılt	: No eye irritation	
GLP		: yes	
Resp	piratory or skin sens	sitisation	
<u>Prod</u>			
Rema	arks	: This information is not availab	ole.
<u>Com</u>	ponents:		
-		, n-alkanes, isoalkanes, cyclics, < 2°	% aromatics:
Spec		: Guinea pig	
	ssment	: Does not cause skin sensitisa	ation.
Meth		: OECD Test Guideline 406	
Resu	lit	: Does not cause skin sensitisa	ation.
Sulfo	onic acids, petroleu	m, calcium salts:	
Asse	ssment	: The product is a skin sensitis	er, sub-category 1B.
Disti	llates (petroleum), ł	ydrotreated heavy paraffinic; Base	oil — unspecified:
Spec	ies	: Guinea pig	
Asse	ssment	: Does not cause skin sensitisa	ation.
Meth		: OECD Test Guideline 406	
Resu	ılt	: Does not cause skin sensitisa	ation.
GLP		: yes	
Disti	llatos (notroloum)	olvent-dewaxed heavy paraffinic; B	lasaail — unspasified:
			aseon — unspecifieu.
Spec		: Guinea pig : Does not cause skin sensitisa	ation
Assessment : Does not cause skin sensitisation. Method : OECD Test Guideline 406		au011.	
Result : Does not cause skin sensitisation.		ation	
GLP		: yes	
		,	
			a brand of





Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	21.03.2024	Date of first issue: 22.02.2018	21.03.2024

#### Germ cell mutagenicity

Genotoxicity in vitro	:	Remarks: No data available
Genotoxicity in vivo	:	Remarks: No data available

#### **Components:**

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:		
Germ cell mutagenicity- Assessment	:	Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Distillates (petroleum),	solvent-dewaxed heavy paraffinic; Baseoil — unspecified:	
Genetovicity in vitro	· Test system: Salmonella typhimurium	

	Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative
Genotoxicity in vivo	: Species: Mouse Application Route: Oral Method: OECD Test Guideline 474

Result: negative

## Carcinogenicity

#### Product:

Remarks : No data available

#### Components:

Carcinogenicity -	:	Not classifiable as a human carcinogen.
Assessment		

## Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Carcinogenicity -	
Assessment	

: Not classifiable as a human carcinogen.

#### Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

Species	: Mouse
Application Route	: Dermal
Method	: OECD Test Guideline 451
Result	: negative





Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	21.03.2024	Date of first issue: 22.02.2018	21.03.2024

#### **Reproductive toxicity**

Product:		
Effects on fertility	:	Remarks: No data available
Effects on foetal development	:	Remarks: No data available

#### **Components:**

Hydrocarbons,	C10-C13, n-alkane	es, isoalkanes, cyclics	s, < 2% aromatics:
---------------	-------------------	-------------------------	--------------------

Reproductive toxicity -	:	- Fertility -
Assessment		No toxicity to reproduction - Teratogenicity -
		No toxicity to reproduction

#### Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Reproductive toxicity - Assessment	:	- Fertility - No toxicity to reproduction		
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:				

Effects on foetal development	:	Species: Rat Application Route: Dermal General Toxicity Maternal: NOAEL: 30 mg/kg body weight Developmental Toxicity: NOAEL: 30 mg/kg body weight Method: OECD Test Guideline 414

#### STOT - single exposure

#### Product:

Remarks

: No data available

#### Components:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:				
Assessment	:	The substance or mixture is not classified as specific target organ toxicant, single exposure.		

#### STOT - repeated exposure

#### Product:

Remarks	:	No data available
---------	---	-------------------





OKS 60	1			
		_		
Version 2.4	Revision Date: 21.03.2024		f last issue: 20.12.2022 f first issue: 22.02.2018	Print Date: 21.03.2024
<u>Com</u>	ponents:			
-	ocarbons, C10-C13, ssment	: TI	<b>s, isoalkanes, cyclics, &lt; 2%</b> he substance or mixture is no gan toxicant, single exposur	ot classified as specific target
Repe	ated dose toxicity			
Prod	uct:			
Rema	arks	: TI	his information is not availabl	le.
Aspi	ration toxicity			
Prod May	<u>uct:</u> be fatal if swallowed a	and enters	airways	
May			anways.	
May	be fatal if swallowed a	and enters	airways.	
<u>Com</u>	ponents:			
-	ocarbons, C10-C13, be fatal if swallowed a		<b>s, isoalkanes, cyclics, &lt; 2%</b> airways.	6 aromatics:
	llates (petroleum), h spiration toxicity class	-	ed heavy paraffinic; Baseo	il — unspecified:
	llates (petroleum), s spiration toxicity class		waxed heavy paraffinic; Ba	aseoil — unspecified:
11.2 Infor	mation on other haz	ards		
Endo	ocrine disrupting pro	operties		
<u>Prod</u> Asse	<u>uct:</u> ssment	co to (E	REACH Article 57(f) or Com	ot contain components disrupting properties according mission Delegated regulation on Regulation (EU) 2018/605 at
Furth	ner information			
Prod	uct:			
Rema			formation given is based on e toxicology of similar produc	data on the components and cts.
				a brand of





Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	21.03.2024	Date of first issue: 22.02.2018	21.03.2024

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Product:	Ρ	ro	d	u	С	t:	
----------	---	----	---	---	---	----	--

Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available
Components:		
Hydrocarbons, C10-C13, n-a	lka	nes, isoalkanes, cyclics, < 2% aromatics:
Toxicity to fish		LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h
Distillates (petroleum), hvdr	otr	eated heavy paraffinic; Baseoil — unspecified:
Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 10.000 mg/l Exposure time: 48 h Test Type: Immobilization Method: OECD Test Guideline 202 GLP: yes
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 10 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Test Type: semi-static test Method: OECD Test Guideline 211 GLP: yes





Version	Revision Date:	Dat	e of last issue: 20.12.2022	Print Date:
2.4	21.03.2024	Dat	e of first issue: 22.02.2018	21.03.2024
Disti	llates (petroleum), solv	vent	-dewaxed heavy paraffinic; Baseo	il — unspecified:
	city to fish	:	LC50 (Pimephales promelas (fathe Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes	ead minnow)): > 100 mg/l
	city to daphnia and other tic invertebrates	r:	EC50 (Daphnia magna (Water flea Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202	
Toxic plant	city to algae/aquatic s	:	NOEC (Pseudokirchneriella subca mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201	
aqua	city to daphnia and other tic invertebrates onic toxicity)	r:	NOEC: 10 mg/l Exposure time: 21 d Species: Daphnia magna (Water fl	ea)
2.2 Pers	istence and degradabi	ility		
<u>Prod</u>	luct:			
Biode	egradability	:	Remarks: No data available	
	ico-chemical wability	:	Remarks: No data available	
<u>Com</u>	ponents:			
Disti	llates (petroleum), hyd	Irotr	eated heavy paraffinic; Baseoil —	unspecified:
Biode	egradability	:	Test Type: aerobic Inoculum: activated sludge Result: Not rapidly biodegradable Biodegradation: 3 % Exposure time: 28 d Method: OECD Test Guideline 301 GLP: yes	В
Disti	llates (petroleum), solv	vent	-dewaxed heavy paraffinic; Baseo	il — unspecified:
	egradability	:	Test Type: aerobic Inoculum: activated sludge Result: Not rapidly biodegradable Biodegradation: 31 % Exposure time: 28 d Method: OECD Test Guideline 301 GLP: yes	
			10/29	a brand of





Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	21.03.2024	Date of first issue: 22.02.2018	21.03.2024

#### 12.3 Bioaccumulative potential

Product:		
Bioaccumulation	:	Remarks: Product does not contain substances which are persistent, bioaccumulative, and toxic (PBT) at levels of 0.1% or higher. Product does not contain substances which are very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
Components:		
butane:		
Partition coefficient: n- octanol/water	:	log Pow: 2,89 Method: OECD Test Guideline 107
propane:		
Partition coefficient: n- octanol/water	:	log Pow: 2,36
Distillates (petroleum), hydro	otre	eated heavy paraffinic; Baseoil — unspecified:
Partition coefficient: n- octanol/water	:	log Pow: > 2
12.4 Mobility in soil		
Product:		
Mobility	:	Remarks: No data available
Distribution among environmental compartments	:	Remarks: No data available
12.5 Results of PBT and vPvB ass	ses	ssment
Product:		

#### Product:

Assessment	:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or
		very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## Components:

Hydrocarbons, C10-C13, n-a	alka	nes, isoalkanes, cyclics, < 2% aromatics:
Assessment	:	Non-classified PBT substance. Non-classified vPvB substance





<b>OKS 60</b>	1					
Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:			
2.4	21.03.2024	Date of first issue: 22.02.2018	21.03.2024			
	<b>llates (petroleum), h</b> ssment	rotreated heavy paraffinic; Baseoi : Non-classified vPvB substance	I — unspecified: . Non-classified PBT substance			
12.6 Ende	12.6 Endocrine disrupting properties					
Prod	uct:					
Asse	ssment	: The substance/mixture does no considered to have endocrine of to REACH Article 57(f) or Com (EU) 2017/2100 or Commission levels of 0.1% or higher.	lisrupting properties according mission Delegated regulation			
12.7 Othe	12.7 Other adverse effects					
	l <mark>uct:</mark> ional ecological nation	: No information on ecology is a	vailable.			
SECTIO	N 13: Disposal cor	derations				
13.1 Was	te treatment method					
Prod	uct	<ul> <li>Do not dispose of with domesting Dispose of as hazardous wasternational regulations.</li> </ul>				

Waste codes should be assigned by the user based on the	
application for which the product was used.	

Contaminated packaging	:	Packaging that is not properly emptied must be disposed of as the unused product. Offer empty spray cans to an established disposal company. Pressurized container: Do not pierce or burn, even after use.
		The following Waste Codes are only suggestions:
Waste Code	:	unused product, packagings not completely emptied 16 05 04**, gases in pressure containers (including halons) containing hazardous substances

## **SECTION 14: Transport information**

## 14.1 UN number or ID number

ADN

: UN 1950



## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 601		
Version 2.4	Revision Date: 21.03.2024	Date of last issue: 20.12.2022Print Date:Date of first issue: 22.02.201821.03.2024
ADR		: UN 1950
RID		: UN 1950
IMDG	ì	: UN 1950
IATA		: UN 1950
	roper shipping name	
ADN		: AEROSOLS
ADR		: AEROSOLS
RID		: AEROSOLS
IMDG	ì	: AEROSOLS
ΙΑΤΑ		: Aerosols, flammable
14.3 Trans	sport hazard class(es)	)
ADN		: 2
ADR		: 2
RID		: 2
IMDG	ì	: 2.1
ΙΑΤΑ		: 2.1
14.4 Pack	ing group	
	ng group ification Code s	<ul> <li>Not assigned by regulation</li> <li>5F</li> <li>2.1</li> </ul>
Class Label	ng group ification Code s el restriction code	<ul> <li>Not assigned by regulation</li> <li>5F</li> <li>2.1</li> <li>(D)</li> </ul>
<b>RID</b> Packi Class	ng group ification Code rd Identification Numbe	<ul><li>Not assigned by regulation</li><li>5F</li></ul>
<b>IMDG</b> Packi Label EmS	ng group s	<ul> <li>Not assigned by regulation</li> <li>2.1</li> <li>F-D, S-U</li> </ul>
	(Cargo) ng instruction (cargo ft)	: 203
	ng instruction (LQ)	: Y203





## **OKS 601**

Version 2.4	Revision Date: 21.03.2024		rint Date: 1.03.2024
	cking group bels	<ul><li>Not assigned by regulation</li><li>Flammable Gas</li></ul>	
IATA (Passenger) Packing instruction (passenger aircraft) Packing instruction (LQ) Packing group Labels 14.5 Environmental hazards		<ul> <li>203</li> <li>Y203</li> <li>Not assigned by regulation</li> <li>Flammable Gas</li> </ul>	
AD		: no	
AD	-	: no	
<b>RII</b> En	<b>D</b> vironmentally hazardous	: no	
IM	DG		

#### 14.6 Special precautions for user

Marine pollutant

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

: no

Remarks

: Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Not app	blicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)	substar (Regula	oduct does not contain nces of very high concern ation (EC) No 006 (REACH), Article 57).
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009)	: Not app	blicable
Regulation (EU) 2019/1021 on persistent organic	: Not app	blicable





OKS 601					
Version 2.4	Revision Date: 21.03.2024	Date of last issue: 20. Date of first issue: 22		Print Date: 21.03.2024	
	pollutants (recast) (EU POP)				
Regulation (EU) No 649/2012 of the European : Not applicable Parliament and the Council concerning the export and import of dangerous chemicals (EU PIC)					
	lation (EU) 2019/1148 sives precursors	3 on the marketing and u	se of :	Not applicable	
			P2		
Parlia majo	so III: Directive 2012/ ament and of the Cour r-accident hazards inv ances.		P3a	FLAMMABLE AEROSOLS	
			34	Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a) to (d)	
			18	Liquefied flammable gases (including LPG) and natural gas	
Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 83,88 %					

#### Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of





Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	21.03.2024	Date of first issue: 22.02.2018	21.03.2024

#### 2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2020/878

Ordinance of the Minister of Health of 10 August 2012 concerning the criteria and procedure of classification of chemical substances and their mixtures (consolidated text Dz. U. of 2015., pos. 208).

Ordinance of the Minister of Economy, Labour and Social Policy of 21st December 2005 concerning the basic requirements for personal protective equipment (Dz. U. 2005 Nr. 259, item 2173 with later amendments).

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments). Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (Dz. U. from 2005, Nr. 11, item 86, as amended). Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of 18 February 2019 on enforcing of changes Annexes A and B of Agreement concerning international transport of dangerous goods by road (ADR) (Dz. U. 2019, item 769).

Ordinance of the Minister of Health of 20th April 2012 concerning labeling of containers of dangerous substances and dangerous mixtures and some mixtures ((consolidated text) Dz. U. z 2015 nr. 0 poz. 450 with later amendments).

Ordinance of the Minister of Health of 11th June 2012 concerning categories of dangerous substances and dangerous mixtures for which containers must be fitted with child-resistant fastenings and a tactile warning of danger (Dz. U. from 2012, item 688 as amended).

#### 15.2 Chemical safety assessment

This information is not available.





Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	21.03.2024	Date of first issue: 22.02.2018	21.03.2024

#### **SECTION 16: Other information**

Full text of H-Statements EUH066 H220 H280 H304 H317 EUH066 Full text of other abbreviatio	Repeated exposure may cause skin dryness or cra Extremely flammable gas. Contains gas under pressure; may explode if heate May be fatal if swallowed and enters airways. May cause an allergic skin reaction. Repeated exposure may cause skin dryness or cra	d.
Note C Note L	Some organic substances may be marketed either specific isomeric form or as a mixture of several iso his case the supplier must state on the label wheth substance is a specific isomer or a mixture of isomer The harmonised classification as a carcinogen app t can be shown that the substance contains less th dimethyl sulphoxide extract as measured by IP 346 "Determination of polycyclic aromatics in unused lu- base oils and asphaltene free petroleum fractions - sulphoxide extraction refractive index method"Instit Petroleum, London), in which case a classification is accordance with Title II of this Regulation shall be p	mers. In er the ers. lies unless an 3 % of ubricating Dimethyl ute of n
Note P	Accordance with filter for this (regulation shall be p also for that hazard class. The harmonised classification as a carcinogen or m applies unless it can be shown that the substance of ess than 0,1 % w/w benzene (Einecs No 200-753- case a classification in accordance with Title II of th Regulation shall be performed also for those hazard Where the substance is not classified as a carcinog nutagen, at least the precautionary statements (P1 P262-P301 + P310-P331 shall apply.	nutagen contains 7), in which is d classes. jen or
Note U (table 3.1)	When put on the market gases have to be classified Gases under pressure", in one of the groups comp gas, liquefied gas, refrigerated liquefied gas or diss The group depends on the physical state in which t backaged and therefore has to be assigned case b collowing codes are assigned: Press. Gas (Comp.) (Liq.) Press. Gas (Ref. Liq.) Press. Gas (Diss.) Aer not be classified as gases under pressure (See Ann 2, Section 2.3.2.1, Note 2).	rressed olved gas. he gas is y case. The Press. Gas osols shall





Version 2.4	Revision Date: 21.03.2024	Date of last issue: 20.12.2022 Date of first issue: 22.02.2018	Print Date: 21.03.2024	
	EL EL / NDS EL / NDSch	<ul> <li>Ordinance of the Minister of Famoria of 12 June 2018 concerning the h concentrations and levels of the atthe workplace (Dz.U 2018 pos 12</li> <li>Maximal Admissible Concentration</li> <li>Maximal Admissible Temporary Concentration</li> </ul>	nighest allowable agents harmful for health in 286, with later amendments) on	

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose): MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### Further information

Classification of the mixture:		Classification procedure:
Aerosol 1	H222, H229	Based on product data or assessment
Asp. Tox. 1	H304	Based on product data or assessment

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from





OKS 601				
Version 2.4	Revision Date: 21.03.2024	Date of last issue: 20.12.2022 Date of first issue: 22.02.2018	Print Date: 21.03.2024	

the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

