According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 611

Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
3.6	21.03.2024	Date of first issue: 30.03.2013	21.03.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier							
Product name	:	OKS 611					
1.2 Relevant identified uses of the substance or mixture and uses advised against							
Use of the Substance/Mixture	:	Lubricant spray					
Recommended restrictions on use	:	Restricted to professional users.					
1.3 Details of the supplier of the	e saf	ety data sheet					
Company	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com					
E-mail address of person responsible for the SDS	:	mcm@oks-germany.com					
National contact	:						
1.4 Emergency telephone numb	er						
Emergency telephone number	:	+49 8142 3051 517 (24/7 service)					

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Aerosols, Category 1	H222: Extremely flammable aerosol. H229: Pressurised container: May burst if heated.
Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters airways.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 611

Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
3.6	21.03.2024	Date of first issue: 30.03.2013	21.03.2024

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms	:		
Signal word	:	Danger	
Hazard statements	:	H222 H229 H304	Extremely flammable aerosol. Pressurised container: May burst if heated. May be fatal if swallowed and enters airways.
Supplemental Hazard Statements	:	EUH066	Repeated exposure may cause skin dryness or cracking.
Precautionary statements	:	Prevention:	
		P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
		P211	Do not spray on an open flame or other ignition source.
		P251	Do not pierce or burn, even after use.
		Response:	
		P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
		P331	Do NOT induce vomiting.
		Storage:	
		P410 + P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Hazardous components which must be listed on the label:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Additional Labelling

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 611

Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
3.6	21.03.2024	Date of first issue: 30.03.2013	21.03.2024

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Active substance with propellant Solvent Mineral oil.

Components

Asp. Tox.1 EUH066 Flam. Gas Press. Gas Gas; H280	Note P 1; H220 sCompr.	>= 30 - < 50
Press. Gas Gas; H280	sCompr.) Note U (table	>= 1 - < 10
Flam. Gas H220 Press. Gas J-0 Gas; H280	sCompr. Note U (table	>= 1 - < 10
Skin Sens. H317	.1B; >= 10 % Skin Sens.1B,	>= 0.1 - < 1
sure limit :		
Flam. Gas Press. Gas Gas; H280	sCompr. Note U (table	>= 30 - < 50
	Ure limit : Flam. Gas Gas; H280	Skin Sens.1B; H317 >= 10 % Skin Sens.1B, ure limit : Flam. Gas1; H220 Press. GasCompr.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 61 [°]	1		
Version 3.6	Revision Date: 21.03.2024	Date of last issue: 20.12.2022 Date of first issue: 30.03.2013	Print Date: 21.03.2024
1			

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled :	Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respiration.
In case of skin contact :	Take off all contaminated clothing immediately. Get medical attention immediately if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse. Wash skin thoroughly with soap and water or use recognized skin cleanser.
In case of eye contact :	Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. Seek medical advice.
If swallowed :	Move the victim to fresh air. Keep respiratory tract clear. Do NOT induce vomiting. Obtain medical attention. Rinse mouth with water. Aspiration hazard if swallowed - can enter lungs and cause damage.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	: Inhalation may provoke the following symptoms:
	Unconsciousness
	Dizziness
	Drowsiness
	Headache
	Nausea
	Tiredness
	Skin contact may provoke the following symptoms:
	Erythema



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS	611				
Versio 3.6		Revision Date: 1.03.2024		e of last issue: 20.12.2022 e of first issue: 30.03.2013	Print Date: 21.03.2024
				Aspiration may cause pulmonary oedema	a and pneumonitis.
F	Risks		:	Can be absorbed through skin. Risk of product entering the lungs on vom Health injuries may be delayed.	niting after ingestion.
4.3 In	dicatior	n of anv immediate	mec	lical attention and special treatment nee	eded
	Freatmer	-	:	Treat symptomatically.	
SEC	TION 5:	Firefighting mea	sur	es	
	-	hing media			
S	Suitable	extinguishing media	:	ABC powder	
	Jnsuitab nedia	le extinguishing	:	High volume water jet	
5.2 S	pecial h	azards arising fron	n the	substance or mixture	
		hazards during	:	Fire Hazard	
t	irefightin	g		Do not let product enter drains. Contains gas under pressure; may explore	de if heated.
				Beware of vapours accumulating to form concentrations. Vapours can accumulate	explosive
					in low areas.
	Hazardou products	us combustion	:	Carbon oxides Nitrogen oxides (NOx)	
F					
		r firefighters			
	Special p or firefig	protective equipment hters	: :	In the event of fire, wear self-contained be Use personal protective equipment. Expo decomposition products may be a hazard	sure to
F	Further ir	nformation	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing w must not be discharged into drains. Cool containers/tanks with water spray.	ater separately. This

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and em	ergency procedures
-------------------------------------------------------	--------------------

Personal precautions	:	Evacuate personnel to safe areas.
		Ensure adequate ventilation.
		Remove all sources of ignition.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 611			
Version 3.6	Revision Date: 21.03.2024	Date of last issue: 20.12.2022Print Date:Date of first issue: 30.03.201321.03.2024	
		Do not breathe vapours or spray mist. Refer to protective measures listed in sections 7 and 8. Only qualified personnel equipped with suitable protective equipment may intervene.	
6.2 Enviro	nmental precautions	;	
Environmental precautions : Try to cours Preve Local		 Try to prevent the material from entering drains or water courses. Prevent further leakage or spillage if safe to do so. Local authorities should be advised if significant spillages cannot be contained. 	
6.3 Metho	ds and material for c	ontainment and cleaning up	
Metho	 ds for cleaning up Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth vermiculite) and place in container for disposal according local / national regulations (see section 13). Keep in suitable, closed containers for disposal. 		

Non-sparking tools should be used.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Do not use in areas without adequate ventilation. Do not breathe vapours or spray mist. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin and eyes. For personal protection see section 8. Keep away from fire, sparks and heated surfaces. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not ingest. Do not use sparking tools. These safety instructions also apply to empty packaging which may still contain product residues. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn even after use
		burn, even after use.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 611

Version 3.6	Revision Date: 21.03.2024		e of last issue: 20.12.2022 e of first issue: 30.03.2013	Print Date: 21.03.2024
Hygie	ene measures	:	Wash face, hands and any expose handling.	d skin thoroughly after
7.2 Condi	tions for safe storag	e, inc	luding any incompatibilities	
	irements for storage and containers	:	BEWARE: Aerosol is pressurized. exposure and temperatures over 5 or throw into fire even after use. Do red-hot objects. Store in accordance national regulations.	0 °C. Do not open by force o not spray on flames or
•	f ic end use(s) ific use(s)	:	Specific instructions for handling, r	not required.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis			
butane	106-97-8	STEL	750 ppm 1,810 mg/m3	GB EH40 (2007-08-01)			
	Further inform damage.	Further information: Capable of causing cancer and/or heritable genetic damage.					
		TWA	600 ppm 1,450 mg/m3	GB EH40 (2007-08-01)			
	Further inform damage.	Further information: Capable of causing cancer and/or heritable genetic damage.					

Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health effects	Value
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	Workers	Inhalation	Long-term local effects	5.58 mg/m3
	Workers	Inhalation	Long-term systemic effects	2.73 mg/m3
	Workers	Skin contact	Long-term systemic effects	0.97 mg/kg
Distillates (petroleum), solvent- dewaxed heavy paraffinic; Baseoil — unspecified	Workers	Inhalation	Long-term systemic effects	2.73 mg/m3
•	Workers	Skin contact	Long-term systemic	0.97 mg/kg



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 611

Version 3.6	Revision Date: 21.03.2024	Date of last issue: 20.12.2022 Date of first issue: 30.03.2013	Print Date: 21.03.2024

	effects	

Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
Distillates (petroleum),	Oral	9.33 mg/kg
hydrotreated heavy paraffinic;		
Baseoil — unspecified		
Distillates (petroleum), solvent-	Oral	9.33 mg/kg
dewaxed heavy paraffinic;		
Baseoil — unspecified		

8.2 Exposure controls

Engineering measures

Use only in an area equipped with explosion proof exhaust ventilation. Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment					
Eye/face protection	Eye/face protection : Safety glasses with side-shields				
Hand protection Material Break through time Protective index	:	butyl-rubber > 10 min Class 1			
Remarks	:	Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.			
Skin and body protection	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.			
Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Short term only			
Filter type	:	Filter type A-P			
Protective measures	:	The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.			

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 611

Version 3.6	Revision Date: 21.03.2024		of last issue: 20.12.2022 of first issue: 30.03.2013	Print Date: 21.03.2024
Appea	arance	:	aerosol	
Colou	ır	:	green, black	
Odou	r	:	characteristic	
Odou	r Threshold	:	No data available	
рН		:	Not applicable substance/mixture is non-soluble (in wa	ater)
Meltin	ng point/range	:	No data available	
Boilin	g point/boiling range	:	-161 °C (1,013 hPa)	
Flash	point	:	-91 °C Method: Abel-Pensky	
Evapo	oration rate	:	No data available	
Flamr	mability (solid, gas)	:	Extremely flammable aerosol.	
	r explosion limit / Upper nability limit	· :	15 %(V)	
	r explosion limit / Lower nability limit	:	0.6 %(V)	
Vapor	ur pressure	:	3,800 hPa (20 °C)	
Relati	ive vapour density	:	No data available	
Relati	ive density	:	0.68 (20 °C) Reference substance: Water The value is calculated	
Densi	ity	:	0.68 g/cm3 (20 °C)	
Bulk o	density	:	No data available	
	ility(ies) ater solubility	:	insoluble	
Sc	olubility in other solvents	6 :	No data available	
	ion coefficient: n- ol/water	:	No data available	



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 611

Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
3.6	21.03.2024	Date of first issue: 30.03.2013	21.03.2024

Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	< 20.5 mm2/s (40 °C)
Explosive properties	:	Not explosive
Oxidizing properties	:	No data available
9.2 Other information Sublimation point	:	No data available
Metal corrosion rate	:	Not corrosive to metals
Self-ignition	:	No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No	dangerous reaction known under conditions of normal use.
--------------------------	----------------------------------------------------------

10.4 Conditions to avoid

Conditions to avoid

: Heat, flames and sparks. Strong sunlight for prolonged periods. Risk of receptacle bursting.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 611

Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
3.6	21.03.2024	Date of first issue: 30.03.2013	21.03.2024

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity				
Product:				
Acute oral toxicity	:	Remarks: This information is not available.		
Acute inhalation toxicity	:	Symptoms: Inhalation may provoke the following symptoms:, Respiratory disorder		
Acute dermal toxicity	:	Remarks: Prolonged or repeated skin contact with liquid may cause defatting resulting in drying, redness and possible blistering.		
		Symptoms: Skin disorders		
Components:				
Hydrocarbons, C10-C13, r	n-alka	ines, isoalkanes, cyclics, < 2% aromatics:		
Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401		
Acute dermal toxicity	:	LD50 (Rabbit): > 5,000 mg/kg Method: OECD Test Guideline 402		
isobutane:				
Acute inhalation toxicity	:	LC50 (Rat): 658 mg/l Exposure time: 4 h Test atmosphere: gas		
butane:				
Acute inhalation toxicity	:	LC50 (Rat): 658 mg/l Exposure time: 4 h Test atmosphere: gas		
Skin corrosion/irritation				
Product:				
Remarks	:	This information is not available.		
Components:				
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:				
Species	:	Rabbit		
Assessment	:	No skin irritation		



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 611

N2 01	1			
ersion S	Revision Date: 21.03.2024		e of last issue: 20.12.2022 e of first issue: 30.03.2013	Print Date: 21.03.2024
Metho	od	:	OECD Test Guideline 404	
Resu	lt	:	Mild skin irritation	
Resu	lt	:	Repeated exposure may cause s	kin dryness or cracking.
Serio	ous eye damage/eye	irritati	on	
Prod	uct:			
Rema	arks	:	Contact with eyes may cause irrit	ation.
<u>Com</u>	ponents:			
Hydro	ocarbons, C10-C13	, n-alka	nes, isoalkanes, cyclics, < 2% ai	romatics:
Speci	ies	:	Rabbit	
	ssment	:	No eye irritation	
Metho		:	OECD Test Guideline 405	
Resu	It	:	No eye irritation	
Resp	iratory or skin sens	sitisatio	n	
Prod	<u>uct:</u>			
Rema	arks	:	This information is not available.	
Com	ponents:			
Hydro	ocarbons, C10-C13	, n-alka	nes, isoalkanes, cyclics, < 2% a	romatics:
Speci	ies	:	Guinea pig	
	ssment	:	Does not cause skin sensitisation	
Metho		:	OECD Test Guideline 406	
Resu	lt	:	Does not cause skin sensitisation	
Sulfo	onic acids, petroleu	n, calc	ium salts:	
Asses	ssment	:	The product is a skin sensitiser, s	ub-category 1B.
Germ	n cell mutagenicity			
Prod	uct:			
Geno	otoxicity in vitro	:	Remarks: No data available	
Geno	otoxicity in vivo	:	Remarks: No data available	
<u>Com</u>	ponents:			
Hydro	ocarbons, C10-C13	, n-alka	nes, isoalkanes, cyclics, < 2% ai	romatics:
Germ	o cell mutagenicity-	:	Tests on bacterial or mammalian	cell cultures did not show
Asses	ssment		mutagenic effects.	



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 611

Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
3.6	21.03.2024	Date of first issue: 30.03.2013	21.03.2024

Carcinogenicity

Product:

Remarks

Components:

Hydrocarbons,	C10-C13, n-alka	nes, is	soalkan	es, cyclics,	< 2% aromatics:

: No data available

Carcinogenicity -	:	Not classifiable as a human carcinogen.
Assessment		

Reproductive toxicity

Product:		
Effects on fertility	:	Remarks: No data available
Effects on foetal development	:	Remarks: No data available

Components:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:

Reproductive toxicity - Assessment	:	- Fertility -
		No toxicity to reproduction - Teratogenicity -
		No toxicity to reproduction

STOT - single exposure

Product:		
Remarks	:	No data available

Components:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics: Assessment : The substance or mixture is not classified as specif

sment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Product:

Components:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 611

Version 3.6	Revision Date: 21.03.2024	Date of last issue: 20.12.2022 Date of first issue: 30.03.2013	Print Date: 21.03.2024
Asse	ssment	: The substance or mixture is not organ toxicant, single exposure	
Repe	eated dose toxicity		
<u>Prod</u> Rema		: This information is not available	9.
Aspi	ration toxicity		
<u>Prod</u> May	uct: be fatal if swallowed a	and enters airways.	
<u>Com</u>	ponents:		
•	ocarbons, C10-C13, be fatal if swallowed a	n-alkanes, isoalkanes, cyclics, < 2% and enters airways.	aromatics:
Furth	ner information		
<u>Prod</u> Rema		: Information given is based on d the toxicology of similar produc	

SECTION 12: Ecological information

12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available

12.2 Persistence and degradability

Product:

Biodegradability	:	Remarks: No data available
Physico-chemical	:	Remarks: No data available



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 611

Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
3.6	21.03.2024	Date of first issue: 30.03.2013	21.03.2024

removability

12.3 Bioaccumulative potential

Product:

Bioaccumulation	 Remarks: Product does not contain substances which are persistent, bioaccumulative, and toxic (PBT) at levels of 0.1% or higher. Product does not contain substances which are very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.4 Mobility in soil

Product:

Mobility	:	Remarks: No data available
Distribution among environmental compartments	:	Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:

Troduoti	
Assessment	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
12.6 Other adverse effects	
Product:	
Endocrine disrupting potential	 The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

	0
Additional ecological	: No information on ecology is available.
information	

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

: Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 611

Version 3.6	Revision Date: 21.03.2024	Date of last issue: 20.12.2022 Date of first issue: 30.03.2013	Print Date: 21.03.2024		
Cont	aminated packaging	 Waste codes should be assigned application for which the product Packaging that is not properly e the unused product. Offer empty spray cans to an espressurized container: Do not p 	et was used. Imptied must be disposed of as stablished disposal company.		
Waste Code		 The following Waste Codes are only suggestions: unused product, packagings not completely emptied 16 05 04**, gases in pressure containers (including hale containing hazardous substances 			

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	UN 1950
RID	:	UN 1950
IMDG	:	UN 1950
ΙΑΤΑ	:	UN 1950
14.2 UN proper shipping name		
ADR	:	AEROSOLS
RID	:	AEROSOLS
IMDG	:	AEROSOLS
ΙΑΤΑ	:	Aerosols, flammable
14.3 Transport hazard class(es)		
ADR	:	2
RID	:	2
IMDG	:	2.1
ΙΑΤΑ	:	2.1
14.4 Packing group		
ADR Packing group Classification Code Labels Tunnel restriction code RID	:	Not assigned by regulation 5F 2.1 (D)



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 611

Version 3.6	Revision Date: 21.03.2024	Date of last issue: 20.12.2022 Date of first issue: 30.03.2013	Print Date: 21.03.2024
		N	

Packing group Classification Code Hazard Identification Number Labels	-	Not assigned by regulation 5F 23 2.1
IMDG Packing group Labels EmS Code	-	Not assigned by regulation 2.1 F-D, S-U
IATA (Cargo) Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels	:	203 Y203 Not assigned by regulation Flammable Gas
IATA (Passenger) Packing instruction (passenger aircraft) Packing instruction (LQ) Packing group Labels	:	203 Y203 Not assigned by regulation Flammable Gas

14.5 Environmental hazards

ADR Environmentally hazardous	:	no
RID Environmentally hazardous	:	no
IMDG Marine pollutant	:	no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks

: Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

Regulation (EC) No 1005/2009 on substances that : Not applicable deplete the ozone layer (EC 1005/2009)



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 611

Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
3.6	21.03.2024	Date of first issue: 30.03.2013	21.03.2024

UK REACH List of substances subject to authorisation (Annex XIV) (UK. REACH Annex XIV)	: Not applicable
GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation (GB PIC)	: Not applicable
Regulation (EU) 2019/1148 on the marketing and use of explosives precursors	: Not applicable
emissions (integrated p	of 24 November 2010 on industrial pollution prevention and control) punds (VOC) content: 85.91 %

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of R-Phrases	
Note C	Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.
Note P	The harmonised classification as a carcinogen or mutagen applies unless it can be shown that the substance contains less than 0,1 % w/w benzene (Einecs No 200-753-7), in which case a classification in accordance with Title II of this Regulation shall be performed also for those hazard classes. Where the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-)P260- P262-P301 + P310-P331 shall apply.
Note U (table 3.1)	When put on the market gases have to be classified as "Gases under pressure", in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case. The following codes are assigned: Press. Gas (Comp.) Press. Gas (Liq.) Press. Gas (Ref. Liq.) Press. Gas (Diss.) Aerosols shall not be classified as gases under pressure (See Annex I, Part 2, Section 2.3.2.1, Note 2).



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 611

Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
3.6	21.03.2024	Date of first issue: 30.03.2013	21.03.2024

Full text of H-Statements	
EUH066	: Repeated exposure may cause skin dryness or cracking.
H220	: Extremely flammable gas.
H280	: Contains gas under pressure; may explode if heated.
H304	: May be fatal if swallowed and enters airways.
H317	: May cause an allergic skin reaction.
Full tout of other all have int	

Full text of other abbreviations

Note C	:	Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.
Note P	:	The harmonised classification as a carcinogen or mutagen applies unless it can be shown that the substance contains less than 0,1 % w/w benzene (Einecs No 200-753-7), in which case a classification in accordance with Title II of this Regulation shall be performed also for those hazard classes. Where the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-)P260- P262-P301 + P310-P331 shall apply.
Note U (table 3.1)	:	When put on the market gases have to be classified as "Gases under pressure", in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case. The following codes are assigned: Press. Gas (Comp.) Press. Gas (Liq.) Press. Gas (Ref. Liq.) Press. Gas (Diss.) Aerosols shall not be classified as gases under pressure (See Annex I, Part 2, Section 2.3.2.1, Note 2).
GB EH40 GB EH40 / TWA GB EH40 / STEL	:	UK. EH40 WEL - Workplace Exposure Limits Long-term exposure limit (8-hour TWA reference period) Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 611

Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
3.6	21.03.2024	Date of first issue: 30.03.2013	21.03.2024

Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG -United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Classification of the mixture:		Classification procedure:
Aerosol 1	H222, H229	Based on product data or assessment
Asp. Tox. 1	H304	Based on product data or assessment

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

