

Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.6	21.03.2024	Date of first issue: 09.07.2016	21.03.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier		
	Product name	:	OKS 611
1.2	Relevant identified uses of th	ne s	substance or mixture and uses advised against
	Use of the Substance/Mixture	:	Lubricant spray
	Recommended restrictions on use	:	Restricted to professional users.
1.3	Details of the supplier of the	saf	ety data sheet
	Company	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com
	E-mail address of person responsible for the SDS	:	mcm@oks-germany.com
	National contact	:	EagleBurgmann Hungaria Kft. Népfürdő utca 22 1138 Budapest Hungary Tel.: +36 1 814 8160 Fax: +36 1 319 8125 info.hu@eagleburgmann.com

1.4 Emergency telephone number

Emergency telephone	: 0049 (0) 8142-3051-517
number	Egészségügyi Toxikológiai Tájékoztató Szolgálat (ETTSZ)
	H-1096 Budapest, Nagyvárad tér 2.
	Tel: +36 1 476 6464, +36 80 201 199





Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.6	21.03.2024	Date of first issue: 09.07.2016	21.03.2024

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Aerosols, Category 1	H222: Extremely flammable aerosol. H229: Pressurised container: May burst if heated.
Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters airways.

2.2 Label elements

Labelling (REGULATION (EC)	No 1272/2008)	
Hazard pictograms	:		
Signal word	:	Danger	
Hazard statements	:	H222 H229 H304	Extremely flammable aerosol. Pressurised container: May burst if heated. May be fatal if swallowed and enters airways.
Supplemental Hazard Statements	:	EUH066	Repeated exposure may cause skin dryness or cracking.
Precautionary statements	:	Prevention:	
		P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
		P210 P211	open flames and other ignition sources. No smoking. Do not spray on an open flame or other
			open flames and other ignition sources. No smoking.
		P211	open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source.
		P211 P251	open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. IF SWALLOWED: Immediately call a
		P211 P251 Response:	open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.
		P211 P251 Response: P301 + P310	open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

Hazardous components which must be listed on the label:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics





Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.6	21.03.2024	Date of first issue: 09.07.2016	21.03.2024

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Active substance with propellant Solvent Mineral oil.

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
Hydrocarbons, C10- C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	918-481-9 01-2119457273-39- XXXX	Asp. Tox.1; H304; EUH066 ; EUH066	Note PNote P	>= 30 - < 50
propane	74-98-6 200-827-9 601-003-00-5 01-2119486944-21- XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1)	>= 1 - < 10
isobutane	75-28-5 200-857-2 601-004-00-0	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1), Note C	>= 1 - < 10



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 611

Version Revision Da 2.6 21.03.2024		sue: 20.12.2022 sue: 09.07.2016	Print I 21.03	
	01-2119485395-27- XXXX			
Sulfonic acids, petroleum, calcium salts	61789-86-4 263-093-9 01-2119488992-18- 0000	Skin Sens.1B; H317	>= 10 % Skin Sens.1B,	>= 0,1 - < 1
Substances with a work	place exposure limit :	I	I	I
butane	106-97-8 203-448-7 601-004-00-0 01-2119474691-32- XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1), Note C	>= 30 - < 50
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7 265-157-1 649-467-00-8 01-2119484627-25- XXXX	Not classified	Note L	>= 1 - < 10
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified	64742-65-0 265-169-7 649-474-00-6 01-2119471299-27- XXXX	Not classified	Note L	>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled

Remove person to fresh air. If signs/symptoms continue, get medical attention.
 Keep patient warm and at rest.
 If unconscious, place in recovery position and seek medical advice.
 Keep respiratory tract clear.
 If breathing is irregular or stopped, administer artificial





OKS 61	1		
Version 2.6	Revision Date: 21.03.2024	Date of last issue: 20.12.2022 Date of first issue: 09.07.2016	Print Date: 21.03.2024
		respiration.	
In ca	se of skin contact	 Take off all contaminated clothin Get medical attention immediate persists. Wash clothing before reuse. Thoroughly clean shoes before Wash skin thoroughly with soap skin cleanser. 	ely if irritation develops and reuse.
In ca	se of eye contact	: Rinse immediately with plenty o for at least 10 minutes. Seek medical advice.	f water, also under the eyelids,
lf swa	allowed	: Move the victim to fresh air. Keep respiratory tract clear. Do NOT induce vomiting. Obtain medical attention. Rinse mouth with water. Aspiration hazard if swallowed - damage.	can enter lungs and cause
4.2 Most	important symptom	s and effects, both acute and delayed	l
Symj	ptoms	 Inhalation may provoke the follo Unconsciousness Dizziness Drowsiness Headache Nausea Tiredness Skin contact may provoke the for Erythema 	
		Aspiration may cause pulmonar	y oedema and pneumonitis.
Risks	5	: Can be absorbed through skin. Risk of product entering the lung Health injuries may be delayed.	
	•	ate medical attention and special treat	tment needed
Treat	tment	: Treat symptomatically.	

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : ABC powder





Versi 2.6	ion	Revision Date: 21.03.2024		e of last issue: 20.12.2022 e of first issue: 09.07.2016	Print Date: 21.03.2024
	Unsuita media	able extinguishing	:	High volume water jet	
5.2 S	Special	hazards arising from	n the	e substance or mixture	
	Specifi firefigh	c hazards during ting	:	Fire Hazard Do not let product enter drains. Contains gas under pressure; may explor Beware of vapours accumulating to form concentrations. Vapours can accumulate	explosive
	Hazarc produc	lous combustion ts	:	Carbon oxides Nitrogen oxides (NOx)	
5.3 A	Advice	for firefighters			
	Specia for firef	I protective equipment ighters	t :	In the event of fire, wear self-contained b Use personal protective equipment. Expo decomposition products may be a hazard	sure to
	Furthe	r information	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing w must not be discharged into drains. Cool containers/tanks with water spray.	ater separately. This

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Only qualified personnel equipped with suitable equipment may intervene.		Do not breathe vapours or spray mist. Refer to protective measures listed in sections 7 and Only qualified personnel equipped with suitable protections	
--	--	---	--

Environmental precautions Try to prevent the material from entering drains or water courses. Prevent further leakage or spillage if safe to do so. Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to





2.6 21.03.2024 Date of first issue: 09.07.2016 21.03.2024	Version 2.6	Revision Date: 21.03.2024	Date of last issue: 20.12.2022 Date of first issue: 09.07.2016	Print Date: 21.03.2024
---	----------------	---------------------------	---	------------------------

local / national regulations (see section 13). Keep in suitable, closed containers for disposal. Non-sparking tools should be used.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling :	Do not use in areas without adequate ventilation. Do not breathe vapours or spray mist. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin and eyes. For personal protection see section 8. Keep away from fire, sparks and heated surfaces. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not ingest. Do not use sparking tools. These safety instructions also apply to empty packaging which may still contain product residues. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.
Hygiene measures :	Wash face, hands and any exposed skin thoroughly after handling.
7.2 Conditions for safe storage, incl	uding any incompatibilities
Requirements for storage : areas and containers	BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Store in accordance with the particular national regulations.
7.3 Specific end use(s)Specific use(s):	Specific instructions for handling, not required.





Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.6	21.03.2024	Date of first issue: 09.07.2016	21.03.2024

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
butane	106-97-8	TWAMean concentration	2.350 mg/m3	HU OEL (2021-07-26)
		ation: Irritants, simp No correction is rec	le suffocation gases, substar juired.	nces with minor
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7	TWAMean concentration (Mist)	5 mg/m3	HU OEL (2021-07-26)
	Further information: Limit value recommended in SCOEL/SUM/163/2011, Substances which have a health hazard after PROLONGED exposure. Corrected value = TWA x 40 / number of hours per week			
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified	64742-65-0	TWAMean concentration (Mist)	5 mg/m3	HU OEL (2021-07-26)
	Further information: Limit value recommended in SCOEL/SUM/163/2011, Substances which have a health hazard after PROLONGED exposure. Corrected value = TWA x 40 / number of hours per week			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

	· · ·	• •		
Substance name	End Use	Exposure routes	Potential health effects	Value
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	Workers	Inhalation	Long-term local effects	5,58 mg/m3
	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,97 mg/kg
Distillates (petroleum), solvent- dewaxed heavy paraffinic; Baseoil — unspecified	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
· · ·	Workers	Skin contact	Long-term systemic effects	0,97 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:





Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.6	21.03.2024	Date of first issue: 09.07.2016	21.03.2024

Substance name	Environmental Compartment	Value
Distillates (petroleum),	Oral	9,33 mg/kg
hydrotreated heavy paraffinic;		
Baseoil — unspecified		
Distillates (petroleum), solvent-	Oral	9,33 mg/kg
dewaxed heavy paraffinic;		
Baseoil — unspecified		

8.2 Exposure controls

Engineering measures

Use only in an area equipped with explosion proof exhaust ventilation. Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal	protective	equipment
----------	------------	-----------

Eye/face protection :	Safety glasses with side-shields
Hand protection Material : Break through time : Protective index :	butyl-rubber > 10 min Class 1
Remarks :	Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.
Skin and body protection :	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Respiratory protection :	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Short term only
Filter type :	Filter type A-P
Protective measures :	The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 611

Version 2.6	Revision Date: 21.03.2024		of last issue: 20.12.2022 of first issue: 09.07.2016	Print Date: 21.03.2024
Physic	al state	:	aerosol	
Colour		:	green, black	
Odour		:	characteristic	
Odour	Threshold	:	No data available	
Melting	g point/range	:	No data available	
Boiling	point/boiling range	:	-161 °C (1.013 hPa)	
Flamm	ability (solid, gas)	:	Extremely flammable aerosol.	
	explosion limit / Upper ability limit	:	15 %(V)	
	explosion limit / Lower ability limit	:	0,6 %(V)	
Flash p	point	:	-91 °C Method: Abel-Pensky	
Auto-ig	nition temperature	:	No data available	
Decom	position temperature	:	No data available	
рН		:	Not applicable substance/mixture is non-soluble (in wa	ter)
Viscosi Visc	ity cosity, dynamic	:	No data available	
Viso	cosity, kinematic	:	< 20,5 mm2/s (40 °C)	
Solubil Wat	ity(ies) ter solubility	:	insoluble	
Solu	ubility in other solvents	6 :	No data available	
Partitio octano	n coefficient: n- I/water	:	No data available	
Vapou	r pressure	:	3.800 hPa (20 °C)	
Relativ	e density	:	0,68 (20 °C) Reference substance: Water	





•••••	-		
Version 2.6	Revision Date: 21.03.2024	Date of last issue: 20.12.2022 Date of first issue: 09.07.2016	Print Date: 21.03.2024
		The value is calculated	
Density		: 0,68 g/cm3 (20 °C)	
Bulk	density	: No data available	
Relat	tive vapour density	: No data available	
9.2 Other	· information		
Explosives		: Not explosive	
Oxidi	izing properties	: No data available	
Self-ignition		: No data available	
Metal corrosion rate		: Not corrosive to metals	
Evaporation rate		: No data available	
Subli	imation point	: No data available	

SECTION 10: Stability and reactivity

10.1 Reactivity No hazards to be specially mentioned.

10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

:	Heat, flames and sparks. Strong sunlight for prolonged periods. Risk of receptacle bursting.
	Risk of receptacle bursting.
	:

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.





Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.6	21.03.2024	Date of first issue: 09.07.2016	21.03.2024

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity		
Product:		
Acute oral toxicity	:	Remarks: This information is not available.
Acute inhalation toxicity	:	Symptoms: Inhalation may provoke the following symptoms:, Respiratory disorder
Acute dermal toxicity	:	Remarks: Prolonged or repeated skin contact with liquid may cause defatting resulting in drying, redness and possible blistering.
		Symptoms: Skin disorders
Components:		
Hydrocarbons, C10-C13, n-a	alka	anes, isoalkanes, cyclics, < 2% aromatics:
Acute oral toxicity	:	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401
Acute dermal toxicity	:	LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 402
isobutane:		
Acute inhalation toxicity	:	LC50 (Rat): 658 mg/l Exposure time: 4 h Test atmosphere: gas
butane:		
Acute inhalation toxicity	:	LC50 (Rat): 658 mg/l Exposure time: 4 h Test atmosphere: gas
Distillates (petroleum), hydr	rotr	eated heavy paraffinic; Baseoil — unspecified:
Acute oral toxicity	:	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 GLP: yes
Acute inhalation toxicity	:	LC50 (Rat): > 5,53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute





KS 61 1	1			
ersion 6	Revision Date: 21.03.2024		last issue: 20.12.2022 first issue: 09.07.2016	Print Date: 21.03.2024
		inh	alation toxicity	
Acute	e dermal toxicity		50 (Rabbit): > 5.000 mg/kg thod: OECD Test Guideline 40)2
Distil	lates (petroleum), s	olvent-dev	vaxed heavy paraffinic; Base	oil — unspecified:
Acute	oral toxicity		50 (Rat): > 5.000 mg/kg thod: OECD Test Guideline 40)1
Acute	e dermal toxicity		50 (Rabbit): > 5.000 mg/kg thod: OECD Test Guideline 40)2
Skin	corrosion/irritation			
Produ	uct:			
Rema	arks	: Th	is information is not available.	
<u>Com</u>	oonents:			
			, isoalkanes, cyclics, < 2% ai	romatics:
Speci			bbit	
	ssment		skin irritation	
Metho			CD Test Guideline 404	
Resul	It	: Mil	d skin irritation	
Resul	lt	: Re	peated exposure may cause s	kin dryness or cracking.
Distil	lates (petroleum), h	ydrotreate	d heavy paraffinic; Baseoil -	– unspecified:
Speci	es		bbit	
Asses	ssment		skin irritation	
Metho		-	CD Test Guideline 404	
Resul GLP	lt	: No : yes	skin irritation	
Distil	lates (petroleum), s	olvent-dev	vaxed heavy paraffinic; Base	oil — unspecified:
Speci	es	: Ra	bbit	-
	ssment		skin irritation	
Metho		: OE	CD Test Guideline 404	
Resul	lt	: No	skin irritation	
GLP		: yes	3	
Serio	us eye damage/eye	irritation		
Produ	uct:			
Rema	arks	: Co	ntact with eyes may cause irrit	ation.





Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.6	21.03.2024	Date of first issue: 09.07.2016	21.03.2024

Components:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:

Species	:	Rabbit
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Result	:	No eye irritation

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified:

Species	:	Rabbit
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Result	:	No eye irritation
GLP	:	yes

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified:

Species	:	Rabbit
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Result	:	No eye irritation
GLP	:	yes

Respiratory or skin sensitisation

Product:

Remarks : This information is not available.

Components:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:

Species :	Guinea pig
Assessment :	Does not cause skin sensitisation.
Method :	OECD Test Guideline 406
Result :	Does not cause skin sensitisation.

Sulfonic acids, petroleum, calcium salts:

: The product is a skin sensitiser, sub-category 1B.

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified:

Species :	Guinea pig
Assessment :	Does not cause skin sensitisation.
Method :	OECD Test Guideline 406
Result :	Does not cause skin sensitisation.
GLP :	yes





OKS 61	1		
Version 2.6	Revision Date: 21.03.2024	Date of last issue: 20.12.2022 Date of first issue: 09.07.2016	Print Date: 21.03.2024
Spec	ies ssment od	Solvent-dewaxed heavy paraffinic; Bas Guinea pig Does not cause skin sensitisatio OECD Test Guideline 406 Does not cause skin sensitisatio yes	on.
Germ	n cell mutagenicity		
	uct: otoxicity in vitro otoxicity in vivo	: Remarks: No data available : Remarks: No data available	
Com	ponents:		
Hydr Germ		 , n-alkanes, isoalkanes, cyclics, < 2% : Tests on bacterial or mammalia mutagenic effects. 	
	llates (petroleum), s otoxicity in vitro	Solvent-dewaxed heavy paraffinic; Bas : Test system: Salmonella typhim Metabolic activation: with and w Method: OECD Test Guideline 4 Result: negative	urium ithout metabolic activation
Genc	otoxicity in vivo	: Species: Mouse Application Route: Oral Method: OECD Test Guideline Result: negative	474
Carc	inogenicity		
<u>Prod</u> Rema		: No data available	
Com	ponents:		
Carci	ocarbons, C10-C13 nogenicity - ssment	, n-alkanes, isoalkanes, cyclics, < 2% : Not classifiable as a human card	
Carci	llates (petroleum), ł nogenicity - ssment	nydrotreated heavy paraffinic; Baseoil : Not classifiable as a human card	•





OKS 61	1						
Version 2.6	Revision Date: 21.03.2024	Date of last issue: 20.12.2022Print DaDate of first issue: 09.07.201621.03.20					
Spec	cation Route	Ivent-dewaxed heavy paraffinic; Baseoil — unspecifie : Mouse : Dermal : OECD Test Guideline 451 : negative	ed:				
Repr	oductive toxicity						
	l uct: ets on fertility ets on foetal	Remarks: No data availableRemarks: No data available					
	lopment	. Remarks. No data avaliable					
<u>Com</u>	ponents:						
Hydr	ocarbons, C10-C13,	n-alkanes, isoalkanes, cyclics, < 2% aromatics:					
	oductive toxicity - ssment	 Fertility - No toxicity to reproduction Teratogenicity - 					
		No toxicity to reproduction					
Repr	llates (petroleum), h oductive toxicity - ssment	drotreated heavy paraffinic; Baseoil — unspecified: : - Fertility - No toxicity to reproduction					
Disti	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:						
Effec	ets on foetal lopment	 Species: Rat Application Route: Dermal General Toxicity Maternal: NOAEL: 30 mg/kg body Developmental Toxicity: NOAEL: 30 mg/kg body w Method: OECD Test Guideline 414 	/ weight				
STO	T - single exposure						
<u>Prod</u> Rem		: No data available					
<u>Com</u>	ponents:						
Hydr	ocarbons, C10-C13,	n-alkanes, isoalkanes, cyclics, < 2% aromatics:					
Asse	ssment	: The substance or mixture is not classified as specion organ toxicant, single exposure.	fic target				





OKS 6	511					
Version 2.6	Revision Date: 21.03.2024		e of last issue: 20.12.2022 e of first issue: 09.07.2016	Print Date: 21.03.2024		
ST	OT - repeated exposure					
Pro	oduct:					
Re	marks	:	No data available			
<u>Co</u>	mponents:					
Ну	drocarbons, C10-C13, n	-alka	anes, isoalkanes, cyclics, < 2% aromatic	S:		
As	sessment	:	The substance or mixture is not classified organ toxicant, single exposure.	d as specific target		
Re	peated dose toxicity					
Pro	oduct:					
Re	marks	:	This information is not available.			
As	piration toxicity					
Pre	oduct:					
Ma	y be fatal if swallowed an	d en	ters airways.			
<u>Co</u>	mponents:					
Hv	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:					
	y be fatal if swallowed an					
			eated heavy paraffinic; Baseoil — unsp	ecified:		
No	aspiration toxicity classifi	catio	'n			
Dis	stillates (petroleum), sol	vent	-dewaxed heavy paraffinic; Baseoil — u	inspecified:		
	aspiration toxicity classifi					
11.2 Inf	ormation on other haza	rds				
En	docrine disrupting prop	ertie	S			
Pre	oduct:					
As	sessment	:	The substance/mixture does not contain considered to have endocrine disrupting to REACH Article 57(f) or Commission D (EU) 2017/2100 or Commission Regulati levels of 0.1% or higher.	properties according elegated regulation		
Fu	rther information					
Pro	oduct:					





Version 2.6	Revision Date: 21.03.2024	Date of last issue: 20.12.2022 Date of first issue: 09.07.2016	Print Date: 21.03.2024
Remarks		: Information given is based on data the toxicology of similar products.	a on the components and

SECTION 12: Ecological information

12.1 Toxicity

<u>Product:</u> Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available
Components:		
Hvdrocarbons, C10-C13, n-a	alka	nes, isoalkanes, cyclics, < 2% aromatics:
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h
Distillatos (notroloum), budr	ofr	acted heavy paraffinia, Pacacil unanacified
Toxicity to fish	otr :	eated heavy paraffinic; Baseoil — unspecified: LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 10.000 mg/l Exposure time: 48 h Test Type: Immobilization Method: OECD Test Guideline 202 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	:	NOEC: 10 mg/l Exposure time: 21 d





ersion	Revision Date:		e of last issue: 20.12.2022	Print Date:
6	21.03.2024	Date	e of first issue: 09.07.2016	21.03.2024
(Chroi	nic toxicity)		Species: Daphnia magna (Water fle Test Type: semi-static test Method: OECD Test Guideline 211 GLP: yes	a)
Distill	ates (petroleum), solv	vent-	dewaxed heavy paraffinic; Baseoi	I — unspecified:
Toxici	ty to fish	:	LC50 (Pimephales promelas (fathea Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes	ad minnow)): > 100 mg/l
	ty to daphnia and other c invertebrates	:	EC50 (Daphnia magna (Water flea)) Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202): > 10.000 mg/l
Toxici plants	ty to algae/aquatic	:	NOEC (Pseudokirchneriella subcap mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201	itata (green algae)): > 1
aquati	ty to daphnia and other c invertebrates nic toxicity)	:	NOEC: 10 mg/l Exposure time: 21 d Species: Daphnia magna (Water fle	a)
2.2 Persis	stence and degradabi	lity		
<u>Produ</u>	<u>ict:</u>			
Biode	gradability	:	Remarks: No data available	
Physic remov	co-chemical ⁄ability	:	Remarks: No data available	
<u>Comp</u>	oonents:			
Distill	ates (petroleum), hyd	rotro	eated heavy paraffinic; Baseoil — u	unspecified:
Biode	gradability	:	Test Type: aerobic Inoculum: activated sludge Result: Not rapidly biodegradable Biodegradation: 3 % Exposure time: 28 d Method: OECD Test Guideline 301E GLP: yes	3

Biodegradability : Test Type: aerobic





OKS	611					
Versio 2.6	on	Revision Date: 21.03.2024		e of last issue: 20.12.2022 e of first issue: 09.07.2016	Print Date: 21.03.2024	
				Inoculum: activated sludge Result: Not rapidly biodegradable Biodegradation: 31 % Exposure time: 28 d Method: OECD Test Guideline 301B GLP: yes		
12.3 I	Bioaco	cumulative potential				
E	Produ	<u>ct:</u>				
E	Bioacc	umulation	:	Remarks: Product does not contain subs persistent, bioaccumulative, and toxic (P or higher. Product does not contain substances wh persistent and very bioaccumulative (vPv or higher.	BT) at levels of 0.1% ich are very	
<u>(</u>	Comp	onents:				
F		ne: In coefficient: n- I/water	:	log Pow: 2,36		
i	sobut	ane:				
		n coefficient: n- I/water	:	log Pow: 2,88 Method: OECD Test Guideline 107		
k	butane) :				
		n coefficient: n- I/water	:	log Pow: 2,89 Method: OECD Test Guideline 107		
[Distilla	ates (petroleum), hyd	rotre	eated heavy paraffinic; Baseoil — unsp	ecified:	
		n coefficient: n- I/water	:	log Pow: > 2		
12.4 I	Mobili	ty in soil				
Ē	Produ	<u>ct:</u>				
Ν	Mobility	y	:	Remarks: No data available		
		ution among nmental compartments		Remarks: No data available		
12.5	12.5 Results of PBT and vPvB assessment					

12.5 Results of PBT and vPvB assessment

Product:





OKS 61 [°]	1		
Version 2.6	Revision Date: 21.03.2024	Date of last issue: 20.12.2022 Date of first issue: 09.07.2016	Print Date: 21.03.2024
Asse	ssment	to be either persistent, bioacc	ins no components considered cumulative and toxic (PBT), or ccumulative (vPvB) at levels of
<u>Com</u>	ponents:		
Hydr	ocarbons, C10-C13,	, n-alkanes, isoalkanes, cyclics, < 29	% aromatics:
Asse	ssment	: Non-classified PBT substance	e. Non-classified vPvB substance
		ydrotreated heavy paraffinic; Based	•
Asse	ssment	: Non-classified vPvB substanc	e. Non-classified PBT substance
12.6 Endo	ocrine disrupting pr	operties	
Prod	uct:		
Asse	ssment	to REACH Article 57(f) or Cor	not contain components disrupting properties according mmission Delegated regulation on Regulation (EU) 2018/605 at
12.7 Othe	r adverse effects		
Prod	uct:		
	ional ecological nation	: No information on ecology is a	available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
		Waste codes should be assigned by the user based on the application for which the product was used.
Contaminated packaging	:	Packaging that is not properly emptied must be disposed of as the unused product. Offer empty spray cans to an established disposal company. Pressurized container: Do not pierce or burn, even after use.
		The following Waste Codes are only suggestions:
Waste Code	:	unused product, packagings not completely emptied
		a brand of





VersionRevision Date:Date of last issue: 20.122.621.03.2024Date of first issue: 09.07	
---	--

16 05 04**, gases in pressure containers (including halons) containing hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

	ADN	:	UN 1950
	ADR	:	UN 1950
	RID	:	UN 1950
	IMDG	:	UN 1950
	ΙΑΤΑ	:	UN 1950
14.2	2 UN proper shipping name		
	ADN	:	AEROSOLS
	ADR	:	AEROSOLS
	RID	:	AEROSOLS
	IMDG	:	AEROSOLS
	ΙΑΤΑ	:	Aerosols, flammable
14.3	3 Transport hazard class(es)		
	ADN	:	2
	ADR	:	2
	RID	:	2
	IMDG	:	2.1
	ΙΑΤΑ	:	2.1
14.4	4 Packing group		
	ADN Packing group Classification Code Labels	:	Not assigned by regulation 5F 2.1
	ADR Packing group Classification Code Labels Tunnel restriction code	:	Not assigned by regulation 5F 2.1 (D)
	RID Packing group Classification Code	:	Not assigned by regulation 5F





	0011				
Vers 2.6	sion	Revision Date: 21.03.2024		e of last issue: 20.12.2022 e of first issue: 09.07.2016	Print Date: 21.03.2024
	Hazard Labels	Identification Number	r : :	23 2.1	
	IMDG Packing Labels EmS C	g group ode	:	Not assigned by regulation 2.1 F-D, S-U	
	IATA (Cargo) Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels IATA (Passenger) Packing instruction (passenger aircraft) Packing instruction (LQ) Packing group Labels		:	203 Y203 Not assigned by regulation Flammable Gas	
			:	203 Y203 Not assigned by regulation Flammable Gas	
14.5	i Enviro	nmental hazards			
	ADN Enviror	nmentally hazardous	:	no	
	ADR Enviror	nmentally hazardous	:	no	
	RID Enviror	nmentally hazardous	:	no	
	IMDG Marine	pollutant	:	no	

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

```
Remarks
```

: Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on : Not applicable the market and use of certain dangerous substances, mixtures and articles (Annex XVII)





OKS 611					
Version 2.6	Revision Date: 21.03.2024	Date of last issue: 20. Date of first issue: 09.		Print Date: 21.03.2024	
REACH - Candidate List of Substances of Very High : Concern for Authorisation (Article 59). (EU SVHC)				This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).	
Regulation (EC) No 1005/2009 on substances that : deplete the ozone layer (EC 1005/2009)			:	Not applicable	
Regulation (EU) 2019/1021 on persistent organic : pollutants (recast) (EU POP)			:	Not applicable	
Regulation (EU) No 649/2012 of the European : Not applicable Parliament and the Council concerning the export and import of dangerous chemicals (EU PIC)				Not applicable	
Regulation (EU) 2019/1148 on the marketing and use of : explosives precursors			Not applicable		
			P2		
Parlia majoi	so III: Directive 2012/ ament and of the Cour r-accident hazards inv ances.		P3a	FLAMMABLE AEROSOLS	
			18	Liquefied flammable gases (including LPG) and natural gas	
			34	Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a) to (d)	





Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.6	21.03.2024	Date of first issue: 09.07.2016	21.03.2024

Volatile organic compounds :

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 85,91 %

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

2000 XXV. Law on chemical safety

44/2000. (XII 27) Ministry of health dangerous substances and preparations dangerous for certain procedures and arrangements for activities

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

EUH066	: Repeated exposure may cause skin dryness or cracking.
H220	: Extremely flammable gas.
H280	: Contains gas under pressure; may explode if heated.
H304	: May be fatal if swallowed and enters airways.
H317	: May cause an allergic skin reaction.
EUH066	: Repeated exposure may cause skin dryness or cracking.

Full text of other abbreviations

Note C	: Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.
Note L	: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method"Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed





UN2 01	1				
Version 2.6	Revision Date: 21.03.2024	Date of last issue: 20.12.2022 Date of first issue: 09.07.2016	Print Date: 21.03.2024		
Note P		 also for that hazard class. The harmonised classification as a carcinogen or mutagen applies unless it can be shown that the substance contains less than 0,1 % w/w benzene (Einecs No 200-753-7), in which case a classification in accordance with Title II of this Regulation shall be performed also for those hazard classes. Where the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-)P260-P262-P301 + P310-P331 shall apply. 			
Note U (table 3.1)		"Gases under pressure", in one of gas, liquefied gas, refrigerated live The group depends on the physic packaged and therefore has to be following codes are assigned: Press. Gas (Ref. Liq.) Press.	: When put on the market gases have to be classified as "Gases under pressure", in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case. The following codes are assigned: Press. Gas (Comp.) Press. Gas (Liq.) Press. Gas (Ref. Liq.) Press. Gas (Diss.) Aerosols shall not be classified as gases under pressure (See Annex I, Part 2. Section 2.3.2.1. Note 2).		
HU(DEL	: Hungary. Occupational Exposure Permissible concentration values			
HU (DEL / TWA	: Mean concentration			

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials: bw - Body weight: CLP - Classification Labelling Packaging Regulation: Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-





Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.6	21.03.2024	Date of first issue: 09.07.2016	21.03.2024

Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Classification of the mixtur	e:	Classification procedure:
Aerosol 1	H222, H229	Based on product data or assessment
Asp. Tox. 1	H304	Based on product data or assessment

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

