according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 641

Version	Revision Date:	Date of last issue: 20.07.2021	Print Date:
4.1	21.12.2022	Date of first issue: 09.07.2016	21.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1 1	Product identifier		
1.1			OKS 641
1.2	Relevant identified uses of the	s	ubstance or mixture and uses advised against
	Use of the Sub- : stance/Mixture		Lubricant spray
	Recommended restrictions : on use		Restricted to professional users.
1.3	Details of the supplier of the sa	afe	ety data sheet
	Company :		OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com
	E-mail address of person : responsible for the SDS		mcm@oks-germany.com Material Compliance Management
	National contact :		EagleBurgmann Hungaria Kft. Népfürdő utca 22 1138 Budapest Hungary Tel.: +36 1 814 8160 Fax: +36 1 319 8125 info.hu@eagleburgmann.com
1.4	Emergency telephone number		
	Emergency telephone num- :		0049 (0) 8142-3051-517

Emergency telephone num-	:	0049 (0) 8142-3051-517
ber		Egészségügyi Toxikológiai Tájékoztató Szolgálat (ETTSZ)
		H-1096 Budapest, Nagyvárad tér 2.
		Tel: +36 1 476 6464, +36 80 201 199

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 641

UNS	041						
Versio 4.1	on	Revision Date: 21.12.2022		ate of last iss ate of first iss			Print Date: 21.12.2022
Δ	Aerosc	lls, Category 2			-	Flammable aerosol. Pressurised container: N	May burst if heated.
Д	Aspirat	ion hazard, Category	1		H304: ways.	May be fatal if swallowe	d and enters air-
2.2 La	abel e	lements					
L	_abelli	ing (REGULATION (EC)	No 1272/20	08)		
F	Hazaro	l pictograms	:				
S	Signal	word	:	Danger			
F	Hazaro	statements	:	H223 H229 H304		Flammable aerosol. Pressurised container: May be fatal if swallow ways.	
	Supple Statem	mental Hazard nents	:	EUH066		Repeated exposur dryness or cracking.	e may cause skin
F	Precau	tionary statements		Preventio	n:		
		,	-	P210		Keep away from heat, open flames and other smoking.	
				P211		Do not spray on an ope ignition source.	en flame or other
				P251		Do not pierce or burn,	even after use.
				Response	:		
				P301 + P3	10	IF SWALLOWED: Imm POISON CENTER/ do	ctor.
				P331		Do NOT induce vomitir	ıg.
				Storage:		_	
				P410 + P4	12	Protect from sunlight. I temperatures exceedin	

Hazardous components which must be listed on the label:

Naphtha (petroleum), hydrotreated heavy; Low boiling point ydrogen treated naphtha

Additional Labelling

EUH208 Contains Sulfonic acids, petroleum, calcium salts. May produce an allergic reaction.



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 641

Version	Revision Date:	Date of last issue: 20.07.2021	Print Date:
4.1	21.12.2022	Date of first issue: 09.07.2016	21.12.2022

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Active substance with propellant

Components						
Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concen- tration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)		
Naphtha (petroleum), hydrotreated heavy; Low boiling point ydrogen treated naph- tha	64742-48-9 265-150-3 649-327-00-6	Asp. Tox.1; H304; EUH066 ; EUH066	Note PNote P	>= 50 - < 70		
Sulfonic acids, petro- leum, calcium salts	61789-86-4 263-093-9 01-2119488992-18- 0000	Skin Sens.1B; H317	>= 10 % Skin Sens.1B,	>= 1 - < 10		
Substances with a work	Substances with a workplace exposure limit :					
distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7 265-157-1 649-467-00-8	Not classified	Note L	>= 1 - < 10		



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 641

Version 4.1	Revision Da 21.12.2022			Print Date: 21.12.2022	
		01-2119484627-25- XXXX			
solvent-dewaxed heavy paraffinic; Baseoil — unspecified 6 0		64742-65-0 265-169-7 649-474-00-6 01-2119471299-27- XXXX	Not classified	Note L	>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled	 Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respiration.
In case of skin contact	 Take off all contaminated clothing immediately. Get medical attention immediately if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse. Wash skin thoroughly with soap and water or use recognized skin cleanser.
In case of eye contact	: Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. Seek medical advice.
If swallowed	 Move the victim to fresh air. Keep respiratory tract clear. Do NOT induce vomiting. Obtain medical attention. Rinse mouth with water. Aspiration hazard if swallowed - can enter lungs and cause damage.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	: Inhalation may provoke the following symptoms: Unconsciousness
	Dizziness
	Drowsiness



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 641

Version 4.1	Revision Date: 21.12.2022		te of last issue: 20.07.2021 te of first issue: 09.07.2016	Print Date: 21.12.2022
			Headache Nausea Tiredness Skin contact may provoke the follo Erythema	owing symptoms:
			Aspiration may cause pulmonary of	pedema and pneumonitis.
Risks		:	Can be absorbed through skin. Risk of product entering the lungs Health injuries may be delayed.	on vomiting after ingestion.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	: Treat symptomatically.
-----------	--------------------------

SECTION 5: Firefighting measures

5.1 Extinguishing media					
Suitable extinguishing media	:	ABC powder			
Unsuitable extinguishing media	:	High volume water jet			
5.2 Special hazards arising from	the	e substance or mixture			
Specific hazards during fire- fighting	:	Fire Hazard Do not let product enter drains. Contains gas under pressure; may explode if heated. Beware of vapours accumulating to form explosive concentra- tions. Vapours can accumulate in low areas.			
Hazardous combustion prod- ucts	:	Carbon oxides Nitrogen oxides (NOx) Sulphur oxides			
5.3 Advice for firefighters					
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposi- tion products may be a hazard to health.			
Further information	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Cool containers/tanks with water spray.			



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 641

Version	Revision Date:	Date of last issue: 20.07.2021	Print Date:
4.1	21.12.2022	Date of first issue: 09.07.2016	21.12.2022

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	 Evacuate personnel to safe areas. Ensure adequate ventilation. Remove all sources of ignition. Do not breathe vapours or spray mist. Refer to protective measures listed in sections 7 and 8. Only qualified personnel equipped with suitable protective
	equipment may intervene.

6.2 Environmental precautions

Environmental precautions	:	Try to prevent the material from entering drains or water courses. Prevent further leakage or spillage if safe to do so.
		Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Contain spillage, and then collect with non-combustible ab- sorbent material, (e.g. sand, earth, diatomaceous earth, ver- miculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal. Non-sparking tools should be used.
-------------------------	---	---

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	 Do not use in areas without adequate ventilation. Do not breathe vapours or spray mist. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin and eyes. For personal protection see section 8. Keep away from fire, sparks and heated surfaces. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not use sparking tools. These safety instructions also apply to empty packaging which
-------------------------	---



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 641

Version 4.1	Revision Date: 21.12.2022	ate of last issue: 20.07.2021 ate of first issue: 09.07.2016	Print Date: 21.12.2022
			dues. t from sunlight and do not ex- ing 50 °C. Do not pierce or burn,
Hygie	ene measures	Wash face, hands and any ex handling.	posed skin thoroughly after
		cluding any incompatibilities	
	irements for storage and containers	exposure and temperatures or or throw into fire even after us	ized. Keep away from direct sun over 50 °C. Do not open by force se. Do not spray on flames or rdance with the particular na-
-	f ic end use(s) ific use(s)	Specific instructions for handl	ing, not required.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
distillates (petrole- um), hydrotreated heavy paraffinic	64742-54-7	TWA (Mist)	5 mg/m3	HU OEL (2020-02-06)
		ROLONGED expos	/163/2011, Substances which ure. Corrected value = TWA	
Distillates (petrole- um), solvent- dewaxed heavy paraffinic; Baseoil — unspecified	64742-65-0	TWA (Mist)	5 mg/m3	HU OEL (2020-02-06)
		ROLONGED expos	163/2011, Substances which ure. Corrected value = TWA	

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
distillates (petroleum), hydrotreated heavy paraffinic	Workers	Inhalation	Long-term local ef- fects	5,58 mg/m3
	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
	Workers	Skin contact	Long-term systemic	0,97 mg/kg



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 641

Version 4.1	Revision Date: 21.12.2022	Date of last issue: 20.07.2021 Date of first issue: 09.07.2016	Print Date: 21.12.2022
----------------	---------------------------	---	------------------------

			effects	
Distillates (petrole- um), solvent-dewaxed heavy paraffinic; Baseoil — unspecified	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,97 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
distillates (petroleum), hy-	Oral	9,33 mg/kg
drotreated heavy paraffinic		
Distillates (petroleum), solvent-	Oral	9,33 mg/kg
dewaxed heavy paraffinic;		
Baseoil — unspecified		

8.2 Exposure controls

Engineering measures

Use only in an area equipped with explosion proof exhaust ventilation. Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment			
Eye protection :	Safety glasses with side-shields		
Hand protection Material : Break through time : Protective index :	butyl-rubber > 10 min Class 1		
Remarks :	Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. The selected protective gloves have to satisfy the specifica- tions of Regulation (EU) 2016/425 and the standard EN 374 derived from it.		
Skin and body protection :	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.		
Respiratory protection :	Use respiratory protection unless adequate local exhaust ven- tilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Short term only		
Filter type :	Filter type A-P		
Protective measures :	The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.		



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 641

Version	Revision Date:	Date of last issue: 20.07.2021	Print Date:
4.1	21.12.2022	Date of first issue: 09.07.2016	21.12.2022

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	aerosol
Colour	:	brown
Odour	:	hydrocarbon-like
Odour Threshold	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	150 °C (1.013 hPa)
Flammability (solid, gas)	:	Flammable aerosol.
Upper explosion limit / Upper flammability limit	:	6 %(V)
Lower explosion limit / Lower flammability limit	:	0,6 %(V)
Flash point	:	62 °C Method: Pensky-Martens
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	Not applicable substance/mixture is non-soluble (in water)
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	< 20,5 mm2/s (40 °C)
Solubility(ies) Water solubility	:	insoluble
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 641

Version 4.1	Revision Date: 21.12.2022	Date of last issue: 20.07.2021 Date of first issue: 09.07.2016	Print Date: 21.12.2022
Vap	our pressure	: 4.500 hPa (20 °C)	
Rela	ative density	: 0,83 (20 °C) Reference substance: Water The value is calculated	
Den	sity	: 0,83 g/cm3 (20 °C)	
Bulk	density	: No data available	
Rela	ative vapour density	: No data available	
9.2 Othe	r information		
Exp	losives	: Not explosive	
Oxic	dizing properties	: No data available	
Self	-ignition	: No data available	
Meta	al corrosion rate	: Not corrosive to metals	
Eva	poration rate	: No data available	
Hea	t of combustion	: < 20 kJ/g	
Sub	limation point	: No data available	

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially men	No hazards to be specially mentioned.				
10.2 Chemical stability					
Stable under normal conditions.	Stable under normal conditions.				
10.3 Possibility of hazardous react	ctior	ns			
Hazardous reactions	:	No dangerous reaction known under conditions of normal use.			
10.4 Conditions to avoid Conditions to avoid	:	Heat, flames and sparks. Strong sunlight for prolonged periods. Risk of receptacle bursting.			
10.5 Incompatible materials Materials to avoid	:	Oxidizing agents			



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 641

Version	Revision Date:	Date of last issue: 20.07.2021	Print Date:
4.1	21.12.2022	Date of first issue: 09.07.2016	21.12.2022

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity		
Product:		
Acute oral toxicity	:	Remarks: This information is not available.
Acute inhalation toxicity	:	Symptoms: Inhalation may provoke the following symptoms:, Respiratory disorder
Acute dermal toxicity	:	Remarks: Prolonged or repeated skin contact with liquid may cause defatting resulting in drying, redness and possible blistering.
		Symptoms: Skin disorders
Components:		
Naphtha (petroleum), hydro	otre	ated heavy; Low boiling point ydrogen treated naphtha:
Acute oral toxicity	:	LD50 (Rat): > 5.000 mg/kg
		Method: OECD Test Guideline 401
Acute dermal toxicity	:	LD50 (Rabbit): > 5.000 mg/kg
		Method: OECD Test Guideline 402
distillates (petroleum), hyd	rotr	eated heavy paraffinic:
Acute oral toxicity	:	LD50 (Rat): > 5.000 mg/kg
		Method: OECD Test Guideline 401 GLP: yes
Acute inhalation toxicity	:	LC50 (Rat): > 5,53 mg/l Exposure time: 4 h
		Test atmosphere: dust/mist
		Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhala-
		tion toxicity
Acute dermal toxicity	:	LD50 (Rabbit): > 5.000 mg/kg
		Method: OECD Test Guideline 402
Distillates (petroleum) solv	/enf	-dewaxed heavy paraffinic; Baseoil — unspecified:
Acute oral toxicity	:	LD50 (Rat): $> 5.000 \text{ mg/kg}$
i leste ordi toxioly	•	Method: OECD Test Guideline 401



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 641

13 041				
sion	Revision Date: 21.12.2022		e of last issue: 20.07.2021 e of first issue: 09.07.2016	Print Date: 21.12.2022
Acute	dermal toxicity	:	LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 402	
Skin d	corrosion/irritation			
Produ	<u>ict:</u>			
Rema	rks	:	This information is not available.	
<u>Comp</u>	oonents:			
Napht	tha (petroleum), hy	drotrea	ted heavy; Low boiling point ydro	gen treated naphtha:
Specie	es	:	Rabbit	
Asses	sment	:	No skin irritation	
Metho	bd	:	OECD Test Guideline 404	
Result	t	:	Mild skin irritation	
Result	t	:	Repeated exposure may cause skir	dryness or cracking.
distill	ates (petroleum), h	ydrotre	eated heavy paraffinic:	
Specie	es	:	Rabbit	
Asses	sment	:	No skin irritation	
Metho	d	:	OECD Test Guideline 404	
Result	t	:	No skin irritation	
GLP		:	yes	
Distill	ates (petroleum), s	olvent	dewaxed heavy paraffinic; Baseoi	I — unspecified:
Specie	es	:	Rabbit	
•	sment	:	No skin irritation	
Metho		:	OECD Test Guideline 404	
Result	t	:	No skin irritation	
GLP		:	yes	
Serio	us eye damage/eye	irritati	on	
Produ	ıct:			
Rema		:	Contact with eyes may cause irritati	on.
<u>Comp</u>	onents:			
Napht	tha (petroleum), hy	drotrea	ted heavy; Low boiling point ydro	gen treated naphtha:
Specie	es	:	Rabbit	
	sment	:	No eye irritation	
Metho		:	OECD Test Guideline 405	
Result	t	:	No eye irritation	
distill	ates (petroleum), h	ydrotre	eated heavy paraffinic:	
Specie			Rabbit	
	sment	:	No eye irritation	
		•	-,-	
				a brand of



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 6	41		
Version 4.1	Revision Date: 21.12.2022	Date of last issue: 20.07.2021 Date of first issue: 09.07.2016	Print Date: 21.12.2022
Met Res GLF		 : OECD Test Guideline 405 : No eye irritation : yes 	
Spe Ass	ecies sessment thod sult	olvent-dewaxed heavy paraffinic; Base : Rabbit : No eye irritation : OECD Test Guideline 405 : No eye irritation : yes	oil — unspecified:
Res	spiratory or skin sens	itisation	
	<mark>oduct:</mark> narks	: This information is not available.	
<u>Cor</u>	mponents:		
Spe Ass	ecies sessment thod	drotreated heavy; Low boiling point ydd Guinea pig Does not cause skin sensitisation OECD Test Guideline 406 Does not cause skin sensitisation	
Sul	fonic acids, petroleur	n, calcium salts:	
Ass	sessment	: The product is a skin sensitiser, s	ub-category 1B.
Spe Ass	ecies sessment thod sult	ydrotreated heavy paraffinic: : Guinea pig : Does not cause skin sensitisation : OECD Test Guideline 406 : Does not cause skin sensitisation : yes	
Dis Spe Ass	tillates (petroleum), s ecies sessment thod sult	olvent-dewaxed heavy paraffinic; Base : Guinea pig : Does not cause skin sensitisation : OECD Test Guideline 406 : Does not cause skin sensitisation : yes	
Ger	rm cell mutagenicity		
<u>Pr</u> o	duct:		
	notoxicity in vitro	: Remarks: No data available	



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 641

sion	Revision Date: 21.12.2022		e of last issue: 20.07.2021 e of first issue: 09.07.2016	Print Date: 21.12.2022
Geno	toxicity in vivo	:	Remarks: No data available	
<u>Com</u> r	oonents:			
Naph	tha (petroleum), hyd	rotrea	ted heavy; Low boiling point yd	rogen treated naphtha:
-	cell mutagenicity- As-		Tests on bacterial or mammalian mutagenic effects.	•
Distil	lates (petroleum), so	lvent-	dewaxed heavy paraffinic; Base	oil — unspecified:
Genot	toxicity in vitro	:	Test system: Salmonella typhimu Metabolic activation: with and wit Method: OECD Test Guideline 47 Result: negative	hout metabolic activation
Genot	toxicity in vivo	:	Species: Mouse Application Route: Oral Method: OECD Test Guideline 47 Result: negative	74
Carci	nogenicity			
Produ	uct:			
Rema	arks	:	No data available	
<u>Com</u> r	oonents:			
Naph	tha (petroleum), hyd	rotrea	ted heavy; Low boiling point yd	rogen treated naphtha:
Carcir ment	nogenicity - Assess-	:	Not classifiable as a human carci	nogen.
distill				
aistin	lates (petroleum), hy	drotre	ated heavy paraffinic:	
			ated heavy paraffinic: Not classifiable as a human carci	nogen.
Carcir ment	nogenicity - Assess-	:		-
Carcir ment Distill Speci	nogenicity - Assess- lates (petroleum), so es	:	Not classifiable as a human carci dewaxed heavy paraffinic; Base Mouse	-
Carcir ment Distil Speci- Applic	nogenicity - Assess- lates (petroleum), so es cation Route	:	Not classifiable as a human carci dewaxed heavy paraffinic; Base Mouse Dermal	-
Carcir ment Distil Speci	lates (petroleum), so es cation Route	:	Not classifiable as a human carci dewaxed heavy paraffinic; Base Mouse	-
Carcir ment Distill Speci Applic Metho Resul	lates (petroleum), so es cation Route	:	Not classifiable as a human carci dewaxed heavy paraffinic; Base Mouse Dermal OECD Test Guideline 451	-
Carcir ment Distill Speci Applic Metho Resul	Iates (petroleum), so es cation Route od it	:	Not classifiable as a human carci dewaxed heavy paraffinic; Base Mouse Dermal OECD Test Guideline 451	-
Carcir ment Distill Speci Applic Metho Resul Repro	Iates (petroleum), so es cation Route od it	:	Not classifiable as a human carci dewaxed heavy paraffinic; Base Mouse Dermal OECD Test Guideline 451	-



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 641

Version	Revision Date:	Date of last issue: 20.07.2021	Print Date:
4.1	21.12.2022	Date of first issue: 09.07.2016	21.12.2022

Components:

Naphtha (petroleum), hydrotreated heavy; Low boiling point ydrogen treated naphtha:

Reproductive toxicity - As-	: - Fertility -
sessment	No toxicity to reproduction - Teratogenicity -
	No toxicity to reproduction

distillates (petroleum), hydrotreated heavy paraffinic:

Reproductive toxicity - As-	: - Fertility -
sessment	No toxicity to reproduction

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified:

Effects on foetal develop- : ment	Species: Rat Application Route: Dermal General Toxicity Maternal: NOAEL: 30 mg/kg body weight Developmental Toxicity: NOAEL: 30 mg/kg body weight Method: OECD Test Guideline 414
-----------------------------------	---

STOT - single exposure

Components:

Naphtha (petroleum), hydrotreated heavy; Low boiling point ydrogen treated naphtha:				
Assessment	:	The substance or mixture is not classified as specific target organ toxicant, single exposure.		
STOT - repeated exposure				

Components:

Naphtha (petroleum), hydrotreated heavy; Low boiling point ydrogen treated naphtha:Assessment:The substance or mixture is not classified as specific target
organ toxicant, single exposure.

Repeated dose toxicity

Product:

Remarks

: This information is not available.

Aspiration toxicity

Product:

May be fatal if swallowed and enters airways.

May be fatal if swallowed and enters airways.



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 641

Version	Revision Date:	Date of last issue: 20.07.2021	Print Date:
4.1	21.12.2022	Date of first issue: 09.07.2016	21.12.2022

Components:

Naphtha (petroleum), hydrotreated heavy; Low boiling point ydrogen treated naphtha: May be fatal if swallowed and enters airways.

distillates (petroleum), hydrotreated heavy paraffinic:

No aspiration toxicity classification

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified: No aspiration toxicity classification

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment :	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Further information	
Product:	
Remarks :	Information given is based on data on the components and the toxicology of similar products.

SECTION 12: Ecological information

12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available

Components:

Naphtha (petroleum), hydrotreated heavy; Low boiling point ydrogen treated naphtha:



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 641

Ver 4.1	sion	Revision Date: 21.12.2022		e of last issue: 20.07.2021 e of first issue: 09.07.2016	Print Date: 21.12.2022
	Toxicity	/ to fish	:	LC50 (Oncorhynchus mykiss (rainbow tro Exposure time: 96 h	ut)): > 100 mg/l
		/ to daphnia and other invertebrates	:	EC50 (Daphnia magna (Water flea)): > 10 Exposure time: 48 h)0 mg/l
	Toxicity plants	/ to algae/aquatic	:	EC50 (Pseudokirchneriella subcapitata (g mg/l Exposure time: 72 h	reen algae)): > 100
	distilla	tes (petroleum), hvdi	rotre	ated heavy paraffinic:	
		/ to fish	:	LC50 (Pimephales promelas (fathead min Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes	now)): > 100 mg/l
		/ to daphnia and other invertebrates	:	EC50 (Daphnia magna (Water flea)): > 10 Exposure time: 48 h Test Type: Immobilization Method: OECD Test Guideline 202 GLP: yes).000 mg/l
		/ to daphnia and other invertebrates (Chron- ity)		NOEC: 10 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Test Type: semi-static test Method: OECD Test Guideline 211 GLP: yes	
	Distilla	ites (petroleum), solv	vent-	dewaxed heavy paraffinic; Baseoil — ui	nspecified:
		/ to fish	:	LC50 (Pimephales promelas (fathead min Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes	-
		/ to daphnia and other invertebrates	:	EC50 (Daphnia magna (Water flea)): > 10 Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202).000 mg/l
	Toxicity plants	/ to algae/aquatic	:	NOEC (Pseudokirchneriella subcapitata (mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201	green algae)): > 100
		/ to daphnia and other invertebrates (Chron- ity)		NOEC: 10 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)	



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 641

Version	Revision Date:	Date of last issue: 20.07.2021	Print Date:
4.1	21.12.2022	Date of first issue: 09.07.2016	21.12.2022

12.2 Persistence and degradability

<u>Product:</u> Biodegradability	:	Remarks: No data available
Physico-chemical removabil- ity	:	Remarks: No data available

Components:

distillates (petroleum), hydrotreated heavy paraffinic:

Biodegradability	:	Test Type: aerobic
		Inoculum: activated sludge
		Result: Not rapidly biodegradable
		Biodegradation: 3 %
		Exposure time: 28 d
		Method: OECD Test Guideline 301B
		GLP: yes

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

Biodegradability	:	Test Type: aerobic
		Inoculum: activated sludge
		Result: Not rapidly biodegradable
		Biodegradation: 31 %
		Exposure time: 28 d
		Method: OECD Test Guideline 301B
		GLP: yes

12.3 Bioaccumulative potential

Bioaccumulation	:	Remarks: This mixture contains no substance considered to
		be persistent, bioaccumulating and toxic (PBT).
		This mixture contains no substance considered to be very
		persistent and very bioaccumulating (vPvB).

Components:

distillates (petroleum), hyd	rotre	eated heavy paraffinic:
Partition coefficient: n- octanol/water	:	log Pow: > 2

12.4 Mobility in soil

Product:

Mobility	:	Remarks: No data available
Distribution among environ-	:	Remarks: No data available



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 641

Version	Revision Date:	Date of last issue: 20.07.2021	Print Date:
4.1	21.12.2022	Date of first issue: 09.07.2016	21.12.2022

mental compartments

12.5 Results of PBT and vPvB assessment

Product:

Assessment	 This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

Components:

Naphtha (petroleum), hydrotreated heavy; Low boiling point ydrogen treated naphtha:			
Assessment	: Non-classified PBT substance. Non-classified vPvB substance		
diatillataa (natroloum)	hydrotrooted heavy perofficies		

distillates (petroleum), hydrotreated neavy paraffinic:			
Assessment	:	Non-classified vPvB substance. Non-classified PBT substance	

12.6 Endocrine disrupting properties

Product:	
Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	No information on ecology is available.
mation		

Global warming potential

The Fifth Assessment Report of the United Nations Intergovernmental Panel on Climate Change (IPCC)

Components:

carbon dioxide:

20-year global warming potential: 1 100-year global warming potential: 1 Further information: No single lifetime can be given. The impulse response function for CO2 from Joos et al. (2013) has been used. See also Supplementary Material Section 8.SM.11.



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 641

Version	Revision Date:	Date of last issue: 20.07.2021	Print Date:
4.1	21.12.2022	Date of first issue: 09.07.2016	21.12.2022

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product :	Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
	Waste codes should be assigned by the user based on the application for which the product was used.
Contaminated packaging :	Packaging that is not properly emptied must be disposed of as the unused product. Offer empty spray cans to an established disposal company. Pressurized container: Do not pierce or burn, even after use.
	The following Waste Codes are only suggestions:
Waste Code :	unused product, packagings not completely emptied 16 05 04*, gases in pressure containers (including halons) containing hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	UN 1950
ADR	:	UN 1950
RID	:	UN 1950
IMDG	:	UN 1950
ΙΑΤΑ	:	UN 1950
14.2 UN proper shipping name		
ADN	:	AEROSOLS
ADR	:	AEROSOLS
RID	:	AEROSOLS
IMDG	:	AEROSOLS
ΙΑΤΑ	:	Aerosols, flammable
14.3 Transport hazard class(es)		
ADN	:	2
ADR	:	2
RID	:	2
IMDG	:	2.1



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 641

Version 4.1	Revision Date: 21.12.2022		e of last issue: 20.07.2021 e of first issue: 09.07.2016	Print Date: 21.12.2022
IATA 14.4 Pack	ing group	:	2.1	
	ng group ification Code s	:	Not assigned by regulation 5F 2.1	
Class Label	ng group ification Code s el restriction code	:	Not assigned by regulation 5F 2.1 (D)	
Class	ng group ification Code rd Identification Number s	:	Not assigned by regulation 5F 23 2.1	
IMDG Packi Label EmS	ng group s	:	Not assigned by regulation 2.1 F-D, S-U	
Packi aircra Packi	ng instruction (LQ) ng group	:	203 Y203 Not assigned by regulation Flammable Gas	
Packi ger ai Packi	(Passenger) ng instruction (passen- rcraft) ng instruction (LQ) ng group s	:	203 Y203 Not assigned by regulation Flammable Gas	
14.5 Envir	ronmental hazards			
ADN Enviro	onmentally hazardous	:	no	
ADR	onmentally hazardous	:	no	
RID Enviro	onmentally hazardous	:	no	
IMDG	•	:	no	
	ial precautions for use	ər		

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 641

Version	Revision Date:	Date of last issue: 20.07.2021	Print Date:
4.1	21.12.2022	Date of first issue: 09.07.2016	21.12.2022

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture REACH - Restrictions on the manufacture, placing on : Not applicable the market and use of certain dangerous substances, mixtures and articles (Annex XVII) REACH - Candidate List of Substances of Very High 2 This product does not contain sub-Concern for Authorisation (Article 59). stances of very high concern (Regu-(EU SVHC) lation (EC) No 1907/2006 (REACH), Article 57). Not applicable REACH - List of substances subject to authorisation 1 (Annex XIV) (EU. REACH-Annex XIV) Regulation (EC) No 1005/2009 on substances that de-Not applicable 5 plete the ozone layer (EC 1005/2009) Regulation (EU) 2019/1021 on persistent organic pollu-Not applicable : tants (recast) (EU POP) Regulation (EC) No 649/2012 of the European Parlia-Not applicable ment and the Council concerning the export and import of dangerous chemicals (EU PIC) Seveso III: Directive 2012/18/EU of the European FLAMMABLE AEROSOLS : P3b Parliament and of the Council on the control of major-accident hazards involving dangerous substances. 34 Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same

purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a)

according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 641

Version 4.1	Revision Date: 21.12.2022	Date of last issue: 20.07.2021 Date of first issue: 09.07.2016	Print Date: 21.12.2022
		to (d)	

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 69,28 %

Other regulations:

2000 XXV. Law on chemical safety 44/2000. (XII 27) Ministry of health dangerous substances and preparations dangerous for certain procedures and arrangements for activities

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements EUH066 H304 H317 EUH066 Full text of other abbreviation	ns	Repeated exposure may cause skin dryness or cracking. May be fatal if swallowed and enters airways. May cause an allergic skin reaction. Repeated exposure may cause skin dryness or cracking.
Note L	:	The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determi- nation of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method"Institute of Petroleum, Lon- don), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.
Note P	:	The harmonised classification as a carcinogen or mutagen applies unless it can be shown that the substance contains less than 0,1 % w/w benzene (Einecs No 200-753-7), in which case a classification in accordance with Title II of this Regula- tion shall be performed also for those hazard classes. Where the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-)P260-P262-P301 +
HU OEL	:	P310-P331 shall apply. Hungary. Occupational Exposure Limits - Annex 1: Permissi-
HU OEL / TWA	:	ble concentration values Mean concentration



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 641

Version	Revision Date:	Date of last issue: 20.07.2021	Print Date:
4.1	21.12.2022	Date of first issue: 09.07.2016	21.12.2022

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the	mixture:	Classification procedure:
Aerosol 2	H223, H229	Based on product data or assessment
Asp. Tox. 1	H304	Based on product data or assessment

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 641

Version	Revision Date:	Date of last issue: 20.07.2021	Print Date:
4.1	21.12.2022	Date of first issue: 09.07.2016	21.12.2022

that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

