

| Version | Revision Date: | Date of last issue: 24.01.2023 | Print Date: |
|---------|----------------|---------------------------------|-------------|
| 2.4 | 22.02.2024 | Date of first issue: 10.07.2016 | 22.02.2024 |

SECTION 1: Identification of the substance/mixture and of the company/undertaking

| 1.1 | Product identifier | | |
|-----|--|------|--|
| | Product name | : | OKS 670 |
| | | | |
| 1.2 | Relevant identified uses of th | ne s | substance or mixture and uses advised against |
| | Use of the Substance/Mixture | : | Lubricant |
| | Recommended restrictions on use | : | Restricted to professional users. |
| 1.3 | Details of the supplier of the | saf | - |
| | Company | : | OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 |
| | | | D-82216 Maisach-Gernlinden |
| | | | Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 |
| | | | info@oks-germany.com |
| | | | |
| | E-mail address of person responsible for the SDS | : | mcm@oks-germany.com |
| | National contact | : | |
| | | | |

1.4 Emergency telephone number

| Emergency telephone | : | +49 8142 3051 517 |
|---------------------|---|-------------------|
| number | | |

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

| Classification (REGULATION (EC) No 1272/2008) | | | |
|---|---|--|--|
| Aspiration hazard, Category 1 | H304: May be fatal if swallowed and enters airways. | | |

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)





| Version 2.4 | Revision Date: 22.02.2024 | | ate of last issue: 24. ate of first issue: 10. | 0=0=0 | Print Date: 22.02.2024 |
|----------------|------------------------------|---|--|--|------------------------|
| Ha | zard pictograms | : | | | |
| Sig | nal word | : | Danger | | |
| Ha | zard statements | : | H304 | May be fatal if swallow airways. | ed and enters |
| | oplemental Hazard tements | : | EUH066 | Repeated exposu dryness or cracking. | re may cause skin |
| Pre | cautionary statements | : | Response: P301 + P310 P331 Storage: | IF SWALLOWED: Imm POISON CENTER/ do Do NOT induce vomiti | ctor. |
| | | | P405 | Store locked up. | |

Hazardous components which must be listed on the label:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Additional Labelling

EUH208

08 Contains Sulfonic acids, petroleum, calcium salts. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



OKS 670

| Version 2.4 | Revision Date: 22.02.2024 | Date of last issue: 24.01.2023 Date of first issue: 10.07.2016 | Print Date: 22.02.2024 |
|----------------|---------------------------|---|------------------------|
| | | | |

Chemical nature

: Mineral oil. solid lubricant

Components

| Components | | | | - |
|--|--|--|---|--------------------------|
| Chemical name | CAS-No. EC-No. Index-No. Registration number | Classification | specific concentration limit M-Factor Notes Acute toxicity estimate | Concentration (% w/w) |
| Hydrocarbons, C10- C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics | 918-481-9 01-2119457273-39- XXXX | Asp. Tox.1; H304; EUH066 ; EUH066 | Note PNote P | >= 50 - < 70 |
| Sulfonic acids, petroleum, calcium salts | 61789-86-4 263-093-9 01-2119488992-18- 0000 | Skin Sens.1B; H317 | >= 10 % Skin Sens.1B, | >= 1 - < 10 |
| Cubatanaaa with a war | | | | |
| Substances with a work Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified | 64742-54-7 265-157-1 649-467-00-8 01-2119484627-25- XXXX | Not classified | Note L | >= 10 - < 20 |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified | 64742-65-0 265-169-7 649-474-00-6 01-2119471299-27- XXXX | Not classified | Note L | >= 1 - < 10 |
| Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified | 64742-52-5 265-155-0 649-465-00-7 01-2119467170-45- XXXX | Not classified | Note L | >= 1 - < 10 |





| Version | Revision Date: | Date of last issue: 24.01.2023 | Print Date: |
|---------|----------------|---------------------------------|-------------|
| 2.4 | 22.02.2024 | Date of first issue: 10.07.2016 | 22.02.2024 |

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

| If inhaled | Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respiration. |
|-----------------------------|---|
| In case of skin contact | Take off all contaminated clothing immediately. Get medical attention immediately if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse. Wash skin thoroughly with soap and water or use recognized skin cleanser. |
| In case of eye contact | : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. Seek medical advice. |
| If swallowed | Move the victim to fresh air. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. Do NOT induce vomiting. Obtain medical attention. Rinse mouth with water. Never give anything by mouth to an unconscious person. Aspiration hazard if swallowed - can enter lungs and cause damage. |
| 4.2 Most important symptoms | and effects, both acute and delayed |
| Symptoms | : Skin contact may provoke the following symptoms: Erythema |
| | Aspiration may cause pulmonary oedema and pneumonitis. |
| Risks | Can be absorbed through skin. Risk of product entering the lungs on vomiting after ingestion. Health injuries may be delayed. |





| Version | Revision Date: | Date of last issue: 24.01.2023 | Print Date: |
|---------|----------------|---------------------------------|-------------|
| 2.4 | 22.02.2024 | Date of first issue: 10.07.2016 | 22.02.2024 |

4.3 Indication of any immediate medical attention and special treatment needed

Treatment

: Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

| Suitable extinguishing media | : | Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. |
|--------------------------------|---|--|
| Unsuitable extinguishing media | : | High volume water jet |

5.2 Special hazards arising from the substance or mixture

| products Nitrogen oxides (N Sulphur oxides Metal oxides | VOx) |
|---|------|
| Metal Oxides | |

5.3 Advice for firefighters

| Special protective equipment for firefighters | : | In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health. |
|---|---|---|
| Further information | : | Standard procedure for chemical fires. Cool containers/tanks with water spray. |

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

| Personal precautions | Evacuate personnel to safe areas. Use personal protective equipment. Ensure adequate ventilation. |
|----------------------|---|
| | Remove all sources of ignition. |
| | Do not breathe vapours or spray mist. |
| | Refer to protective measures listed in sections 7 and 8. |

6.2 Environmental precautions

Environmental precautions
 Try to prevent the material from entering drains or water courses.
 Prevent further leakage or spillage if safe to do so.
 Local authorities should be advised if significant spillages cannot be contained.





| Version | Revision Date: | Date of last issue: 24.01.2023 | Print Date: |
|---------|----------------|---------------------------------|-------------|
| 2.4 | 22.02.2024 | Date of first issue: 10.07.2016 | 22.02.2024 |

6.3 Methods and material for containment and cleaning up

| Methods for cleaning up | : | Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). |
|-------------------------|---|--|
| | | Non-sparking tools should be used. |

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

| Advice on safe handling | : | Do not use in areas without adequate ventilation. Do not breathe vapours or spray mist. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin and eyes. For personal protection see section 8. Keep away from fire, sparks and heated surfaces. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Wash hands and face before breaks and immediately after handling the product. Ensure all equipment is electrically grounded before beginning transfer operations. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not ingest. Do not enter areas where used or stored until adequately ventilated. Do not repack. Do not re-use empty containers. These safety instructions also apply to empty packaging which may still contain product residues. Keep container closed when not in use. |
|---|---|--|
| Advice on protection against fire and explosion | : | Keep away from heat and sources of ignition. |
| Hygiene measures | : | Wash face, hands and any exposed skin thoroughly after handling. |
| | | |

7.2 Conditions for safe storage, including any incompatibilities

| Requirements for storage | : | Store in original container. Keep container closed when not in |
|--------------------------|---|--|
| areas and containers | | use. Keep in a dry, cool and well-ventilated place. Do not |





| OKS 67 | 0 | | |
|----------------|---------------------------------------|---|--|
| Version 2.4 | Revision Date: 22.02.2024 | Date of last issue: 24.01.2023 Date of first issue: 10.07.2016 | Print Date: 22.02.2024 |
| | | store together with oxidizing and Containers which are opened mu kept upright to prevent leakage. S particular national regulations. Ke containers. | st be carefully resealed and Store in accordance with the |
| Stora | ge class (TRGS 510) | : 10, Combustible liquids | |
| • | f ic end use(s) ific use(s) | : Specific instructions for handling, | not required. |

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

| Components | CAS-No. | Value type (Form of exposure) | Control parameters | Basis |
|---|--|---|------------------------------|--------------------------------|
| Hydrocarbons, C10-C13, n- alkanes, | Not Assigned | AGWTime Weighted Average | 300 mg/m3 | DE TRGS 900 (2017-11-30) |
| isoalkanes, cyclics, < 2% aromatics | | | | |
| | Peak-limit: ex | cursion factor (categ | ory): 2;(II) | |
| | | | ure limit for hydrocarbon so | lvent mixtures |
| Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified | 64742-54-7 | AGWTime Weighted Average (Vapour and aerosols) | 5 mg/m3 | DE TRGS 900 (2018-06-07) |
| | Peak-limit: excursion factor (category): 4;(II) | | | |
| | Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child | | | |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified | 64742-65-0 | AGWTime Weighted Average (Vapour and aerosols) | 5 mg/m3 | DE TRGS 900 (2018-06-07) |
| | Peak-limit: ex | cursion factor (categ | ory): 4;(II) | |
| | Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child | | | Ũ |
| Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — | 64742-52-5 | AGWTime Weighted Average (Vapour and aerosols) | 5 mg/m3 | DE TRGS 900 (2018-06-07) |



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



OKS 670

| Version 2.4 | Revision Dat 22.02.2024 | | of last issue: 24.01.2 of first issue: 10.07.2 | | Print Date: 22.02.2024 |
|----------------|-----------------------------|---|---|--------------|--------------------------------|
| unspe | ecified | Peak-limit: ex | cursion factor (categ | ory): 4;(II) | |
| | | Further information: When there is compliance with the OEL and tolerance values, there is no risk of harming the unborn child | | | |
| | nic acids, Ieum, calcium | 61789-86-4 | AGWTime Weighted Average (Alveolate fraction) | 5 mg/m3 | DE TRGS 900 (2015-11-06) |
| | | Peak-limit: excursion factor (category): 4;(II) | | | |

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

| Substance name | End Use | Exposure routes | Potential health | Value |
|---|---------|-----------------|-------------------------------|------------|
| | | • | effects | |
| Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified | Workers | Inhalation | Long-term local effects | 5,58 mg/m3 |
| | Workers | Inhalation | Long-term systemic effects | 2,73 mg/m3 |
| | Workers | Skin contact | Long-term systemic effects | 0,97 mg/kg |
| Distillates (petroleum), solvent- dewaxed heavy paraffinic; Baseoil — unspecified | Workers | Inhalation | Long-term systemic effects | 2,73 mg/m3 |
| | Workers | Skin contact | Long-term systemic effects | 0,97 mg/kg |
| Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified | Workers | Inhalation | Long-term local effects | 5,58 mg/m3 |
| | Workers | Inhalation | Long-term systemic effects | 2,73 mg/m3 |
| | Workers | Skin contact | Long-term systemic effects | 0,97 mg/kg |

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

| Substance name | Environmental Compartment | Value |
|-----------------------------------|---------------------------|------------|
| Distillates (petroleum), | Oral | 9,33 mg/kg |
| hydrotreated heavy paraffinic; | | |
| Baseoil — unspecified | | |
| Distillates (petroleum), solvent- | Oral | 9,33 mg/kg |
| dewaxed heavy paraffinic; | | |
| Baseoil — unspecified | | |
| Distillates (petroleum), | Oral | 9,33 mg/kg |
| hydrotreated heavy naphthenic; | | |



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



| OKS 67 | 0 | | |
|----------------|---|---|--|
| /ersion 2.4 | Revision Date: 22.02.2024 | Date of last issue: 24.01.2023 Date of first issue: 10.07.2016 | Print Date: 22.02.2024 |
| Base | oil — unspecified | | |
| 3.2 Expos | sure controls | | |
| - | neering measures tive exhaust ventilatic | n system | |
| Pers | onal protective equi | oment | |
| Eye/f | ace protection | : Safety glasses with side-shie | elds |
| M Br | l protection aterial reak through time rotective index | : butyl-rubber : > 10 min : Class 1 | |
| R | emarks | type of glove and therefore h case. The selected protective glove | material, the thickness and the has to be measured for each |
| Skin | and body protection | : Choose body protection in re concentration and amount of the specific work-place. | elation to its type, to the f dangerous substances, and to |
| Resp | iratory protection | ventilation is provided or exp | nless adequate local exhaust oosure assessment demonstrates commended exposure guidelines. |
| Fi | lter type | : Filter type A-P | |
| Prote | ctive measures | | ment must be selected according ount of the dangerous substance |

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| Physical state | : | liquid |
|-----------------|---|-------------------|
| Colour | : | beige |
| Odour | : | hydrocarbon-like |
| Odour Threshold | : | No data available |





| Version 2.4 | Revision Date: 22.02.2024 | | of last issue: 24.01.2023 of first issue: 10.07.2016 | Print Date: 22.02.2024 |
|----------------|---|-----|---|------------------------|
| | | | | |
| Meltir | ng point/range | : | No data available | |
| Boilin | g point/boiling range | : | 200 °C (1.013 hPa) | |
| Flamr | mability (solid, gas) | : | Not applicable | |
| | r explosion limit / Upper nability limit | : | 7,0 %(V) | |
| | r explosion limit / Lower nability limit | : | 0,6 %(V) | |
| Flash | point | : | 64 °C Method: DIN 51758, Pensky-Ma | rtens closed cup |
| Auto- | ignition temperature | : | No data available | |
| Deco | mposition temperature | : | No data available | |
| рН | | : | Not applicable substance/mixture is non-polar/a | protic |
| Visco Vis | sity scosity, dynamic | : | No data available | |
| Vis | scosity, kinematic | : | 18 mm2/s (40 °C) | |
| | ility(ies) ater solubility | : | insoluble | |
| Sc | olubility in other solvents | 5 : | No data available | |
| | ion coefficient: n- ol/water | : | No data available | |
| Vapo | ur pressure | : | < 1.100 hPa (20 °C) | |
| Relati | ive density | : | 0,8223 (20 °C) Reference substance: Water The value is calculated | |
| Densi | ity | : | 0,82 g/cm3 (20 °C) | |
| Bulk o | density | : | No data available | |
| Relati | ive vapour density | : | No data available | |





| Version | Revision Date: | Date of last issue: 24.01.2023 | Print Date: |
|---------|----------------|---------------------------------|-------------|
| 2.4 | 22.02.2024 | Date of first issue: 10.07.2016 | 22.02.2024 |

9.2 Other information

| Explosives | : Not explosive |
|----------------------|---------------------------|
| Oxidizing properties | : No data available |
| Self-ignition | : No data available |
| Metal corrosion rate | : Not corrosive to metals |
| Evaporation rate | : No data available |
| Sublimation point | : No data available |

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

| 10.3 Possibility of hazardous | reactio | ons |
|-------------------------------|---------|---|
| Hazardous reactions | : | No dangerous reaction known under conditions of normal use. |
| 10.4 Conditions to avoid | | |
| Conditions to avoid | : | Heat, flames and sparks. |

10.5 Incompatible materials

| Materials to avoid | : Oxidizing agents |
|--------------------|--------------------|

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:

| Acute oral toxicity | : | Remarks: This information is not available. |
|---------------------------|---|---|
| Acute inhalation toxicity | : | Remarks: This information is not available. |





| OKS 67 |) | | | |
|----------------|---------------------------|---------|--|---------------------------|
| Version 2.4 | Revision Date: 22.02.2024 | | e of last issue: 24.01.2023 e of first issue: 10.07.2016 | Print Date: 22.02.2024 |
| Acute | e dermal toxicity | : | Remarks: Prolonged or repeated cause defatting resulting in drying blistering. | |
| | | | Symptoms: Skin disorders | |
| <u>Com</u> | oonents: | | | |
| Hydro | ocarbons, C10-C13, | n-alka | nes, isoalkanes, cyclics, < 2% a | romatics: |
| Acute | oral toxicity | : | LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 40 | 01 |
| Acute | e dermal toxicity | : | LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 40 | 02 |
| Distil | lates (petroleum), hy | vdrotro | eated heavy paraffinic; Baseoil - | — unspecified: |
| | oral toxicity | : | LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 40 GLP: yes | |
| Acute | inhalation toxicity | : | LC50 (Rat): > 5,53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 40 Assessment: The substance or n inhalation toxicity | |
| Acute | e dermal toxicity | : | LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 40 | 02 |
| Distil | lates (petroleum), so | olvent | dewaxed heavy paraffinic; Base | eoil — unspecified: |
| | oral toxicity | | LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 40 | - |
| Acute | e dermal toxicity | : | LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 40 | 02 |
| Distil | lates (petroleum), hy | ydrotro | eated heavy naphthenic; Baseoi | I — unspecified: |
| Acute | oral toxicity | : | LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 40 GLP: yes | 01 |
| Acute | inhalation toxicity | : | LC50 (Rat): > 5,53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 40 GLP: yes | 03 |





| (S 670 |) | | | |
|--------------|---------------------------|----------|--|--------------------------|
| rsion | Revision Date: 22.02.2024 | | e of last issue: 24.01.2023 e of first issue: 10.07.2016 | Print Date: 22.02.2024 |
| | | | Assessment: The substance or m inhalation toxicity | ixture has no acute |
| Acute | dermal toxicity | : | LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 40 GLP: yes | 2 |
| Skin | corrosion/irritation | | | |
| Produ | uct: | | | |
| Rema | | : | This information is not available. | |
| <u>Com</u> | oonents: | | | |
| Hydro | ocarbons, C10-C13, | n-alka | nes, isoalkanes, cyclics, < 2% ar | omatics: |
| Speci | es | : | Rabbit | |
| • | ssment | : | No skin irritation | |
| Metho | bd | : | OECD Test Guideline 404 | |
| Resul | t | : | Mild skin irritation | |
| Resul | lt | : | Repeated exposure may cause sl | kin dryness or cracking. |
| Distil | lates (petroleum), h | ydrotr | eated heavy paraffinic; Baseoil – | – unspecified: |
| Speci | | : | Rabbit | • |
| • | ssment | : | No skin irritation | |
| Metho | bd | : | OECD Test Guideline 404 | |
| Resul | lt | : | No skin irritation | |
| GLP | | : | yes | |
| Distil | lates (petroleum), s | olvent | -dewaxed heavy paraffinic; Base | oil — unspecified: |
| Speci | es | : | Rabbit | |
| Asses | ssment | : | No skin irritation | |
| Metho | | : | OECD Test Guideline 404 | |
| Resu | lt | : | No skin irritation | |
| GLP | | : | yes | |
| Distil | lates (petroleum), h | ydrotr | eated heavy naphthenic; Baseoil | — unspecified: |
| Speci | es | : | Rabbit | |
| | ssment | : | No skin irritation | |
| Metho | | : | OECD Test Guideline 404 | |
| Resul | t | : | No skin irritation | |
| Serio | us eye damage/eye | irritati | on | |
| <u>Produ</u> | uct: | | | |
| Rema | | : | This information is not available. | |
| | | | | a brand of |
| | | | 40 / 00 | a branu br |



| Version | Revision Date: | Date of last issue: 24.01.2023 | Print Date: |
|---------|----------------|---------------------------------|-------------|
| 2.4 | 22.02.2024 | Date of first issue: 10.07.2016 | 22.02.2024 |

Components:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:

| Species : | Rabbit |
|--------------|-------------------------|
| Assessment : | No eye irritation |
| Method : | OECD Test Guideline 405 |
| Result : | No eye irritation |

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified:

| Species | : | Rabbit |
|------------|---|-------------------------|
| Assessment | : | No eye irritation |
| Method | : | OECD Test Guideline 405 |
| Result | : | No eye irritation |
| GLP | : | yes |

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified:

| Species | : | Rabbit |
|------------|---|-------------------------|
| Assessment | : | No eye irritation |
| Method | : | OECD Test Guideline 405 |
| Result | : | No eye irritation |
| GLP | : | yes |

Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil - unspecified:

| Species | : | Rabbit |
|------------|---|-------------------------|
| Assessment | : | No eye irritation |
| Method | : | OECD Test Guideline 405 |
| Result | : | No eye irritation |
| GLP | : | yes |

Respiratory or skin sensitisation

Product:

Remarks

: This information is not available.

Components:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:

| Species : | Guinea pig |
|--------------|------------------------------------|
| Assessment : | Does not cause skin sensitisation. |
| Method : | OECD Test Guideline 406 |
| Result : | Does not cause skin sensitisation. |

Sulfonic acids, petroleum, calcium salts:

| Assessment | : | The product is a skin sensitiser, sub-category 1B. |
|------------|---|--|
|------------|---|--|

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified:





| | Revision Date: 22.02.2024 | Date of last issue: 24.01.2023 Date of first issue: 10.07.2016 | Print Date: 22.02.2024 |
|---|---|--|---|
| Specie Assess Methoo Result GLP | sment d | Guinea pig Does not cause skin sensitisatio OECD Test Guideline 406 Does not cause skin sensitisatio yes | |
| Distilla | ates (petroleum), s | olvent-dewaxed heavy paraffinic; Bas | seoil — unspecified: |
| Specie | | : Guinea pig | · |
| Assess | | : Does not cause skin sensitisation | on. |
| Method | k | : OECD Test Guideline 406 | |
| Result | | : Does not cause skin sensitisation | on. |
| GLP | | : yes | |
| Distilla | ates (petroleum), h | ydrotreated heavy naphthenic; Based | oil — unspecified: |
| Specie | S | : Guinea pig | |
| Assess | sment | : Does not cause skin sensitisation | on. |
| Method | - | : OECD Test Guideline 406 | |
| Result | | : Does not cause skin sensitisation | on. |
| Result | | | |
| | cell mutagenicity | | |
| Germ o | <u>ct:</u> | | |
| Germ o | | : Remarks: No data available | |
| Germ of Produc Genoto | <u>ct:</u> | Remarks: No data availableRemarks: No data available | |
| Germ of Product Genoto Genoto | <u>ct:</u> oxicity in vitro | | |
| Germ (Produc Genoto Genoto Compo Hydrod | <u>ct:</u> oxicity in vitro oxicity in vivo onents: carbons, C10-C13, | : Remarks: No data available n-alkanes, isoalkanes, cyclics, < 2% | |
| Germ (Produc Genoto Genoto Compo Hydrod | ct: oxicity in vitro oxicity in vivo onents: carbons, C10-C13, cell mutagenicity- | : Remarks: No data available | |
| Germ of Produc Genoto Genoto Compo Hydroo Germ of Assess | ct: oxicity in vitro oxicity in vivo onents: carbons, C10-C13, cell mutagenicity- sment | Remarks: No data available n-alkanes, isoalkanes, cyclics, < 2% Tests on bacterial or mammalia | n cell cultures did not sho |
| Germ of Genoto Genoto Compo Hydrod Germ of Assess Distilla | ct: oxicity in vitro oxicity in vivo onents: carbons, C10-C13, cell mutagenicity- sment | Remarks: No data available n-alkanes, isoalkanes, cyclics, < 2% Tests on bacterial or mammalia mutagenic effects. | n cell cultures did not sho seoil — unspecified: nurium rithout metabolic activatior |

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test





| OKS C | 70 | | | |
|----------------|---------------------------------|------------------|--|----------------------------|
| OKS 6 | 10 | | | |
| Version 2.4 | Revision Date: 22.02.2024 | | f last issue: 24.01.2023 f first issue: 10.07.2016 | Print Date: 22.02.2024 |
| | | N N | est system: Chinese hamster ov etabolic activation: with and with ethod: OECD Test Guideline 47 esult: negative | nout metabolic activation |
| Ger | notoxicity in vivo | S C A N | est Type: Micronucleus test pecies: Mouse ell type: Bone marrow pplication Route: Intraperitoneal ethod: OECD Test Guideline 47 esult: negative | |
| | m cell mutagenicity- essment | | ests on bacterial or mammalian utagenic effects. | cell cultures did not show |
| Car | cinogenicity | | | |
| Pro | duct: | | | |
| Ren | Remarks | | o data available | |
| <u>Cor</u> | nponents: | | | |
| Нус | Irocarbons, C10-C13, | n-alkane | s, isoalkanes, cyclics, < 2% ar | omatics: |
| | cinogenicity - essment | : N | ot classifiable as a human carcii | nogen. |
| Dist | tillates (petroleum), h | vdrotreat | ed heavy paraffinic; Baseoil – | - unspecified: |
| Car | cinogenicity - essment | - | ot classifiable as a human carci | • |
| Dis | tillates (petroleum), s | olvent-de | waxed heavy paraffinic; Base | oil — unspecified: |
| | cies | | ouse | |
| | lication Route | | | |
| Res | hod sult | | ECD Test Guideline 451 egative | |
| Dist | tillates (petroleum), h | ydrotreat | ed heavy naphthenic; Baseoil | — unspecified: |
| | cinogenicity - essment | : N | ot classifiable as a human carcii | nogen. |
| Rep | productive toxicity | | | |
| Pro | duct: | | | |
| Effe | ects on fertility | : R | emarks: No data available | |
| | ects on foetal elopment | : R | emarks: No data available | |





| Version | Revision Date: | Date of last issue: 24.01.2023 | Print Date: |
|---------|----------------|---------------------------------|-------------|
| 2.4 | 22.02.2024 | Date of first issue: 10.07.2016 | 22.02.2024 |

Components:

| Components: | | | | | | |
|--|---|--|--|--|--|--|
| Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics: | | | | | | |
| Reproductive toxicity - | - Fertility - | | | | | |
| Assessment | No toxicity to reproduction - Teratogenicity - | | | | | |
| | No toxicity to reproduction | | | | | |
| Distillates (petroleum), hydro | treated heavy paraffinic; Baseoil — unspecified: | | | | | |
| | - Fertility - | | | | | |
| Assessment | No toxicity to reproduction | | | | | |
| Distillates (petroleum), solver | nt-dewaxed heavy paraffinic; Baseoil — unspecified: | | | | | |
| | Species: Rat | | | | | |
| development | Application Route: Dermal | | | | | |
| | General Toxicity Maternal: NOAEL: 30 mg/kg body weight Developmental Toxicity: NOAEL: 30 mg/kg body weight | | | | | |
| | Method: OECD Test Guideline 414 | | | | | |
| | | | | | | |
| | treated heavy naphthenic; Baseoil — unspecified: | | | | | |
| Effects on foetal | Species: Rat | | | | | |
| development | Application Route: Dermal General Toxicity Maternal: LOAEL: 125 mg/kg body weight | | | | | |
| | Teratogenicity: NOAEL: >= 2.000 mg/kg body weight | | | | | |
| | Developmental Toxicity: NOAEL: >= 2.000 mg/kg body weight | | | | | |
| | Embryo-foetal toxicity: NOAEL: >= 2.000 mg/kg body weight | | | | | |
| | Method: OECD Test Guideline 414 Result: No effects on fertility and early embryonic | | | | | |
| | development were detected. | | | | | |
| Reproductive toxicity - | - Fertility - | | | | | |
| Assessment | No toxicity to reproduction | | | | | |
| | - Teratogenicity - | | | | | |
| | No toxicity to reproduction | | | | | |
| STOT - single exposure | | | | | | |
| Product: | | | | | | |
| Remarks | No data available | | | | | |
| | | | | | | |
| | | | | | | |

Components:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:





| | • | | | |
|-----------------------|---|---|---|-----------------------------------|
| (S 670 | | | | |
| sion | Revision Date: 22.02.2024 | Date of last issue: 2 Date of first issue: 1 | | Print Date: 22.02.2024 |
| Asses | sment | | e or mixture is not o , single exposure. | classified as specific target |
| Distill | lates (petroleum), h | drotreated heavy na | phthenic: Baseoi | il — unspecified: |
| | sment | : The substance | • | classified as specific target |
| sтот | - repeated exposu | e | | |
| <u>Produ</u> | <u>ict:</u> | | | |
| Rema | irks | : No data availa | ble | |
| Comp | oonents: | | | |
| Hydro | ocarbons, C10-C13 | n-alkanes, isoalkane | s, cyclics, < 2% a | romatics: |
| Asses | sment | | e or mixture is not o , single exposure. | classified as specific target |
| Distill | lates (petroleum), ł | ydrotreated heavy na | phthenic; Baseo | il — unspecified: |
| Asses | sment | | e or mixture is not o , repeated exposu | classified as specific target re. |
| Repe | ated dose toxicity | | | |
| <u>Produ</u> | <u>ict:</u> | | | |
| Rema | rks | : This information | on is not available. | |
| Aspir | ation toxicity | | | |
| <u>Produ</u> May b | <u>uct:</u> be fatal if swallowed | nd enters airways. | | |
| <u>Comp</u> | oonents: | | | |
| - | ocarbons, C10-C13 be fatal if swallowed | n-alkanes, isoalkane nd enters airways. | s, cyclics, < 2% a | romatics: |
| | l ates (petroleum), h piration toxicity class | vdrotreated heavy pa | raffinic; Baseoil · | — unspecified: |

No aspiration toxicity classification





| Version | Revision Date: | Date of last issue: 24.01.2023 | Print Date: |
|---------|----------------|---------------------------------|-------------|
| 2.4 | 22.02.2024 | Date of first issue: 10.07.2016 | 22.02.2024 |

Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified:

No aspiration toxicity classification

11.2 Information on other hazards

| Endocrine disrupting properties | | | | |
|---------------------------------|---|--|--|--|
| Product: | | | | |
| Assessment | : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. | | | |
| Further information | | | | |
| Product: | | | | |
| Remarks | : Information given is based on data on the components and | | | |

the toxicology of similar products.

SECTION 12: Ecological information

12.1 Toxicity

| Product: | | |
|---|---|----------------------------|
| Toxicity to fish | : | Remarks: No data available |
| Toxicity to daphnia and other aquatic invertebrates | : | Remarks: No data available |
| Toxicity to algae/aquatic plants | : | Remarks: No data available |
| Toxicity to microorganisms | : | Remarks: No data available |

Components:

| Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics: | | | |
|--|---|---|--|
| Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h | |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h | |

| Toxicity to algae/aquatic : plants | : | EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l |
|------------------------------------|---|--|
|------------------------------------|---|--|





| KS 67 | 0 | | | |
|-----------------|---|-----------|---|--------------------------|
| ersion 4 | Revision Date: 22.02.2024 | | e of last issue: 24.01.2023 e of first issue: 10.07.2016 | Print Date: 22.02.2024 |
| | | | Exposure time: 72 h | |
| | l lates (petroleum), hyd ity to fish | | eated heavy paraffinic; Baseoil – LC50 (Pimephales promelas (fathe Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes | ead minnow)): > 100 mg/l |
| | ity to daphnia and other tic invertebrates | · | EC50 (Daphnia magna (Water flea Exposure time: 48 h Test Type: Immobilization Method: OECD Test Guideline 20 GLP: yes | |
| aquat | ity to daphnia and other tic invertebrates nic toxicity) | : | NOEC: 10 mg/l Exposure time: 21 d Species: Daphnia magna (Water f Test Type: semi-static test Method: OECD Test Guideline 21 GLP: yes | |
| | l lates (petroleum), solv ity to fish | /ent : | -dewaxed heavy paraffinic; Based LC50 (Pimephales promelas (fath Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes | ead minnow)): > 100 mg/l |
| | ity to daphnia and other tic invertebrates | : | EC50 (Daphnia magna (Water flea Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 | |
| Toxic plants | ity to algae/aquatic | : | NOEC (Pseudokirchneriella subca mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 20 | |
| aquat | ity to daphnia and other tic invertebrates onic toxicity) | : | NOEC: 10 mg/l Exposure time: 21 d Species: Daphnia magna (Water f | ilea) |
| | | | eated heavy naphthenic; Baseoil | • |
| Toxic | ity to fish | : | LC50 (Pimephales promelas (fathe Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 | |





| UN2 010 |) | | | |
|-------------------|--|-------|---|-------------------------|
| Version 2.4 | Revision Date: 22.02.2024 | | e of last issue: 24.01.2023 e of first issue: 10.07.2016 | Print Date: 22.02.2024 |
| | | | GLP: yes | |
| | ty to daphnia and other ic invertebrates | • : | EC50 (Daphnia magna (Water flea)): Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 | > 10.000 mg/l |
| Toxici plants | ty to algae/aquatic | : | LC50 (Pseudokirchneriella subcapitat mg/l Exposure time: 72 h Method: OECD Test Guideline 201 | a (green algae)): > 100 |
| Toxici toxicit | ty to fish (Chronic y) | : | NOELR: >= 1.000 mg/l Exposure time: 28 d Species: Oncorhynchus mykiss (rainb Remarks: The value is calculated | ow trout) |
| aquat | ty to daphnia and other ic invertebrates nic toxicity) | • : | NOELR: 10 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Test Type: Reproduction Test Method: OECD Test Guideline 211 | |
| 12.2 Persi | stence and degradabi | ility | | |
| Produ | <u>ict:</u> | | | |
| Biode | gradability | : | Remarks: No data available | |
| | co-chemical /ability | : | Remarks: No data available | |
| Comp | oonents: | | | |
| Distil | lates (petroleum), hyd | rotr | eated heavy paraffinic; Baseoil — un | specified: |
| Biode | gradability | : | Test Type: aerobic Inoculum: activated sludge Result: Not rapidly biodegradable Biodegradation: 3 % Exposure time: 28 d Method: OECD Test Quideline 2018 | |

GLP: yes

Method: OECD Test Guideline 301B

| Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified: | | | |
|---|-----------------------------------|--|--|
| Biodegradability | : Test Type: aerobic | | |
| | Inoculum: activated sludge | | |
| | Result: Not rapidly biodegradable | | |
| | Biodegradation: 31 % | | |
| | Exposure time: 28 d | | |
| | Method: OECD Test Guideline 301B | | |





| OKS 67 | ' 0 | | | |
|----------------|--|------|--|------------------------------|
| Version 2.4 | Revision Date: 22.02.2024 | | te of last issue: 24.01.2023 te of first issue: 10.07.2016 | Print Date: 22.02.2024 |
| | | | GLP: yes | |
| Dist | illates (petroleum), hvd | rotr | reated heavy naphthenic; Baseoil — uns | specified: |
| | legradability | : | Test Type: aerobic Inoculum: activated sludge Result: Not rapidly biodegradable Biodegradation: 3 % Exposure time: 28 d Method: OECD Test Guideline 301B GLP: yes | |
| 12.3 Bioa | accumulative potential | | | |
| Proc | duct: | | | |
| Bioa | ccumulation | : | Remarks: This mixture contains no subsible persistent, bioaccumulating and toxic This mixture contains no substance consider persistent and very bioaccumulating (vPresistent and very bioaccumulating and toxic). | (PBT). sidered to be very |
| Com | ponents: | | | |
| Dist | illates (petroleum), hyd | rotr | eated heavy paraffinic; Baseoil — unsp | ecified: |
| | ition coefficient: n- nol/water | : | log Pow: > 2 | |
| 12.4 Mot | bility in soil | | | |
| Proc | duct: | | | |
| Mob | ility | : | Remarks: No data available | |
| | ribution among ronmental compartments | : | Remarks: No data available | |
| 12.5 Res | ults of PBT and vPvB a | isse | ssment | |
| Proc | duct: | | | |
| Asse | essment | : | This substance/mixture contains no com to be either persistent, bioaccumulative a very persistent and very bioaccumulative 0.1% or higher. | and toxic (PBT), or |
| Con | nponents: | | | |
| - | | alka | anes, isoalkanes, cyclics, < 2% aromatic | |
| Asse | essment | : | Non-classified PBT substance. Non-clas | sified vPvB substance |
| Dist | illates (petroleum), hyd | rotr | eated heavy paraffinic; Baseoil — unsp | ecified: |





| OKS 67 | 0 | | |
|----------------|--|--|------------------------|
| Version 2.4 | Revision Date: 22.02.2024 | Date of last issue: 24.01.2023Print DDate of first issue: 10.07.201622.02.2 | |
| Asse | essment | : Non-classified vPvB substance. Non-classified PE | 3T substance |
| Disti | llates (petroleum), h | drotreated heavy naphthenic; Baseoil — unspecified | : |
| | ssment | : Non-classified PBT substance. Non-classified vPv | |
| | | | |
| 12.6 End | ocrine disrupting pro | perties | |
| Prod | luct: | | |
| Asse | essment | The substance/mixture does not contain component considered to have endocrine disrupting propertie to REACH Article 57(f) or Commission Delegated (EU) 2017/2100 or Commission Regulation (EU) 2 levels of 0.1% or higher. | s according regulation |
| 12.7 Othe | er adverse effects | | |
| | l <u>uct:</u> tional ecological mation | : No information on ecology is available. | |

SECTION 13: Disposal considerations

| 13.1 Waste treatment methods | |
|------------------------------|--|
| Product : | The product should not be allowed to enter drains, water courses or the soil. Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations. |
| | Waste codes should be assigned by the user based on the application for which the product was used. |
| Contaminated packaging : | Packaging that is not properly emptied must be disposed of as the unused product. Dispose of waste product or used containers according to local regulations. |
| | The following Waste Codes are only suggestions: |
| Waste Code : | unused product 13 02 05**, mineral-based non-chlorinated engine, gear and lubricating oils |
| | uncleaned packagings 15 01 10*, packaging containing residues of or contaminated by hazardous substances |





| Version | Revision Date: | Date of last issue: 24.01.2023 | Print Date: |
|---------|----------------|---------------------------------|-------------|
| 2.4 | 22.02.2024 | Date of first issue: 10.07.2016 | 22.02.2024 |

SECTION 14: Transport information

| 14.1 UN number or ID number | | |
|---------------------------------|---|-----------------------------------|
| ADN | : | Not regulated as a dangerous good |
| ADR | : | Not regulated as a dangerous good |
| RID | : | Not regulated as a dangerous good |
| IMDG | : | Not regulated as a dangerous good |
| ΙΑΤΑ | : | Not regulated as a dangerous good |
| 14.2 UN proper shipping name | | |
| ADN | : | Not regulated as a dangerous good |
| ADR | : | Not regulated as a dangerous good |
| RID | : | Not regulated as a dangerous good |
| IMDG | : | Not regulated as a dangerous good |
| ΙΑΤΑ | : | Not regulated as a dangerous good |
| 14.3 Transport hazard class(es) | | |
| ADN | : | Not regulated as a dangerous good |
| ADR | : | Not regulated as a dangerous good |
| RID | : | Not regulated as a dangerous good |
| IMDG | : | Not regulated as a dangerous good |
| ΙΑΤΑ | : | Not regulated as a dangerous good |
| 14.4 Packing group | | |
| ADN | : | Not regulated as a dangerous good |
| ADR | : | Not regulated as a dangerous good |
| RID | : | Not regulated as a dangerous good |
| IMDG | : | Not regulated as a dangerous good |
| IATA (Cargo) | : | Not regulated as a dangerous good |
| IATA (Passenger) | : | Not regulated as a dangerous good |
| 14.5 Environmental hazards | | |
| ADN | : | Not regulated as a dangerous good |
| ADR | : | Not regulated as a dangerous good |
| RID | : | Not regulated as a dangerous good |
| | | |





| Version 2.4 | Revision Date: 22.02.2024 | Date of last issue: 24.01.2023 Date of first issue: 10.07.2016 | Print Date: 22.02.2024 |
|----------------|---------------------------|---|------------------------|
| | | | |

IMDG

: Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Remarks

: Not applicable for product as supplied.

SECTION 15: Regulatory information

| 15.1 Safety, health and environmental regulations/legislati mixture | ion | specific for the substance or |
|---|-----|---|
| REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) | : | Conditions of restriction for the following entries should be considered: Number on list 3 |
| REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC) | : | This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57). |
| Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009) | : | Not applicable |
| Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP) | : | Not applicable |
| Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals (EU PIC) | : | Not applicable |
| Regulation (EU) 2019/1148 on the marketing and use of explosives precursors | : | Not applicable |
| Seveso III: Directive 2012/18/EU of the European 34 Parliament and of the Council on the control of major-accident hazards involving dangerous substances. | | Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same |





| OKS 67 | 0 | | |
|----------------|------------------------------|--|---|
| Version 2.4 | Revision Date: 22.02.2024 | Date of last issue: 24.01.202 Date of first issue: 10.07.207 | |
| | | | purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a) to (d) |
| | er hazard class many) | : WGK 1 slightly hazardo Classification according | ous to water g to AwSV, Annex 1 (5.2) |
| TA Li | uft List (Germany) | 5.2.1: Total dust: others: 3,07 % 5.2.2: Inorganic substat Not applicable 5.2.4: Inorganic substat Not applicable 5.2.7.1.1: Carcinogenic Not applicable 5.2.7.1.2: Germ cell mu Not applicable 5.2.7.1.3: Substances to Not applicable | substance: utagens: |
| Volat | ile organic compounds | emissions (integrated p | f 24 November 2010 on industrial follution prevention and control) unds (VOC) content: 61,84 % |

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

| Full text of H-Statements | | |
|----------------------------------|---|---|
| EUH066 H304 H317 EUH066 | : | Repeated exposure may cause skin dryness or cracking. May be fatal if swallowed and enters airways. May cause an allergic skin reaction. Repeated exposure may cause skin dryness or cracking. |

Full text of other abbreviations

Note L

: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of





| UNC | 010 | | | | |
|--|-----|------------------------|---|--|--|
| Version Revision Date: 2.4 22.02.2024 | | | e of last issue: 24.01.2023 e of first issue: 10.07.2016 | Print Date: 22.02.2024 | |
| I | | GS 900 GS 900 / AGW | : | dimethyl sulphoxide extract as me ("Determination of polycyclic arom base oils and asphaltene free petr sulphoxide extraction refractive ind Petroleum, London), in which case accordance with Title II of this Reg also for that hazard class. The harmonised classification as a applies unless it can be shown tha less than 0,1 % w/w benzene (Ein case a classification in accordance Regulation shall be performed also Where the substance is not classif mutagen, at least the precautionar P262-P301 + P310-P331 shall app Germany. TRGS 900 - Occupation Time Weighted Average | atics in unused lubricating oleum fractions - Dimethyl dex method"Institute of e a classification in gulation shall be performed a carcinogen or mutagen at the substance contains ecs No 200-753-7), in which e with Title II of this o for those hazard classes. fied as a carcinogen or ry statements (P102-)P260- oly. |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response: ELx - Loading rate associated with x% response: EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response: GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative





| Version 2.4 | Revision Date: 22.02.2024 | Date of last issue: 24.01.2023 Date of first issue: 10.07.2016 | Print Date: 22.02.2024 | |
|----------------|---------------------------|---|------------------------|--|
| | | | | |

H304

Further information Classification of the mixture:

Classification procedure:

Asp. Tox. 1

Based on product data or assessment

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

