

Version	Revision Date:	Date of last issue: 24.01.2023	Print Date:
2.4	22.02.2024	Date of first issue: 10.07.2016	22.02.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier				
	Product name	:	OKS 670		
12	Relevant identified uses of th		ubstance or mixture and uses advised against		
1.2	Use of the		Lubricant		
	Substance/Mixture	•	Lubricant		
	Recommended restrictions on use	:	Restricted to professional users.		
1.3 Details of the supplier of the safety data sheet					
	Company	:	OKS Spezialschmierstoffe GmbH		
			Ganghoferstr. 47 D-82216 Maisach-Gernlinden		
			Tel.: +49 8142 3051 500		
			Fax.: +49 8142 3051 599		
			info@oks-germany.com		
	E-mail address of person	:	mcm@oks-germany.com		
	responsible for the SDS				
	National contact	:			
		•			

1.4 Emergency telephone number

Emergency telephone	: +33 1 45 42 59 59
number	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)				
Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters airways.			

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 - FR

(Commission Regulation (EC) No. 1907/2006 - F



OKS 670

Version 2.4	Revision Date: 22.02.2024		ate of last issue: 24. ate of first issue: 10.	0	Print Date: 22.02.2024
Hazard pictograms		:			
Sigr	nal word	:	Danger		
Haz	ard statements	:	H304	May be fatal if swallow airways.	ed and enters
	plemental Hazard ements	:	EUH066	Repeated exposu dryness or cracking.	re may cause skin
Pred	cautionary statements	:	Response: P301 + P310 P331 Storage:	IF SWALLOWED: Imm POISON CENTER/ do Do NOT induce vomiti	ctor.
			P405	Store locked up.	

Hazardous components which must be listed on the label:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Additional Labelling

EUH208

8 Contains Sulfonic acids, petroleum, calcium salts. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



OKS 670

2.422.02.2024Date of first issue: 10.07.201622.02.2024

Chemical nature

: Mineral oil. solid lubricant

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
Hydrocarbons, C10- C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	918-481-9 01-2119457273-39- XXXX	Asp. Tox.1; H304; EUH066 ; EUH066	Note PNote P	>= 50 - < 70
Sulfonic acids, petroleum, calcium salts	61789-86-4 263-093-9 01-2119488992-18- 0000	Skin Sens.1B; H317	>= 10 % Skin Sens.1B,	>= 1 - < 10
Substances with a work				
calcium carbonate	471-34-1 207-439-9 01-2119486795-18- 0000	Not classified		>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled

Remove person to fresh air. If signs/symptoms continue, get medical attention.
 Keep patient warm and at rest.
 If unconscious, place in recovery position and seek medical advice.
 Keep respiratory tract clear.
 If breathing is irregular or stopped, administer artificial





OKS 6	OKS 670					
Version 2.4	Revision Date: 22.02.2024	Date of last issue: 24.01.2023 Date of first issue: 10.07.2016	Print Date: 22.02.2024			
		respiration.				
In c	ase of skin contact	 Take off all contaminated clothing in Get medical attention immediately if persists. Wash clothing before reuse. Thoroughly clean shoes before reuse Wash skin thoroughly with soap and skin cleanser. 	irritation develops and se.			
In c	ase of eye contact	: Rinse immediately with plenty of wa for at least 10 minutes. Seek medical advice.	ter, also under the eyelids,			
lf sv	wallowed	 Move the victim to fresh air. If unconscious, place in recovery por advice. Keep respiratory tract clear. Do NOT induce vomiting. Obtain medical attention. Rinse mouth with water. Never give anything by mouth to an Aspiration hazard if swallowed - car damage. 	unconscious person.			
4.2 Mos	t important symptom	s and effects, both acute and delayed				
Syn	nptoms	: Skin contact may provoke the follow Erythema	ving symptoms:			
		Aspiration may cause pulmonary oe	dema and pneumonitis.			
Ris	ks	: Can be absorbed through skin. Risk of product entering the lungs o Health injuries may be delayed.	n vomiting after ingestion.			
4.3 Indie	cation of any immedia	ate medical attention and special treatment	nt needed			
Tre	atment	: Treat symptomatically.				

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	:	High volume water jet





Versio 2.4	on Revision Date: 22.02.2024		e of last issue: 24.01.2023 e of first issue: 10.07.2016	Print Date: 22.02.2024
ŀ	pecial hazards arising from Hazardous combustion products	n the :	e substance or mixture Carbon oxides Nitrogen oxides (NOx) Sulphur oxides Metal oxides	
5.3 A	dvice for firefighters			
	Special protective equipment or firefighters	: :	In the event of fire, wear self-contained to Use personal protective equipment. Exp decomposition products may be a hazar	osure to
F	Further information	:	Standard procedure for chemical fires. Cool containers/tanks with water spray.	

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

-	
Personal precautions	 Evacuate personnel to safe areas. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Do not breathe vapours or spray mist. Refer to protective measures listed in sections 7 and 8.
6.2 Environmental precautions	
Environmental precautions	 Try to prevent the material from entering drains or water courses. Prevent further leakage or spillage if safe to do so. Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	: Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Non-sparking tools should be used.
-------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

6.4 Reference to other sections

For personal protection see section 8.





Version	Revision Date:	Date of last issue: 24.01.2023	Print Date:
2.4	22.02.2024	Date of first issue: 10.07.2016	22.02.2024

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Do not use in areas without adequate ventilation. Do not breathe vapours or spray mist. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin and eyes. For personal protection see section 8. Keep away from fire, sparks and heated surfaces. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Wash hands and face before breaks and immediately after handling the product. Ensure all equipment is electrically grounded before beginning transfer operations. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not ingest. Do not enter areas where used or stored until adequately ventilated. Do not repack. Do not re-use empty containers. These safety instructions also apply to empty packaging which may still contain product residues. Keep container closed when not in use.
Advice on protection against fire and explosion	:	Keep away from heat and sources of ignition.
Hygiene measures	:	Wash face, hands and any exposed skin thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Do not store together with oxidizing and self-igniting products. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.
-----------------------------------------------	---	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

7.3 Specific end use(s) Specific use(s)

: Specific instructions for handling, not required.





Version	Revision Date:	Date of last issue: 24.01.2023	Print Date:
2.4	22.02.2024	Date of first issue: 10.07.2016	22.02.2024

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis			
Hydrocarbons, C10-C13, n- alkanes, isoalkanes, cyclics, < 2% aromatics	Not Assigned	VMETime Weighted Average (Vapour)	1.000 mg/m3	FR VLE (2016-10-01)			
	Further inform	Further information: Indicative exposure limits					
		VLCT (VLE)Short Term Exposure Limit (Vapour)	1.500 mg/m3	FR VLE (2016-10-01)			
	Further information: Indicative exposure limits						
calcium carbonate	471-34-1	VMETime Weighted Average	10 mg/m3	FR VLE (2007-12-01)			
	Further information: Indicative exposure limits						

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	Workers	Inhalation	Long-term local effects	5,58 mg/m3
	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,97 mg/kg
Distillates (petroleum), solvent- dewaxed heavy paraffinic; Baseoil — unspecified	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,97 mg/kg
Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified	Workers	Inhalation	Long-term local effects	5,58 mg/m3
	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
	Workers	Skin contact	Long-term systemic	0,97 mg/kg



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



OKS 670)						
/ersion 2.4	Revision Date: 22.02.2024	2 0.10 0.		e: 24.01.2023 e: 10.07.2016		Print 22.02	Date: 2.2024
					effects		
Predi	cted No Effect Con	centration	(PNEC)	according to	Regulation	(EC) No. ⁻	1907/2006:
Subst	ance name	E	Invironme	ental Comparti	ment		Value
hydro	ates (petroleum), treated heavy paraff pil — unspecified	-	Dral	·			9,33 mg/kg
Distilla dewa	ates (petroleum), sol xed heavy paraffinic; pil — unspecified		Dral				9,33 mg/kg
hydro	ates (petroleum), treated heavy napht oil — unspecified	-	Dral				9,33 mg/kg
.2 Expos	ure controls						
•	neering measures	on system					
Perso	onal protective equi ace protection	ipment	fety glass	ses with side-s	hields		

Hand protection Material Break through time Protective index		butyl-rubber > 10 min Class 1
Remarks	:	Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.
Skin and body protection	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Filter type	:	Filter type A-P
Protective measures	:	The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.





Version	Revision Date:	Date of last issue: 24.01.2023	Print Date:
2.4	22.02.2024	Date of first issue: 10.07.2016	22.02.2024

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	beige
Odour	:	hydrocarbon-like
Odour Threshold	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	200 °C (1.013 hPa)
Flammability (solid, gas)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	7,0 %(V)
Lower explosion limit / Lower flammability limit	:	0,6 %(V)
Flash point	:	64 °C Method: DIN 51758, Pensky-Martens closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	Not applicable substance/mixture is non-polar/aprotic
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	18 mm2/s (40 °C)
Solubility(ies) Water solubility	:	insoluble
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



OKS 670

Version 2.4	Revision Date: 22.02.2024	Date of last issue: 24.01.2023 Date of first issue: 10.07.2016	Print Date: 22.02.2024
Vap	oour pressure	: < 1.100 hPa (20 °C)	
Rela	ative density	: 0,8223 (20 °C) Reference substance: Water The value is calculated	
Der	nsity	: 0,82 g/cm3 (20 °C)	
Bull	< density	: No data available	
Rela	ative vapour density	: No data available	
9.2 Othe	er information		
Exp	losives	: Not explosive	
Oxi	dizing properties	: No data available	
Self	ignition	: No data available	
Met	al corrosion rate	: Not corrosive to metals	
Eva	poration rate	: No data available	
Sub	limation point	: No data available	

SECTION 40. Stabilit -.....

SECTION 10: Stability and rea	ctivity
10.1 Reactivity No hazards to be specially me	ntioned
10.2 Chemical stability Stable under normal conditions	
10.3 Possibility of hazardous rea Hazardous reactions	tions : No dangerous reaction known under conditions of normal use.
10.4 Conditions to avoid Conditions to avoid	: Heat, flames and sparks.
10.5 Incompatible materials Materials to avoid	: Oxidizing agents

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.





Version	Revision Date:	Date of last issue: 24.01.2023	Print Date:
2.4	22.02.2024	Date of first issue: 10.07.2016	22.02.2024

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity		
<u>Product:</u> Acute oral toxicity	:	Remarks: This information is not available.
Acute inhalation toxicity	:	Remarks: This information is not available.
Acute dermal toxicity	:	Remarks: Prolonged or repeated skin contact with liquid may cause defatting resulting in drying, redness and possible blistering.
		Symptoms: Skin disorders
Components:		
Hydrocarbons, C10-C13, n-	alka	anes, isoalkanes, cyclics, < 2% aromatics:
Acute oral toxicity	:	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401
Acute dermal toxicity	:	LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 402
calcium carbonate:		
Acute oral toxicity	:	LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 420 GLP: yes Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	:	LC50 (Rat): > 3 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 GLP: yes Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rat): > 2.000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity





	Revision Date: 22.02.2024	Date of last issue: 24.01.2023 Date of first issue: 10.07.2016	Print Date: 22.02.2024
Skin	corrosion/irritation		
Drod	uat		
Prod		This information is not evailable	
Rema	arks	: This information is not available.	
<u>Com</u>	ponents:		
-		, n-alkanes, isoalkanes, cyclics, < 2% ar	omatics:
Spec		: Rabbit	
	ssment	: No skin irritation	
Meth		: OECD Test Guideline 404	
Resu	It	: Mild skin irritation	
Resu	lt	: Repeated exposure may cause sl	kin dryness or cracking
calci	um carbonate:		
Spec	ies	: Rabbit	
	ssment	: No skin irritation	
Meth		: OECD Test Guideline 404	
Resu	lt	: No skin irritation	
GLP		: yes	
		irritation	
Seric	ous eye damage/eye		
Seric <u>Prod</u>			
	uct:	: This information is not available.	
<u>Prod</u> Rema	uct:		
<u>Prod</u> Rema <u>Com</u>	uct: arks ponents:		omatics:
<u>Prod</u> Rema <u>Com</u>	<u>uct:</u> arks ponents: ocarbons, C10-C13	: This information is not available. , n-alkanes, isoalkanes, cyclics, < 2% ar : Rabbit	omatics:
Prod Rema Com Hydr Spec Asse	<u>uct:</u> arks ponents: ocarbons, C10-C13 ies ssment	: This information is not available. , n-alkanes, isoalkanes, cyclics, < 2% ar : Rabbit : No eye irritation	omatics:
Prod Rema Com Hydr Spec Asse Meth	<u>uct:</u> arks ponents: ocarbons, C10-C13 ies ssment od	 This information is not available. , n-alkanes, isoalkanes, cyclics, < 2% ar Rabbit No eye irritation OECD Test Guideline 405 	omatics:
Prod Rema Com Hydr Spec Asse	<u>uct:</u> arks ponents: ocarbons, C10-C13 ies ssment od	: This information is not available. , n-alkanes, isoalkanes, cyclics, < 2% ar : Rabbit : No eye irritation	omatics:
Prod Rema Com Hydr Spec Asse Meth Resu	<u>uct:</u> arks ponents: ocarbons, C10-C13 ies ssment od	 This information is not available. , n-alkanes, isoalkanes, cyclics, < 2% ar Rabbit No eye irritation OECD Test Guideline 405 	omatics:
Prod Rema Com Hydr Spec Asse Meth Resu Calci Spec	uct: arks ponents: ocarbons, C10-C13, ies ssment od lt um carbonate: ies	 : This information is not available. , n-alkanes, isoalkanes, cyclics, < 2% ar : Rabbit : No eye irritation : OECD Test Guideline 405 : No eye irritation : No eye irritation 	omatics:
Prod Rema Com Hydr Spec Asse Meth Resu Calci Spec Asse	uct: arks ponents: ocarbons, C10-C13 ies ssment od lt um carbonate: ies ssment	 This information is not available. , n-alkanes, isoalkanes, cyclics, < 2% ar Rabbit No eye irritation OECD Test Guideline 405 No eye irritation Rabbit Rabbit No eye irritation 	omatics:
Prod Rema Com Hydr Spec Asse Meth Spec Asse Meth	uct: arks ponents: ocarbons, C10-C13 ies ssment od It um carbonate: ies ssment od	 This information is not available. n-alkanes, isoalkanes, cyclics, < 2% ar Rabbit No eye irritation OECD Test Guideline 405 No eye irritation Rabbit No eye irritation OECD Test Guideline 405 	omatics:
Prod Rema Com Hydr Spec Asse Meth Resu Spec Asse Meth Resu	uct: arks ponents: ocarbons, C10-C13 ies ssment od It um carbonate: ies ssment od	 This information is not available. n-alkanes, isoalkanes, cyclics, < 2% ar Rabbit No eye irritation OECD Test Guideline 405 No eye irritation Rabbit No eye irritation OECD Test Guideline 405 No eye irritation No eye irritation OECD Test Guideline 405 No eye irritation 	omatics:
Prod Rema Com Hydr Spec Asse Meth Spec Asse Meth	uct: arks ponents: ocarbons, C10-C13 ies ssment od It um carbonate: ies ssment od	 This information is not available. n-alkanes, isoalkanes, cyclics, < 2% ar Rabbit No eye irritation OECD Test Guideline 405 No eye irritation Rabbit No eye irritation OECD Test Guideline 405 	omatics:
Prod Rema Com Hydr Spec Asse Meth Resu Calci Spec Asse Meth Resu GLP	uct: arks ponents: ocarbons, C10-C13 ies ssment od It um carbonate: ies ssment od	 This information is not available. n-alkanes, isoalkanes, cyclics, < 2% ar Rabbit No eye irritation OECD Test Guideline 405 No eye irritation Rabbit No eye irritation OECD Test Guideline 405 No eye irritation OECD Test Guideline 405 No eye irritation Yes 	omatics:
Prod Rema Com Hydr Spec Asse Meth Resu Calci Spec Asse Meth Resu GLP	uct: arks ponents: ocarbons, C10-C13 ies ssment od lt um carbonate: ies ssment od lt it	 This information is not available. n-alkanes, isoalkanes, cyclics, < 2% ar Rabbit No eye irritation OECD Test Guideline 405 No eye irritation Rabbit No eye irritation OECD Test Guideline 405 No eye irritation OECD Test Guideline 405 No eye irritation Yes 	romatics:





KS 67	0							
ersion 4	Revision Date: 22.02.2024		e of last issue: 24.01.2023 e of first issue: 10.07.2016	Print Date: 22.02.2024				
<u>Com</u>	ponents:							
Hydr	ocarbons, C10-C13	, n-alka	nes, isoalkanes, cyclics, < 2% ar	romatics:				
Spec	ies	:	Guinea pig					
	ssment	:	Does not cause skin sensitisation.OECD Test Guideline 406					
Meth		:						
Resu	lit	:	Does not cause skin sensitisation					
Sulfo	onic acids, petroleu	m, calc	ium salts:					
Asse	ssment	:	The product is a skin sensitiser, s	ub-category 1B.				
calci	um carbonate:							
Spec	ies	:	Mouse					
Asse	ssment	:	Does not cause skin sensitisation					
Meth		:	: Tested according to Annex V of Directive 67/548/EEC.					
Resu	lit	•	Does not cause skin sensitisation					
Germ cell mutagenicity								
Prod	uct:							
Geno	otoxicity in vitro	:	Remarks: No data available					
Geno	otoxicity in vivo	:	Remarks: No data available					
<u>Com</u>	ponents:							
Hydr	ocarbons, C10-C13	, n-alka	nes, isoalkanes, cyclics, < 2% ar	romatics:				
	n cell mutagenicity-	:	Tests on bacterial or mammalian					
	ssment		mutagenic effects.					
Carc	inogenicity							
<u>Prod</u>	uct:							
Rema	arks	:	No data available					
<u>Com</u>	ponents:							
Hydr	ocarbons C10-C13	n-alka	nes, isoalkanes, cyclics, < 2% ar	romatics:				
-	inogenicity -	; 11-aika :	Not classifiable as a human carci					
	ssment	•		nogen.				
Repr	oductive toxicity							
Prod	-							
	ts on fertility	•	Remarks: No data available					
		•						





(S 67)	0		
rsion	Revision Date: 22.02.2024	Date of last issue: 24.01.2023 Date of first issue: 10.07.2016	Print Date: 22.02.2024
	ts on foetal opment	: Remarks: No data available	9
Com	ponents:		
Hydr	ocarbons, C10-C13	, n-alkanes, isoalkanes, cyclics, <	2% aromatics:
	oductive toxicity -	: - Fertility -	
Asse	ssment	No toxicity to reproduction - Teratogenicity -	
		No toxicity to reproduction	
STO	Г - single exposure		
Prod	uct:		
Rema	arks	: No data available	
<u>Com</u>	ponents:		
Hydr	ocarbons, C10-C13	, n-alkanes, isoalkanes, cyclics, <	2% aromatics:
Asse	ssment	: The substance or mixture is organ toxicant, single expos	s not classified as specific targe sure.
STO	F - repeated exposu	re	
Prod	uct:		
Rema	arks	: No data available	
Com	ponents:		
Hydr	ocarbons, C10-C13	, n-alkanes, isoalkanes, cyclics, <	2% aromatics:
Asse	ssment	: The substance or mixture is organ toxicant, single expos	s not classified as specific targe sure.
Repe	ated dose toxicity		
Drod	uct:		
FIOU			
Rema		: This information is not avail	able.
Rema		: This information is not avail	adle.





Version	Revision Date:	Date of last issue: 24.01.2023	Print Date:
2.4	22.02.2024	Date of first issue: 10.07.2016	22.02.2024

Components:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:

May be fatal if swallowed and enters airways.

11.2 Information on other hazards

Endocrine disrupting properties

Assessment	: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Further information	
Product:	

the toxicology of similar products.

Information given is based on data on the components and

Remarks

Components:	
calcium carbonate:	
Remarks	: Information given is based on data on the components and the toxicology of similar products.

SECTION 12: Ecological information

12.1 Toxicity

<u>Product:</u> Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available

:

Components:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:



OK	OKS 670						
Ver 2.4	sion	Revision Date: 22.02.2024		e of last issue: 24.01.2023 e of first issue: 10.07.2016	Print Date: 22.02.2024		
	ExposToxicity to daphnia and other aquatic invertebrates:EC50 ExposToxicity to algae/aquatic plants:EC50 mg/l Exposcalcium carbonate: Toxicity to fish:LC50 Expos Test T Method 		:	: LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 m Exposure time: 96 h			
			:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h			
			:				
			:	LC50 (Oncorhynchus mykiss (rainbow th Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203 GLP: yes	rout)): > 100 mg/l		
			EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Test Type: semi-static test Method: OECD Test Guideline 202 GLP: yes				
12.	12.2 Persistence and degradability						
	<u>Produ</u> Biodeg	ct: Jradability	:	Remarks: No data available			
	Physic remova	o-chemical ability	:	Remarks: No data available			
	Components:						
	calcium carbonate: Biodegradability		:	Remarks: The methods for determining biodegradabilit not applicable to inorganic substances.			
12.	3 Bioac	cumulative potential					
	<u>Produ</u> Bioacc	<u>ct:</u> umulation	:	Remarks: This mixture contains no subs be persistent, bioaccumulating and toxic This mixture contains no substance con persistent and very bioaccumulating (vP	c (PBT). sidered to be very		

12.4 Mobility in soil

Product:





Revision Date: 22.02.2024		e of last issue: 24.01.2023 Print Date: e of first issue: 10.07.2016 22.02.2024
у	:	Remarks: No data available
	: nts	Remarks: No data available
ts of PBT and vPvB	asses	ssment
<u>ct:</u>		
sment	:	This substance/mixture contains no components considere to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels o 0.1% or higher.
onents:		
carbons, C10-C13,	n-alka	nes, isoalkanes, cyclics, < 2% aromatics:
sment	:	Non-classified PBT substance. Non-classified vPvB substa
m carbonate:		
sment	:	Non-classified PBT substance. Non-classified vPvB substa
crine disrupting pro	pertie	S
<u>ct:</u>		
sment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties accordit to REACH Article 57(f) or Commission Delegated regulatio (EU) 2017/2100 or Commission Regulation (EU) 2018/605 levels of 0.1% or higher.
adverse effects		
<u>ct:</u>	:	No information on ecology is available.
	y ution among nmental compartmer ts of PBT and vPvB <u>ct:</u> sment <u>onents:</u> carbons, C10-C13, sment m carbonate: sment	y : ution among : nmental compartments ts of PBT and vPvB asses <u>ct:</u> sment : <u>onents:</u> carbons, C10-C13, n-alka sment : m carbonate: sment : crine disrupting properties <u>ct:</u> sment :

Product

The product should not be allowed to enter drains, water : courses or the soil. Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.





OKS 670	OKS 670				
Version 2.4	Revision Date: 22.02.2024	Date of last issue: 24.01.2023Print Date:Date of first issue: 10.07.201622.02.2024			
		Waste codes should be assigned by the user based on the application for which the product was used.			
Contaminated packaging		 Packaging that is not properly emptied must be disposed of the unused product. Dispose of waste product or used containers according to local regulations. 	as		
		The following Waste Codes are only suggestions:			
Waste Code :		 unused product 13 02 05**, mineral-based non-chlorinated engine, gear and lubricating oils 	t		
		uncleaned packagings 15 01 10*, packaging containing residues of or contaminated by hazardous substances			

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good





	0					
Version 2.4	Revision Date: 22.02.2024		Date: 2.2024			
14.4 Pack	ing group					
ADN		: Not regulated as a dangerous good				
ADR		: Not regulated as a dangerous good	: Not regulated as a dangerous good			
RID		: Not regulated as a dangerous good				
IMDO	6	: Not regulated as a dangerous good				
ΙΑΤΑ	(Cargo)	: Not regulated as a dangerous good	: Not regulated as a dangerous good			
ΙΑΤΑ	(Passenger)	: Not regulated as a dangerous good				
14.5 Envi	ronmental hazards					
ADN		: Not regulated as a dangerous good				
ADR		: Not regulated as a dangerous good				
RID		: Not regulated as a dangerous good				
IMDG : Not regulated as a dangerous good						
•	cial precautions for a pplicable	user				
14.7 Mari	time transport in bu	Ik according to IMO instruments				
Rema	arks	: Not applicable for product as supplied.				
SECTIO	N 15: Regulatory in	nformation				
15.1 Safe mixture	ty, health and enviro	onmental regulations/legislation specific for the subs	stance or			
the m		the manufacture, placing on tain dangerous substances, ex XVII) : Conditions of restrict following entries sho considered: Number on list 3				
REA	CH - Candidate List o	of Substances of Verv High : This product does no	ot contain			

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009)

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP)

- This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
- : Not applicable

: Not applicable

Regulation (EC) No 649/2012 of the European

: Not applicable





OKS 670				
Version 2.4	Revision Date: 22.02.2024		e of last issue: 24.01.2023 e of first issue: 10.07.2016	Print Date: 22.02.2024
	ment and the Council o t of dangerous chemica PIC)		erning the export and	
	ation (EU) 2019/1148 o sives precursors	on th	e marketing and use of :	Not applicable
Parlia major	so III: Directive 2012/18 ment and of the Counc -accident hazards invo ances.	il on	the control of	Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heatin oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a) to (d)
	oational Illnesses (R- , France)	:	84, 36, 36 bis, 34	
	orced medical vision (R4624-18)	:	The product has no CMR	properties
protec	ations classified for the ction of the environmen onment Code R511-9)	nt	1436, 4734	
Volati	le organic compounds	:	emissions (integrated pollu	4 November 2010 on industrial ution prevention and control) ds (VOC) content: 61,84 %

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

EUH066	: Repeated exposure may cause skin dryness or cracking.
H304	: May be fatal if swallowed and enters airways.
H317	: May cause an allergic skin reaction.
EUH066	: Repeated exposure may cause skin dryness or cracking.





Version	Revision Date:	Date of last issue: 24.01.2023	Print Date:
2.4	22.02.2024	Date of first issue: 10.07.2016	22.02.2024

Full text of other abbreviations

Note P	The harmonised classification as a carcinogen or mutagen applies unless it can be shown that the substance contains less than 0,1 % w/w benzene (Einecs No 200-753-7), in which case a classification in accordance with Title II of this Regulation shall be performed also for those hazard classes. Where the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-)P260- P262-P301 + P310-P331 shall apply.
	France. Occupational Exposure Limits
	Time Weighted Average
FR VLE / VLCT (VLE)	Short Term Exposure Limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population: LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail: SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative





Version 2.4	Revision Date: 22.02.2024	Date of last issue: 24.01.2023 Date of first issue: 10.07.2016	Print Date: 22.02.2024

H304

Further information Classification of the mixture:

Classification procedure:

Asp. Tox. 1

Based on product data or assessment

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

