according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 671

Version	Revision Date:	Date of last issue: 06.09.2021	Print Date:
3.3	06.02.2023	Date of first issue: 10.07.2016	07.02.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Product name	: OKS 671
T Toddot name	
1.2 Relevant identified uses of the	substance or mixture and uses advised against
Use of the Sub- stance/Mixture	: Lubricant
Recommended restrictions on use	: Restricted to professional users.
1.3 Details of the supplier of the s	afety data sheet
Company	: OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com
E-mail address of person responsible for the SDS	: mcm@oks-germany.com Material Compliance Management
National contact	: EagleBurgmann Hungaria Kft. Népfürdő utca 22 1138 Budapest Hungary Tel.: +36 1 814 8160 Fax: +36 1 319 8125 info.hu@eagleburgmann.com
1.4 Emergency telephone number	
Emergency telephone num-	: 0049 (0) 8142-3051-517

Emergency telephone num-	:	0049 (0) 8142-3051-517
ber		Egészségügyi Toxikológiai Tájékoztató Szolgálat (ETTSZ)
		H-1096 Budapest, Nagyvárad tér 2.
		Tel: +36 1 476 6464, +36 80 201 199

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 671

Versio 3.3	'n	Revision Date: 06.02.2023			ue: 06.09.2021 ue: 10.07.2016	Print Date: 07.02.2023
A	eroso	ls, Category 1			H222: Extremely flamma H229: Pressurised conta	able aerosol. ainer: May burst if heated.
As	spirat	ion hazard, Category	' 1		H304: May be fatal if sw ways.	allowed and enters air-
2.2 La	bel el	lements				
La	abelli	ng (REGULATION (EC)	No 1272/20	08)	
H	azard	l pictograms	:			
Si	ignal	word	:	Danger		
H	azard	statements	:	H222 H229 H304		nable aerosol. tainer: May burst if heated. wallowed and enters air-
	upple tatem	mental Hazard ents	:	EUH066	Repeated e dryness or crack	xposure may cause skin king.
Pi	recau	tionary statements	:	Preventio	n:	
				P210		heat, hot surfaces, sparks, d other ignition sources. No
				P211		an open flame or other
				P251		burn, even after use.
				Response		
				P301 + P3	POISON CENT	
				P331	Do NOT induce	vomiting.
				Storage:		
				P410 + P4	12 Protect from sur temperatures ex	nlight. Do not expose to aceeding 50 °C/ 122 °F.

Hazardous components which must be listed on the label:

Naphtha (petroleum), hydrotreated heavy; Low boiling point ydrogen treated naphtha

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 671

Version	Revision Date:	Date of last issue: 06.09.2021	Print Date:
3.3	06.02.2023	Date of first issue: 10.07.2016	07.02.2023

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Active substance with propellant Mineral oil. solid lubricant

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concen- tration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
Naphtha (petroleum), hydrotreated heavy; Low boiling point ydrogen treated naph- tha	64742-48-9 265-150-3 649-327-00-6	Asp. Tox.1; H304; EUH066 ; EUH066	Note PNote P	>= 30 - < 50
propane	74-98-6 200-827-9 601-003-00-5 01-2119486944-21- XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1)	>= 1 - < 10
isobutane	75-28-5 200-857-2 601-004-00-0 01-2119485395-27- XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1), Note C	>= 1 - < 10
Sulfonic acids, petro- leum, calcium salts	61789-86-4 263-093-9 01-2119488992-18- 0000	Skin Sens.1B; H317	>= 10 % Skin Sens.1B,	>= 0,1 - < 1



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 671

Version 3.3	Revision Da 06.02.2023		ssue: 06.09.2021 ssue: 10.07.2016		Date: 2.2023
Substance	es with a work	place exposure limit :			
butane		106-97-8 203-448-7 601-004-00-0 01-2119474691-32- XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1), Note C	>= 30 - < 50
distillates (petroleum), hydrotreated heavy paraffinic		64742-54-7 265-157-1 649-467-00-8 01-2119484627-25- XXXX	Not classified	Note L	>= 1 - < 10
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified		64742-65-0 265-169-7 649-474-00-6 01-2119471299-27- XXXX	Not classified	Note L	>= 1 - < 10
Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified		64742-52-5 265-155-0 649-465-00-7 01-2119467170-45- XXXX	Not classified	Note L	>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled	:	Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respira- tion.
In case of skin contact	:	Take off all contaminated clothing immediately.



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 671

Version 3.3	Revision Date: 06.02.2023	Date of last issue: 06.09.2021 Date of first issue: 10.07.2016	Print Date: 07.02.2023
		Get medical attention immediate persists. Wash clothing before reuse. Thoroughly clean shoes before Wash skin thoroughly with soap skin cleanser.	reuse.
In cas	se of eye contact	: Rinse immediately with plenty of for at least 10 minutes. Seek medical advice.	f water, also under the eyelids,
If swallowed		: Move the victim to fresh air. Keep respiratory tract clear. Do NOT induce vomiting. Obtain medical attention. Rinse mouth with water. Aspiration hazard if swallowed - damage.	can enter lungs and cause
4.2 Most i	important symptom	s and effects, both acute and delayed	
Symptoms		 Inhalation may provoke the follo Unconsciousness Dizziness Drowsiness Headache Nausea Tiredness Skin contact may provoke the for Erythema 	wing symptoms:
		Aspiration may cause pulmonar	y oedema and pneumonitis.
Risks	3	: Can be absorbed through skin.	gs on vomiting after ingestion.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment

: Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	ABC powder
Unsuitable extinguishing media	:	High volume water jet



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 671

Versi 3.3	on	Revision Date: 06.02.2023		e of last issue: 06.09.2021 e of first issue: 10.07.2016	Print Date: 07.02.2023	
5.2 S	5.2 Special hazards arising from the substance or mixture					
		:	Fire Hazard Do not let product enter drains. Contains gas under pressure; may explode if heated. Beware of vapours accumulating to form explosive concentra- tions. Vapours can accumulate in low areas.			
	Hazard ucts	ous combustion prod-	· :	Carbon oxides		
5.3 A	dvice	for firefighters				
	Special for firef	l protective equipment ighters	t:	In the event of fire, wear self-contained b Use personal protective equipment. Expo tion products may be a hazard to health.	0 11	
F	Further	information	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing w must not be discharged into drains. Cool containers/tanks with water spray.	ater separately. This	

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	 Evacuate personnel to safe areas. Ensure adequate ventilation. Remove all sources of ignition. Do not breathe vapours or spray mist. Refer to protective measures listed in sections 7 and 8. Only qualified personnel equipped with suitable protective equipment may intervene.
	equipment may intervene.

6.2 Environmental precautions

:	Try to prevent the material from entering drains or water
	courses.
	Prevent further leakage or spillage if safe to do so.
	Local authorities should be advised if significant spillages cannot be contained.
	:

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Contain spillage, and then collect with non-combustible ab- sorbent material, (e.g. sand, earth, diatomaceous earth, ver- miculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal. Non-sparking tools should be used.
-------------------------	---	---



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 671

Version	Revision Date:	Date of last issue: 06.09.2021	Print Date:
3.3	06.02.2023	Date of first issue: 10.07.2016	07.02.2023

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Do not use in areas without adequate ventilation. Do not breathe vapours or spray mist. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin and eyes. For personal protection see section 8. Keep away from fire, sparks and heated surfaces. Smoking, eating and drinking should be prohibited in the ap- plication area. Wash hands and face before breaks and immediately after handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not ingest. Do not use sparking tools. These safety instructions also apply to empty packaging which may still contain product residues. Pressurized container: protect from sunlight and do not ex- pose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.			
Hygiene measures	:	Wash face, hands and any exposed skin thoroughly after handling.			
7.2 Conditions for safe storage, i	7.2 Conditions for safe storage, including any incompatibilities				

Requirements for storage areas and containers	:	BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Store in accordance with the particular na- tional regulations.
7.3 Specific end use(s)		

- Specific use(s)
- : Specific instructions for handling, not required.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components CAS-No.	Value type (Form of exposure)	Control parameters	Basis
--------------------	-------------------------------	--------------------	-------



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 671

Version 3.3	Revision Date: 06.02.2023	Date of last issue Date of first issue		Print Date: 07.02.2023
butan	ne 10	06-97-8 TWA	2.350 mg/m3	HU OEL

				(2020-02-06)		
			le suffocation gases, substar	nces with minor		
	health effects. No correction is required.					
		CEIL	9.400 mg/m3	HU OEL (2020-02-06)		
		Further information: Irritants, simple suffocation gases, substances with minor health effects. No correction is required.				
distillates (petrole- um), hydrotreated heavy paraffinic	64742-54-7	TWA (Mist)	5 mg/m3	HU OEL (2020-02-06)		
		ROLONGED expos	/163/2011, Substances which ure. Corrected value = TWA			
Distillates (petrole- um), solvent- dewaxed heavy paraffinic; Baseoil — unspecified	64742-65-0	TWA (Mist)	5 mg/m3	HU OEL (2020-02-06)		
		ROLONGED expos	/163/2011, Substances which ure. Corrected value = TWA			
Distillates (petrole- um), hydrotreated heavy naphthenic; Baseoil — un- specified	64742-52-5	TWA (Mist)	5 mg/m3	HU OEL (2020-02-06)		
		ROLONGED expos	/163/2011, Substances which ure. Corrected value = TWA			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
distillates (petroleum), hydrotreated heavy paraffinic	Workers	Inhalation	Long-term local ef- fects	5,58 mg/m3
	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,97 mg/kg
Distillates (petrole- um), solvent-dewaxed heavy paraffinic; Baseoil — unspecified	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,97 mg/kg
Distillates (petrole- um), hydrotreated heavy naphthenic; Baseoil — unspecified	Workers	Inhalation	Long-term local ef- fects	5,58 mg/m3
	Workers	Inhalation	Long-term systemic	2,73 mg/m3



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 671

Version	Revision Date:	Date of last issue: 06.09.2021	Print Date: 07.02.2023
3.3	06.02.2023	Date of first issue: 10.07.2016	

		effects	
Workers	Skin contact	Long-term systemic effects	0,97 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
distillates (petroleum), hy- drotreated heavy paraffinic	Oral	9,33 mg/kg
Distillates (petroleum), solvent- dewaxed heavy paraffinic; Baseoil — unspecified	Oral	9,33 mg/kg
Distillates (petroleum), hy- drotreated heavy naphthenic; Baseoil — unspecified	Oral	9,33 mg/kg

8.2 Exposure controls

Engineering measures

Use only in an area equipped with explosion proof exhaust ventilation. Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment					
Eye protection :	Safety glasses with side-shields				
Hand protection Material : Break through time : Protective index :	Nitrile rubber > 10 min Class 1				
Remarks :	Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. The selected protective gloves have to satisfy the specifica- tions of Regulation (EU) 2016/425 and the standard EN 374 derived from it.				
Skin and body protection :	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.				
Respiratory protection :	Use respiratory protection unless adequate local exhaust ven- tilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Short term only				
Filter type :	Filter type A-P				
Protective measures :	The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.				



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 671

Version	Revision Date:	Date of last issue: 06.09.2021	Print Date:
3.3	06.02.2023	Date of first issue: 10.07.2016	07.02.2023

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	aerosol
Colour	:	beige
Odour	:	hydrocarbon-like
Odour Threshold	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	-44 °C (1.013 hPa)
Flammability (solid, gas)	:	Extremely flammable aerosol.
Upper explosion limit / Upper flammability limit	:	8,5 %(V)
Lower explosion limit / Lower flammability limit	:	0,6 %(V)
Flash point	:	-97 °C Method: Abel-Pensky, closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	Not applicable substance/mixture is non-soluble (in water)
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	< 20,5 mm2/s (40 °C)
Solubility(ies) Water solubility	:	insoluble
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	5.500 hPa (20 °C)



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 671

Vei 3.3	rsion S	Revision Date: 06.02.2023		e of last issue: 06.09.2021 e of first issue: 10.07.2016	Print Date: 07.02.2023
	Relati	ve density	:	0,67 (20 °C) Reference substance: Water The value is calculated	
	Densi	ty	:	0,67 g/cm3 (20 °C)	
	Bulk d	lensity	:	No data available	
	Relati	ve vapour density	:	No data available	
9.2	Other i	information			
	Explo	sives	:	Not explosive	
	Oxidiz	zing properties	:	No data available	
	Self-ig	gnition	:	No data available	
	Metal	corrosion rate	:	Not corrosive to metals	
	Evapo	pration rate	:	No data available	
	Sublin	nation point	:	No data available	

SECTION 10: Stability and reactivity

10.1 Reactivity No hazards to be specially mentioned. 10.2 Chemical stability Stable under normal conditions. 10.3 Possibility of hazardous reactions Hazardous reactions : No dangerous reaction known under conditions of normal use. 10.4 Conditions to avoid Conditions to avoid Heat, flames and sparks. 2 Strong sunlight for prolonged periods. Risk of receptacle bursting. **10.5 Incompatible materials** Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 671

Version	Revision Date:	Date of last issue: 06.09.2021	Print Date:
3.3	06.02.2023	Date of first issue: 10.07.2016	07.02.2023

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity		
Product: Acute oral toxicity	:	Remarks: This information is not available.
Acute inhalation toxicity	:	Symptoms: Inhalation may provoke the following symptoms:, Respiratory disorder
Acute dermal toxicity	:	Remarks: Prolonged or repeated skin contact with liquid may cause defatting resulting in drying, redness and possible blistering.
		Symptoms: Skin disorders

Components:

		ted heavy; Low boiling point ydrogen treated naphtha: LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401
Acute dermal toxicity :	:	LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 402
isobutane:		
Acute inhalation toxicity :	:	LC50 (Rat): 658 mg/l Exposure time: 4 h Test atmosphere: gas
butane:		
Acute inhalation toxicity :	:	LC50 (Rat): 658 mg/l Exposure time: 4 h Test atmosphere: gas
distillates (petroleum), hydrot	tre	ated heavy paraffinic:
Acute oral toxicity :		LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 GLP: yes
Acute inhalation toxicity :	:	LC50 (Rat): > 5,53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhala- tion toxicity



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



sion	Revision Date: 06.02.2023	Date of last issue: 06.09.2021 Date of first issue: 10.07.2016	
Acute	e dermal toxicity	: LD50 (Rabbit): > 5.000 n Method: OECD Test Gui	
Distil	lates (petroleum), s	olvent-dewaxed heavy paraffin	ic; Baseoil — unspecified:
Acute	oral toxicity	: LD50 (Rat): > 5.000 mg/l Method: OECD Test Gui	
Acute	e dermal toxicity	: LD50 (Rabbit): > 5.000 n Method: OECD Test Gui	
Distil	lates (petroleum), h	ydrotreated heavy naphthenic;	Baseoil — unspecified:
Acute	e oral toxicity	: LD50 (Rat): > 5.000 mg/l Method: OECD Test Gui GLP: yes	
Acute	inhalation toxicity	: LC50 (Rat): > 5,53 mg/l Exposure time: 4 h Test atmosphere: dust/m Method: OECD Test Gui GLP: yes Assessment: The substa tion toxicity	
Acute	e dermal toxicity	: LD50 (Rabbit): > 5.000 n Method: OECD Test Gui GLP: yes	
Skin	corrosion/irritation		
Produ	uct:		
Rema		: This information is not av	/ailable.
<u>Comp</u>	oonents:		
Naph	tha (petroleum), hy	drotreated heavy; Low boiling	point ydrogen treated naphtha:
Speci		: Rabbit	
	ssment	: No skin irritation	
Metho Resul		: OECD Test Guideline 40	04
Resu	IL	: Mild skin irritation	
Resul	lt	: Repeated exposure may	cause skin dryness or cracking.
distill	lates (petroleum), h	vdrotreated heavy paraffinic:	
	es	: Rabbit	
Speci		: No skin irritation	
	ssment	. INO SKITI ITILALIOTI	
Asses Metho	ssment od	: OECD Test Guideline 40	94
Asses	ssment od		4



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 671

Version	Revision Date:	Date of last issue: 06.09.2021	Print Date:
3.3	06.02.2023	Date of first issue: 10.07.2016	07.02.2023

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified:

Species	:	Rabbit
Assessment	:	No skin irritation
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
GLP	:	yes

Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified:

Species	:	Rabbit
Assessment	:	No skin irritation
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Serious eye damage/eye irritation

Product:

Remarks

: Contact with eyes may cause irritation.

Components:

Naphtha (petroleum), hydrotreated heavy; Low boiling point ydrogen treated naphtha:

Species	Rabbit
Assessment	No eye irritation
Method	OECD Test Guideline 405
Result	No eye irritation

distillates (petroleum), hydrotreated heavy paraffinic:

Species	:	Rabbit
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Result	:	No eye irritation
GLP	:	yes

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified:

Species	:	Rabbit
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Result	:	No eye irritation
GLP	:	yes

Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil - unspecified:

Species	:	Rabbit
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Result	:	No eye irritation
GLP	:	yes



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



sion	Revision Date: 06.02.2023	Date of last issue: 06.09.2021 Date of first issue: 10.07.2016	Print Date: 07.02.2023
Resp	iratory or skin sens	itisation	
Prod	-		
Rema		: This information is not availab	
Rema	11K5		JIE.
<u>Com</u>	ponents:		
Naph	tha (petroleum), hy	drotreated heavy; Low boiling point	t ydrogen treated naphtha
Speci	ies	: Guinea pig	
	ssment	: Does not cause skin sensitisa	ation.
Metho		: OECD Test Guideline 406	
Resu	It	: Does not cause skin sensitisa	ition.
Sulfo	nic acids, petroleu	n, calcium salts:	
Asses	ssment	: The product is a skin sensitise	er, sub-category 1B.
distil	lates (petroleum), h	ydrotreated heavy paraffinic:	
Speci		: Guinea pig	
•	ssment	: Does not cause skin sensitisa	ation.
Metho		: OECD Test Guideline 406	
Resu	lt	: Does not cause skin sensitisa	ation.
GLP		: yes	
Distil	latas (notroloum)	olvent-dewaxed heavy paraffinic; B	accoil unchooificd.
			aseon — unspecifieu.
Speci	ies ssment	: Guinea pig : Does not cause skin sensitisa	ation
Metho		: OECD Test Guideline 406	alon.
Resu		: Does not cause skin sensitisa	ation
GLP	-	: yes	
Distil Speci	u //	ydrotreated heavy naphthenic; Bas	eoil — unspecified:
	ssment	: Guinea pig : Does not cause skin sensitisa	ation
Metho		: OECD Test Guideline 406	
Resu		: Does not cause skin sensitisa	ation.
Germ	cell mutagenicity		
Prod	uct:		
Geno	toxicity in vitro	: Remarks: No data available	
Geno	toxicity in vivo	: Remarks: No data available	
Com	ponents:		



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



rsion	Revision Date: 06.02.2023		e of last issue: 06.09.2021 e of first issue: 10.07.2016	Print Date: 07.02.2023
Germ sessn	cell mutagenicity- As- nent	:	Tests on bacterial or mammalian mutagenic effects.	cell cultures did not show
Distil	lates (petroleum), sol	vent	dewaxed heavy paraffinic; Base	eoil — unspecified:
Geno	toxicity in vitro	:	Test system: Salmonella typhimu Metabolic activation: with and wit Method: OECD Test Guideline 47 Result: negative	hout metabolic activation
Geno	toxicity in vivo	:	Species: Mouse Application Route: Oral Method: OECD Test Guideline 47 Result: negative	74
Distil	lates (petroleum), hyc	drotr	eated heavy naphthenic; Baseoi	I — unspecified:
Geno	toxicity in vitro	:	Test Type: In vitro mammalian ce Test system: Chinese hamster ov Metabolic activation: with and wit Method: OECD Test Guideline 47 Result: negative	/ary cells hout metabolic activation
Geno	toxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Intraperitonea Method: OECD Test Guideline 47 Result: negative	
Germ sessn	cell mutagenicity- As- nent	:	Tests on bacterial or mammalian mutagenic effects.	cell cultures did not show
Carci	nogenicity			
<u>Produ</u> Rema		:	No data available	
Com	en en to :			
	<u>oonents:</u> tha (petroleum), hvdr	otrea	nted heavy; Low boiling point yd	rogen treated naphtha:
•	nogenicity - Assess-			•
distil	lates (petroleum), hyd	Irotre	eated heavy paraffinic:	
Carcii ment	nogenicity - Assess-	•	Not classifiable as a human carci	nogen.
		vent	dewaxed heavy paraffinic; Base	eoil — unspecified:
Speci Applic	es cation Route	:	Mouse Dermal	



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



NO 01				
ersion 3	Revision Date: 06.02.2023		e of last issue: 06.09.2021 e of first issue: 10.07.2016	Print Date: 07.02.2023
Metho Resul		:	OECD Test Guideline 451 negative	
Distil	lates (petroleum), hy	drotr	eated heavy naphthenic; Baseoil -	– unspecified:
	nogenicity - Assess-		Not classifiable as a human carcino	•
Repro	oductive toxicity			
<u>Produ</u>	<u>uct:</u>			
Effect	s on fertility	:	Remarks: No data available	
Effect ment	s on foetal develop-	:	Remarks: No data available	
<u>Comp</u>	oonents:			
Naph	tha (petroleum), hyd	rotrea	nted heavy; Low boiling point ydro	ogen treated naphtha:
	Reproductive toxicity - As- sessment	:	- Fertility -	
sessn			No toxicity to reproduction - Teratogenicity -	
			No toxicity to reproduction	
distill	ates (netroleum), hv	drotre	eated heavy paraffinic:	
	ductive toxicity - As-		- Fertility -	
sessn	-		No toxicity to reproduction	
Distil	lates (petroleum), so	lvent	-dewaxed heavy paraffinic; Baseo	il — unspecified:
	s on foetal develop-	:	Species: Rat	
ment			Application Route: Dermal General Toxicity Maternal: NOAEL	· 30 ma/ka body weight
			Developmental Toxicity: NOAEL: 3 Method: OECD Test Guideline 414	0 mg/kg body weight
Distil	lates (petroleum), hy	drotr	eated heavy naphthenic; Baseoil -	– unspecified:
	s on foetal develop-	:	Species: Rat	
ment			Application Route: Dermal General Toxicity Maternal: LOAEL: Teratogenicity: NOAEL: >= 2.000 r Developmental Toxicity: NOAEL: >= Embryo-foetal toxicity: NOAEL: >= Method: OECD Test Guideline 414 Result: No effects on fertility and ea ment were detected.	ng/kg body weight = 2.000 mg/kg body weight 2.000 mg/kg body weight
Repro	oductive toxicity - As-	:	- Fertility -	
•	sessment		No toxicity to reproduction	



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



KS 67 ′	1			
rsion	Revision Date: 06.02.2023		of last issue: 06.09.2021 of first issue: 10.07.2016	Print Date: 07.02.2023
			- Teratogenicity -	
			No toxicity to reproduction	
STO	Γ - single exposure			
Com	ponents:			
Naph	ntha (petroleum), hy	drotreat	ed heavy; Low boiling point ydr	ogen treated naphtha:
Asse	ssment		The substance or mixture is not cl organ toxicant, single exposure.	assified as specific target
Distil	llates (petroleum), ł	ydrotre	ated heavy naphthenic; Baseoil	— unspecified:
Asse	ssment		The substance or mixture is not cl organ toxicant, single exposure.	assified as specific target
STO	Г - repeated exposu	re		
Com	ponents:			
Naph	ntha (petroleum), hy	drotreat	ed heavy; Low boiling point ydr	ogen treated naphtha:
Asse	ssment		The substance or mixture is not cl organ toxicant, single exposure.	assified as specific target
Distil	llates (petroleum), ł	ydrotre	ated heavy naphthenic; Baseoil	— unspecified:
Asse	ssment		The substance or mixture is not cl organ toxicant, repeated exposure	
Repe	ated dose toxicity			
<u>Prod</u>	uct:			
Rema	arks	:	This information is not available.	
Aspi	ration toxicity			
Prod		and anta		
-	be fatal if swallowed		-	
May	be fatal if swallowed	and ente	rs airways.	
<u>Com</u>	ponents:			
-	tha (petroleum), hy be fatal if swallowed		ed heavy; Low boiling point ydr rs airways.	ogen treated naphtha:
		-	ated heavy paraffinic:	
INO AS	spiration toxicity clas	Sincation		



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 671

Version	Revision Date:	Date of last issue: 06.09.2021	Print Date:
3.3	06.02.2023	Date of first issue: 10.07.2016	07.02.2023

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified: No aspiration toxicity classification

Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified: No aspiration toxicity classification

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks

: Information given is based on data on the components and the toxicology of similar products.

SECTION 12: Ecological information

12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available

Components:

Naphtha (petroleum), hydrotreated heavy; Low boiling point ydrogen treated naphtha:					
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h			
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h			



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 671

rsion	Revision Date: 06.02.2023		e of last issue: 06.09.2021 e of first issue: 10.07.2016	Print Date: 07.02.2023
Toxic plants	ity to algae/aquatic s	:	EC50 (Pseudokirchneriella subcar mg/l Exposure time: 72 h	pitata (green algae)): > 10
		rotre	ated heavy paraffinic:	
Toxic	ity to fish	:	LC50 (Pimephales promelas (fathe Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes	
	ity to daphnia and other tic invertebrates	• :	EC50 (Daphnia magna (Water flea Exposure time: 48 h Test Type: Immobilization Method: OECD Test Guideline 202 GLP: yes	
	ity to daphnia and other tic invertebrates (Chron- icity)		NOEC: 10 mg/l Exposure time: 21 d Species: Daphnia magna (Water f Test Type: semi-static test Method: OECD Test Guideline 21 GLP: yes	
	l lates (petroleum), solv ity to fish	vent∙ ∶	dewaxed heavy paraffinic; Based LC50 (Pimephales promelas (fathe Exposure time: 96 h	•
			Test Type: static test Method: OECD Test Guideline 203 GLP: yes	3
	ity to daphnia and other tic invertebrates	• :	EC50 (Daphnia magna (Water flea Exposure time: 48 h Test Type: static test	
Toxic plants	ity to algae/aquatic s	:	Method: OECD Test Guideline 202 NOEC (Pseudokirchneriella subca mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 202	npitata (green algae)): > 1
	ity to daphnia and other tic invertebrates (Chron- icity)		NOEC: 10 mg/l Exposure time: 21 d Species: Daphnia magna (Water f	lea)
Distil	llates (petroleum), hyd	rotre	eated heavy naphthenic; Baseoil	— unspecified:
	ity to fish	:	LC50 (Pimephales promelas (fathe Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 200	ead minnow)): > 100 mg/l



Method: OECD Test Guideline 203

according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 671

OKS 67	1			
Version 3.3	Revision Date: 06.02.2023		e of last issue: 06.09.2021 e of first issue: 10.07.2016	Print Date: 07.02.2023
			GLP: yes	
	city to daphnia and other tic invertebrates	· :	EC50 (Daphnia magna (Water flea) Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202	
Toxic plant	sity to algae/aquatic s	:	LC50 (Pseudokirchneriella subcapi mg/l Exposure time: 72 h Method: OECD Test Guideline 201	tata (green algae)): > 100
Toxic icity)	city to fish (Chronic tox-	:	NOELR: >= 1.000 mg/l Exposure time: 28 d Species: Oncorhynchus mykiss (rai Remarks: The value is calculated	inbow trout)
	tity to daphnia and other tic invertebrates (Chron- cicity)		NOELR: 10 mg/l Exposure time: 21 d Species: Daphnia magna (Water fle Test Type: Reproduction Test Method: OECD Test Guideline 211	ea)
12.2 Pers	istence and degradabi	lity		
<u>Prod</u> Biode	uct: egradability	:	Remarks: No data available	
		:	Remarks: No data available	
<u>Com</u>	ponents:			
disti	llates (petroleum), hyd	rotre	eated heavy paraffinic:	
	egradability	:	Test Type: aerobic Inoculum: activated sludge Result: Not rapidly biodegradable Biodegradation: 3 % Exposure time: 28 d Method: OECD Test Guideline 301	D

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

GLP: yes

Method: OECD Test Guideline 301B

Biodegradability :	Test Type: aerobic Inoculum: activated sludge Result: Not rapidly biodegradable Biodegradation: 31 % Exposure time: 28 d Method: OECD Test Guideline 301B GLP: yes
--------------------	--



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



Versi 3.3	ion Revision Date: 06.02.2023	Date of last issue: 06.09.2021 Date of first issue: 10.07.2016	Print Date: 07.02.2023
	Distillates (petroleum).	hydrotreated heavy naphthenic; Baseoi	I — unspecified:
	Biodegradability	: Test Type: aerobic Inoculum: activated sludge Result: Not rapidly biodegradable Biodegradation: 3 % Exposure time: 28 d Method: OECD Test Guideline 30 GLP: yes	9
12.3	Bioaccumulative poter	tial	
<u> </u>	Product:		
I	Bioaccumulation	: Remarks: This mixture contains r be persistent, bioaccumulating a This mixture contains no substan persistent and very bioaccumulat	nd toxic (PBT). ace considered to be very
9	Components:		
	propane:		
	Partition coefficient: n- octanol/water	: log Pow: 2,36	
i	isobutane:		
	Partition coefficient: n- octanol/water	: log Pow: 2,88 Method: OECD Test Guideline 10	07
I	butane:		
	Partition coefficient: n- octanol/water	: log Pow: 2,89 Method: OECD Test Guideline 10	07
	distillates (petroleum),	hydrotreated heavy paraffinic:	
	Partition coefficient: n- octanol/water	: log Pow: > 2	
12.4	Mobility in soil		
	Product:		
I	Mobility	: Remarks: No data available	
	Distribution among envir mental compartments	on- : Remarks: No data available	
12.5	Results of PBT and vP	vB assessment	
	Product:		
	Assessment	: This substance/mixture contains to be either persistent, bioaccum	



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 671

013 07				
Version 3.3	Revision Date: 06.02.2023		e of last issue: 06.09.2021 e of first issue: 10.07.2016	Print Date: 07.02.2023
			very persistent and very bioaccum 0.1% or higher.	ulative (vPvB) at levels of
Com	ponents:			
Nanh	tha (petroleum) hvd	Irotrea	ted heavy; Low boiling point ydro	ogen treated nanhtha
-	ssment	:	Non-classified PBT substance. No	•
distil	lates (petroleum), hy	/drotre	eated heavy paraffinic:	
Asse	ssment	:	Non-classified vPvB substance. No	on-classified PBT substance
Distil	lates (petroleum), hy	ydrotro	eated heavy naphthenic; Baseoil ·	— unspecified:
Asse	ssment	:	Non-classified PBT substance. No	n-classified vPvB substance
12.6 Endo	ocrine disrupting pro	pertie	S	
Prod	uct:			
	ssment	:	The substance/mixture does not co ered to have endocrine disrupting REACH Article 57(f) or Commissio (EU) 2017/2100 or Commission Re levels of 0.1% or higher.	properties according to n Delegated regulation
12.7 Othe	r adverse effects			
<u>Prod</u> Additi matio	ional ecological infor-	:	No information on ecology is availa	able.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
		Waste codes should be assigned by the user based on the application for which the product was used.
Contaminated packaging	:	Packaging that is not properly emptied must be disposed of as the unused product. Offer empty spray cans to an established disposal company. Pressurized container: Do not pierce or burn, even after use.
		The following Waste Codes are only suggestions:
Waste Code	:	unused product, packagings not completely emptied



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 671

Version	Revision Date:	Date of last issue: 06.09.2021	Print Date:
3.3	06.02.2023	Date of first issue: 10.07.2016	07.02.2023

16 05 04*, gases in pressure containers (including halons) containing hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number		
ADN	:	UN 1950
ADR	:	UN 1950
RID	:	UN 1950
IMDG	:	UN 1950
ΙΑΤΑ	:	UN 1950
14.2 UN proper shipping name		
ADN	:	AEROSOLS
ADR	:	AEROSOLS
RID	:	AEROSOLS
IMDG	:	AEROSOLS
ΙΑΤΑ	:	Aerosols, flammable
14.3 Transport hazard class(es)		
ADN	:	2
ADR	:	2
RID	:	2
IMDG	:	2.1
ΙΑΤΑ	:	2.1
14.4 Packing group		
ADN Packing group Classification Code Labels	:	Not assigned by regulation 5F 2.1
ADR Packing group Classification Code Labels Tunnel restriction code		Not assigned by regulation 5F 2.1 (D)
RID Packing group Classification Code Hazard Identification Number Labels		Not assigned by regulation 5F 23 2.1



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 671

01001	•			
Version 3.3	Revision Date: 06.02.2023		e of last issue: 06.09.2021 e of first issue: 10.07.2016	Print Date: 07.02.2023
Labe	ing group	:	Not assigned by regulation 2.1 F-D, S-U	
Pack aircra Pack	ing instruction (LQ) ing group	:	203 Y203 Not assigned by regulation Flammable Gas	
IATA (Passenger) Packing instruction (passen- ger aircraft) Packing instruction (LQ) Packing group Labels		: : :	203 Y203 Not assigned by regulation Flammable Gas	
14.5 Envi	ronmental hazards			
ADN Envir	onmentally hazardous	:	no	
ADR Envir	onmentally hazardous	:	no	
RID Envir	onmentally hazardous	:	no	
IMDO	G			

Marine pollutant : no 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks	: Not applicable for product as supplied
---------	--

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)	: This product does not contain sub- stances of very high concern (Regu- lation (EC) No 1907/2006 (REACH), Article 57).

according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 671

Versior 3.3		Revision Date: 06.02.2023	Date of last issue: Date of first issue:		Print Date: 07.02.2023
(A	nnex	I - List of substances XIV) EACH-Annex XIV)	subject to authorisa	ition :	Not applicable
ple	ete th	tion (EC) No 1005/20 e ozone layer 05/2009)	009 on substances th	nat de- :	Not applicable
tai		tion (EU) 2019/1021 ecast) DP)	on persistent organi	c pollu- :	Not applicable
m of	ent ar	tion (EC) No 649/201 nd the Council conce erous chemicals C)			Not applicable
				: P2	
Pa ma	arliam	III: Directive 2012/1 ent and of the Counc locident hazards invo	cil on the control of		FLAMMABLE AEROSOLS
				34	Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar proper- ties as regards flammability and environmental hazards as the products referred to in points (a) to (d)
				18	Liquefied extremely flammable gases (including LPG) and natural gas
Vo	olatile	organic compounds	emissions (int	tegrated poll	4 November 2010 on industrial ution prevention and control) ds (VOC) content: 80,63 %

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

2000 XXV. Law on chemical safety



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 671

Version	Revision Date:	Date of last issue: 06.09.2021	Print Date:
3.3	06.02.2023	Date of first issue: 10.07.2016	07.02.2023

44/2000. (XII 27) Ministry of health dangerous substances and preparations dangerous for certain procedures and arrangements for activities

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

EUH066	: Repeated exposure may cause skin dryness or cracking.
H220	: Extremely flammable gas.
H280	: Contains gas under pressure; may explode if heated.
H304	: May be fatal if swallowed and enters airways.
H317	: May cause an allergic skin reaction.
EUH066	: Repeated exposure may cause skin dryness or cracking.

Full text of other abbreviations

Note C :	Some organic substances may be marketed either in a specif- ic isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the sub- stance is a specific isomer or a mixture of isomers.
Note L :	The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determi- nation of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method"Institute of Petroleum, Lon- don), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.
Note P :	The harmonised classification as a carcinogen or mutagen applies unless it can be shown that the substance contains less than 0,1 % w/w benzene (Einecs No 200-753-7), in which case a classification in accordance with Title II of this Regula- tion shall be performed also for those hazard classes. Where the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-)P260-P262-P301 + P310-P331 shall apply.
Note U (table 3.1) :	When put on the market gases have to be classified as "Gases under pressure", in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 671

Version 3.3	Revision Date: 06.02.2023		e of last issue: 06.09.2021 e of first issue: 10.07.2016	Print Date: 07.02.2023
	DEL DEL / TWA DEL / CEIL	:	group depends on the physical stat aged and therefore has to be assig following codes are assigned: Pres (Liq.) Press. Gas (Ref. Liq.) Press. not be classified as gases under pr 2, Section 2.3.2.1, Note 2). Hungary. Occupational Exposure L ble concentration values Mean concentration Peak concentration	ned case by case. The s. Gas (Comp.) Press. Gas Gas (Diss.) Aerosols shall essure (See Annex I, Part

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization: ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:		Classification procedure:	
Aerosol 1	H222, H229	Based on product data or assessment	
Asp. Tox. 1	H304	Based on product data or assessment	

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 671

Version	Revision Date:	Date of last issue: 06.09.2021	Print Date:
3.3	06.02.2023	Date of first issue: 10.07.2016	07.02.2023

forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

