According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 70	1			
Version 3.3	Revision Date: 18.10.2022		e of last issue: 31.07.2019 e of first issue: 30.03.2013	Print Date: 18.10.2022
SECTIO	N 1: Identification o	f the	substance/mixture and of the	e company/undertaking
1.1 Produ	uct identifier			
Prod	uct name	:	OKS 701	
1.2 Relev	ant identified uses of	the s	ubstance or mixture and uses a	idvised against
	of the stance/Mixture	:	Lubricant spray	
Reco on us	ommended restrictions se	:	Restricted to professional users.	
1.3 Detail	s of the supplier of th	ne saf	ety data sheet	
Com	pany	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com	+
	ail address of person onsible for the SDS	:	mcm@oks-germany.com Material Compliance Manageme	nt
Natio	onal contact	:		
	onal contact gency telephone num	: Iber		

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Aerosols, Category 1	H222: Extremely flammable aerosol. H229: Pressurised container: May burst if heated.
Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters airways.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 701

Version	Revision Date:	Date of last issue: 31.07.2019	Print Date:
3.3	18.10.2022	Date of first issue: 30.03.2013	18.10.2022

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms	:		
Signal word	:	Danger	
Hazard statements	:	H222 H229 H304	Extremely flammable aerosol. Pressurised container: May burst if heated. May be fatal if swallowed and enters airways.
Precautionary statements	:	Prevention:	
		P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
		P211	Do not spray on an open flame or other ignition source.
		P251	Do not pierce or burn, even after use.
		Response:	
		P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
		P331	Do NOT induce vomiting.
		Storage:	
		P410 + P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Hazardous components which must be listed on the label:

Butene, polymers

Additional Labelling

EUH208

Contains Sulfonic acids, petroleum, calcium salts. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 701

Version	Revision Date:	Date of last issue: 31.07.2019	Print Date:
3.3	18.10.2022	Date of first issue: 30.03.2013	18.10.2022

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Active substance with propellant Synthetic hydrocarbon oil

Components

Chemical name	CAS-No.	Classification	specific	Concentration
	EC-No.		concentration limit	(% w/w)
	Index-No.		M-Factor	
	Registration number		Notes	
			Acute toxicity	
			estimate	
Butene, polymers	9003-29-6	Asp. Tox.1; H304		>= 30 - < 50
	500-004-7			
propane	74-98-6	Flam. Gas1; H220		>= 1 - < 10
	200-827-9	Press. GasCompr. Gas; H280		
	601-003-00-5	Gas, nzou		
Sulfonic acids,	61789-86-4	Skin Sens.1B;	>= 10 %	>= 1 - < 10
petroleum, calcium	263-093-9	H317	Skin Sens.1B,	
salts				
	75.00.5			4 40
isobutane	75-28-5 200-857-2	Flam. Gas1A; H220		>= 1 - < 10
	200-007-2	Press. GasCompr.		
	601-004-00-0	Gas; H280		
Substances with a work				
butane	106-97-8	Flam. Gas1; H220		>= 30 - < 50
	203-448-7	Press. GasCompr. Gas; H280		
	601-004-00-0			

For explanation of abbreviations see section 16.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 701

Version	Revision Date:	Date of last issue: 31.07.2019	Print Date:
3.3	18.10.2022	Date of first issue: 30.03.2013	18.10.2022

SECTION 4: First aid measures

4.1	Description of first aid measu	res	i
	If inhaled	:	Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respiration.
	In case of skin contact	:	Take off all contaminated clothing immediately. Wash off immediately with soap and plenty of water. Get medical attention immediately if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse.
	In case of eye contact	:	Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. If eye irritation persists, consult a specialist.
	If swallowed	:	Move the victim to fresh air. Keep respiratory tract clear. Do NOT induce vomiting. Obtain medical attention. Rinse mouth with water. Aspiration hazard if swallowed - can enter lungs and cause damage.
4.2	Most important symptoms and	d e	ffects, both acute and delayed
	Symptoms	:	Inhalation may provoke the following symptoms: Unconsciousness Dizziness Drowsiness Headache Nausea Tiredness Aspiration may cause pulmonary oedema and pneumonitis.
	Risks	:	Risk of product entering the lungs on vomiting after ingestion.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment

: Treat symptomatically.



Health injuries may be delayed.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 701

Version	Revision Date:	Date of last issue: 31.07.2019	Print Date:
3.3	18.10.2022	Date of first issue: 30.03.2013	18.10.2022

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	ABC powder
Unsuitable extinguishing media	:	High volume water jet

5.2 Special hazards arising from the substance or mixture

0.2	opeoial nazaras ansing nom		
	Specific hazards during firefighting	:	Fire Hazard Do not let product enter drains. Contains gas under pressure; may explode if heated. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
	Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NOx) Sulphur oxides
5.3	Advice for firefighters		
	Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.
	Further information	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Cool containers/tanks with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	 Evacuate personnel to safe areas. Ensure adequate ventilation. Remove all sources of ignition. Do not breathe vapours or spray mist. Refer to protective measures listed in sections 7 and 8. Only qualified personnel equipped with suitable protective equipment may intervene.
----------------------	--

6.2 Environmental precautions

Environmental precautions	:	Try to prevent the material from entering drains or water
		courses.
		Prevent further leakage or spillage if safe to do so.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 70 ⁴	1		
Version 3.3	Revision Date: 18.10.2022	Date of last issue: 31.07.2019 Date of first issue: 30.03.2013	Print Date: 18.10.2022

Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

	Methods for cl	eaning up :	Keep in suitable, closed containers for disposal.
--	----------------	-------------	---

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Do not use in areas without adequate ventilation. Do not breathe vapours or spray mist. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin and eyes. For personal protection see section 8. Keep away from fire, sparks and heated surfaces. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not use sparking tools. These safety instructions also apply to empty packaging which may still contain product residues. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.
Hygiene measures	:	Wash face, hands and any exposed skin thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Store in accordance with the particular national regulations.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 701

Version	Revision Date:	Date of last issue: 31.07.2019	Print Date:
3.3	18.10.2022	Date of first issue: 30.03.2013	18.10.2022

7.3 Specific end use(s)

Specific use(s)

: Specific instructions for handling, not required.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
butane	106-97-8	STEL	750 ppm 1,810 mg/m3	GB EH40GB EH40 (2007-08-01)
	Further inform damage.	nation: Capable of ca	ausing cancer and/or heritable	e genetic
		TWA	600 ppm 1,450 mg/m3	GB EH40GB EH40 (2007-08-01)
	Further inform damage.	nation: Capable of ca	ausing cancer and/or heritable	e genetic

8.2 Exposure controls

Engineering measures

Use only in an area equipped with explosion proof exhaust ventilation. Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment	ent	
Eye protection	:	Safety glasses with side-shields
Hand protection Material Break through time Protective index	:	Fluorinated rubber > 10 min Class 1
Remarks	:	Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.
Skin and body protection	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Short term only
Filter type	:	Filter type A-P



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



Version	Revision Date:	Date of last issue: 31.07.2019	Print Date:
3.3	18.10.2022	Date of first issue: 30.03.2013	18.10.2022

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	aerosol
Colour	:	brown
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	Not applicable substance/mixture is non-soluble (in water)
Melting point/range	:	No data available
Boiling point/boiling range	:	-44 °C (1,013 hPa)
Flash point	:	-97 °C Method: Abel-Pensky, closed cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Extremely flammable aerosol.
Upper explosion limit / Upper flammability limit	:	10.5 %(V)
Lower explosion limit / Lower flammability limit	:	1.5 %(V)
Vapour pressure	:	5,000 hPa (20 °C)
Relative vapour density	:	No data available
Relative density	:	0.698 (20 °C) Reference substance: Water The value is calculated
Density	:	0.70 g/cm3



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



- 1/4					
OKS	S 701				
Versi 3.3	ion	Revision Date: 18.10.2022		of last issue: 31.07.2019 of first issue: 30.03.2013	Print Date: 18.10.2022
				(20 °C)	
	Bulk de	ensity	:	No data available	
		ity(ies) ter solubility	:	insoluble	
	Sol	ubility in other solvents	s :	No data available	
		on coefficient: n- I/water	:	No data available	
	Auto-ig	nition temperature	:	No data available	
	Decom	position temperature	:	No data available	
	Viscos Viso	ity cosity, dynamic	:	No data available	
	Vise	cosity, kinematic	:	< 20.5 mm2/s (40 °C)	
	Explos	ive properties	:	Not explosive	
	Oxidizi	ng properties	:	No data available	
9.2 C	Other in	nformation			
	Sublim	ation point	:	No data available	
	Metal o	corrosion rate	:	Not corrosive to metals	
	Self-ig	nition	:	No data available	

SECTION 10: Stability and reactivity

No hazards to be specially mentioned.

10.1 Reactivity

10.2 Chemical stability Stable under normal condition	ns.
10.3 Possibility of hazardous re	actions
Hazardous reactions	: No dangerous reaction known under conditions of normal use.
10.4 Conditions to avoid	
Conditions to avoid	: Heat, flames and sparks. Strong sunlight for prolonged periods. Risk of receptacle bursting.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 701

Version	Revision Date:	Date of last issue: 31.07.2019	Print Date:
3.3	18.10.2022	Date of first issue: 30.03.2013	18.10.2022

10.5 Incompatible materials

Materials to avoid

: Oxidizing agents

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity		
Product:		
Acute oral toxicity	:	Remarks: This information is not available.
Acute inhalation toxicity	:	Symptoms: Inhalation may provoke the following symptoms:, Respiratory disorder
Acute dermal toxicity	:	Remarks: This information is not available.
Components:		
Butene, polymers:		
Acute oral toxicity	:	LD50 (Rat): > 34,600 mg/kg Method: OECD Test Guideline 401
Acute dermal toxicity	:	LD50 (Rat): > 10,250 mg/kg
isobutane:		
Acute inhalation toxicity	:	LC50 (Rat): 658 mg/l Exposure time: 4 h Test atmosphere: gas
butane:		
Acute inhalation toxicity	:	LC50 (Rat): 658 mg/l Exposure time: 4 h Test atmosphere: gas
Skin corrosion/irritation		
Product:		
Remarks	:	This information is not available.
Serious eye damage/eye irr	itat	ion
Product:		
Remarks	:	Contact with eyes may cause irritation.
		a brand of



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



KS 701				
ersion 3	Revision Date: 18.10.2022		st issue: 31.07.2019 st issue: 30.03.2013	Print Date: 18.10.2022
_				
Resp	iratory or skin sens	itisation		
<u>Produ</u>		-		
Rema	ırks	: This	information is not available.	
<u>Comp</u>	oonents:			
Sulfo	nic acids, petroleu	n, calcium s	alts:	
Asses	ssment	: The	product is a skin sensitiser, s	ub-category 1B.
Germ	cell mutagenicity			
<u>Prod</u> u	uct:			
	toxicity in vitro	: Rem	arks: No data available	
Geno	toxicity in vivo	: Rem	arks: No data available	
Carci	nogenicity			
Produ	<u>uct:</u>			
Rema	ırks	: No d	ata available	
Repro	oductive toxicity			
<u>Produ</u>	<u>uct:</u>			
Effect	s on fertility	: Rem	arks: No data available	
	s on foetal opment	: Rem	arks: No data available	
Repe	ated dose toxicity			
<u>Produ</u>	<u>uct:</u>			
Rema	ırks	: This	information is not available.	
Aspir	ation toxicity			
<u>Prod</u> ı	<u>ıct:</u>			
	e fatal if swallowed	and enters ai	ways.	
<u>Comp</u>	oonents:			
Buter	ne, polymers:			
	e fatal if swallowed	and enters ai	rways.	



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 701

Version	Revision Date:	Date of last issue: 31.07.2019	Print Date:
3.3	18.10.2022	Date of first issue: 30.03.2013	18.10.2022

Further information

Product:

Remarks

: Information given is based on data on the components and the toxicology of similar products.

SECTION 12: Ecological information

12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available
12.2 Persistence and degradabil	ity	
Product:		
Biodegradability	:	Remarks: No data available
Physico-chemical	:	Remarks: No data available

removability

12.3 Bioaccumulative potential

Product:

Bioaccumulation	: Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).
	,

12.4 Mobility in soil

Product:		
Mobility	:	Remarks: No data available
Distribution among environmental compartments	:	Remarks: No data available



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 701

Version	Revision Date:	Date of last issue: 31.07.2019	Print Date:
3.3	18.10.2022	Date of first issue: 30.03.2013	18.10.2022

12.5 Results of PBT and vPvB assessment

Product:	
Assessment	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
12.6 Other adverse effects	
Product:	
Endocrine disrupting potential	: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Additional ecological information	: No information on ecology is available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods		
Product	l	Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
		Waste codes should be assigned by the user based on the application for which the product was used.
Contaminated packaging	1	Packaging that is not properly emptied must be disposed of as the unused product. Offer empty spray cans to an established disposal company. Pressurized container: Do not pierce or burn, even after use.
	-	The following Waste Codes are only suggestions:
Waste Code		unused product, packagings not completely emptied 16 05 04*, gases in pressure containers (including halons) containing hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADR : UN 1950



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 70	4			
OKS 70'				
Version 3.3	Revision Date: 18.10.2022	Date of last issue: Date of first issue:		Print Date: 18.10.2022
RID		: UN 1950		
IMDO		: UN 1950 : UN 1950		
IATA		: UN 1950		
	proper shipping name	. 0111950		
ADR		: AEROSOLS		
RID		: AEROSOLS		
IMDO		: AEROSOLS		
ΙΑΤΑ		: Aerosols, flar	nmable	
14.3 Tran	sport hazard class(es)			
ADR		: 2		
RID		: 2		
IMDO	3	: 2.1		
ΙΑΤΑ		: 2.1		
14.4 Pack	ing group			
Class Label	ing group sification Code Is el restriction code	: Not assigned : 5F : 2.1 : (D)	by regulation	
Class	ing group sification Code rd Identification Numbe Is	: Not assigned : 5F : 23 : 2.1	by regulation	
Label	ing group	: Not assigned : 2.1 : F-D, S-U	by regulation	
	(Cargo) ing instruction (cargo	: 203		
Pack	ing instruction (LQ) ing group	: Y203 : Not assigned : Flammable G	by regulation Bas	
Pack	(Passenger) ing instruction senger aircraft)	: 203		
Pack	ing instruction (LQ) ing group	: Y203 : Not assigned : Flammable G	by regulation Bas	

14.5 Environmental hazards



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 701

Version	Revision Date:	Date of last issue: 31.07.2019	Print Date:
3.3	18.10.2022	Date of first issue: 30.03.2013	18.10.2022

ADR

Environmentally hazardous	:	no
RID Environmentally hazardous	:	no
IMDG Marine pollutant	:	no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks

: Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

^	luie		
	REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Not applicable
	REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)	:	This product does not contain substances of very high concern (Regulation (EC) No
	REACH - List of substances subject to authorisation (Annex XIV) (EU. REACH-Annex XIV)	:	1907/2006 (REACH), Article 57). Not applicable
	Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009)	:	Not applicable
	Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP)	:	Not applicable
	Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals (EU PIC)	:	Not applicable
	UK REACH List of substances subject to authorisation (Annex XIV) (UK. REACH Annex XIV)	:	Not applicable



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 701						
Version 3.3	Revision Date: 18.10.2022	Date of last issue: 31.07.2019 Date of first issue: 30.03.2013	Print Date: 18.10.2022			
GB Export and import of hazardous chemicals - Prior : Not applicable Informed Consent (PIC) Regulation (GB PIC)						
Regulation (EU) 2019/1148 on the marketing and use of : Not applicable explosives precursors						
15.2 Chemical safety assessment This information is not available.						

SECTION 16: Other information

Full text of R-Phrases Note C Note U (table 3.1)	:	Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers. When put on the market gases have to be classified as "Gases under pressure", in one of the groups compressed	
		gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case. The following codes are assigned: Press. Gas (Comp.) Press. Gas (Liq.) Press. Gas (Ref. Liq.) Press. Gas (Diss.) Aerosols shall not be classified as gases under pressure (See Annex I, Part 2, Section 2.3.2.1, Note 2).	
Full text of H-Statements			
H220 H280 H304 H317	::	Extremely flammable gas. Contains gas under pressure; may explode if heated. May be fatal if swallowed and enters airways. May cause an allergic skin reaction.	
Full text of other abbreviations			
Note C	:	Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.	
Note U (table 3.1)	:	When put on the market gases have to be classified as "Gases under pressure", in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case. The following codes are assigned: Press. Gas (Comp.) Press. Gas	
		a brand of	



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 701						
Version 3.3	Revision Date: 18.10.2022	Date of last issue: 31.07.2019 Date of first issue: 30.03.2013	Print Date: 18.10.2022			

	(Liq.) Press. Gas (Ref. Liq.) Press. Gas (Diss.) Aerosols shall
	not be classified as gases under pressure (See Annex I, Part
	2, Section 2.3.2.1, Note 2).
:	UK. EH40 WEL - Workplace Exposure Limits
:	Long-term exposure limit (8-hour TWA reference period)
:	Short-term exposure limit (15-minute reference period)
	:

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of verv high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG -United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Classification of the mixture:

Classification procedure:

Aerosol 1	H222, H229	Based on product data or assessment
Asp. Tox. 1	H304	Based on product data or assessment

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 701

Version	Revision Date:	Date of last issue: 31.07.2019	Print Date:
3.3	18.10.2022	Date of first issue: 30.03.2013	18.10.2022

the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

